
F/A-18C Stick

WINWING Orion Joystick Base 2 + JGRIP-F16 · 30 of 56 controls bound

RigReady cheat sheet
2026-11-12



Pickle · 20
- Pickle: release weapon

TMS · 4-way · 37–40 ?
- ↑ Sensor select: HUD
- → Sensor select: right display
- ↓ Sensor select: bottom display (AMPCD)
- ← Sensor select: left display

DMS · 4-way · 10–13 ?
- ↑ Weapon select: Sparrow
- → Weapon select: AMRAAM
- ↓ Weapon select: gun
- ← Weapon select: Sidewinder

Trigger · 4–5 ?
- **1st** —
- **2nd** Trigger: fire

Front button · 6 ?
- Undesignate / nose wheel steering

Pinky lever · S1 ?
- Both brakes, one axis

Twist · RZ
—

TRIM hat · H1
- ↑ Trim nose down
- → Trim right wing down
- ↓ Trim nose up
- ← Trim left wing down
- ↗ View Up Right slow
- ↘ View Down Right slow
- ↙ View Down Left slow
- ↖ View Up Left slow

CMS · 4-way · 31–35 ?
- ↑ Radar elevation up
- → —
- ↓ Radar elevation down
- ← —
- **press** —

Mini-stick · RX, RY, 26 ?
- ↔ TDC left/right (axis)
- ↕ TDC up/down (axis)
- **press** TDC press: designate / lock

Paddle · 8 ?
- Paddle: autopilot off

Stick · X, Y
- ↔ Roll (stick left and right)
- ↕ Pitch (stick forward and back)

MORE CONTROLS · not on the drawing
- **19** Centre the view
- **36** Centre the view

Flight controls · Weapons · Sensors & targeting · Gear, flaps & airframe · View

F/A-18C Throttle

WINWING THROTTLE BASE1 + F15EX HANDLE L + F15EX HANDLE R · 28 of 69 controls bound

RigReady cheat sheet
2026-11-12

COMM · 4-way · 6–9 ?
- ↑ Talk on radio 1 / radio menu
- → —
- ↓ Talk on radio 2 / radio menu
- ← —

Speed brake · 3-way · 3–5 ?
- ▲ Speed brake out
- ● Speed brake in (two-position switch)
- ▼ Speed brake in


Left throttle · RY
- Throttle, left engine

ATC · 50 ?
- Auto-throttle on/off

Left finger lift · 2, 31
- **IDLE** Left throttle to IDLE
- **OFF** Throttle (Left): OFF

Base knobs · Z, RZ ?

left —
right —



TDC mini-stick · X, Y, 35 ?
- ↔ TDC left/right (axis)
- ↕ TDC up/down (axis)
- **press** TDC press: designate / lock

Dispense · 3-way · 22–24 ?
- ▲ Dispense chaff
- ● —
- ▼ Dispense flares

Antenna elevation · 25, 27, 28, 32 ?
- ▲ Radar elevation up
- ▼ Radar elevation down
- ▲ Radar elevation up
- ▼ Radar elevation down

Right throttle · RX
- Throttle, right engine

Cage / uncage · 16 ?
- Cage / uncage

RAID / FOV · 53, 56 ?
- RAID / field of view
- RAID / field of view


Right finger lift · 1, 30
- **IDLE** Right throttle to IDLE
- **OFF** Throttle (Right): OFF

Base slider · S1 ?

—

Base switches · 21, 40, 42, 59 ?
- Pilot Salute
- Zoom out
- Zoom in
- Exterior lights: toggle

Flight controls · Engines & fuel · Weapons · Sensors & targeting · Countermeasures · Radio & comms · Gear, flaps & airframe · View



LEFT
Y ↔ Left toe brake
Left toe brake
RIGHT
X ↔ Right toe brake
Right toe brake
Z ↔ Rudder
×2
Rudder (pedals or stick twist)

F/A-18C

R-VPC Panel #1

26 of 43 controls bound

RigReady cheat sheet
2026-11-12



Flight controls · Weapons · Sensors & targeting · Countermeasures · Gear, flaps & airframe · Aircraft systems

F/A-18C WinWing F18 STARTUP PANEL

53 of 59 controls bound

RigReady cheat sheet
2026-11-12

FIRE TEST
- **1** TEST A — Fire and Bleed Air Test: TEST A
- **2** OFF
- **3** TEST B — Fire and Bleed Air Test: TEST B

GND PWR 1
- **4** A ON — Ground Power 1: A ON
- **5** AUTO — Ground Power 1: AUTO
- **6** B ON — Ground Power 1: B ON

GND PWR 2
- **9** A ON — Ground Power 2: A ON
- **10** AUTO — Ground Power 2: AUTO
- **11** B ON — Ground Power 2: B ON

GND PWR 3
- **15** A ON — Ground Power 3: A ON
- **16** AUTO — Ground Power 3: AUTO
- **17** B ON — Ground Power 3: B ON

GND PWR 4
- **18** A ON — Ground Power 4: A ON
- **19** AUTO — Ground Power 4: AUTO
- **20** B ON — Ground Power 4: B ON

EXT PWR
- **23** RESET — External Power: RESET
- **24** NORM — External Power: NORM
- **25** OFF — External Power: OFF

BATT
- **12** ON — Battery: ON
- **13** OFF — Battery: OFF
- **14** ORIDE — Battery: ORIDE

L GEN
- **7** NORM — Left Generator: NORM
- **8** OFF — Left Generator: OFF

R GEN
- **21** NORM — Right Generator: NORM
- **22** OFF — Right Generator: OFF

GEN TIE
- **34** NORM — Generator TIE: NORM/RESET
- **35** RESET

ENG ANTI ICE
- **28** ON — Engine Anti-Ice: ON
- **29** OFF — Engine Anti-Ice: OFF
- **30** TEST — Engine Anti-Ice: TEST

PITOT
- **26** ON — Pitot Heater: ON/AUTO
- **27** AUTO

ENG CRANK
- **40** L — Engine Crank: Cycle Left
- **41** OFF
- **42** R — Engine Crank: Cycle Right

APU
- **38** ON — APU Sw (special): ON/OFF
- **39** OFF

BLEED AIR
- **54** OFF — Bleed Air: OFF
- **55** L OFF — Bleed Air: L OFF
- **56** NORM — Bleed Air: NORM
- **57** R OFF — Bleed Air: R OFF

PROBE
- **43** EXTEND ×2 — Probe: EXTEND
- **44** RETRACT ×2 — Probe: RETRACT
- **45** EMERG ×2 — Probe: EMERG EXTD

FUEL DUMP
- **52** ON — Fuel Dump: ON/OFF
- **53** OFF

STROBE
- **31** BRT — STROBE Lights: BRT
- **32** OFF — STROBE Lights: OFF
- **33** DIM — STROBE Lights: DIM

EXT WING
- **46** ORIDE — External Wing Tanks Fuel: ORIDE
- **47** NORM — External Wing Tanks Fuel: NORM
- **48** STOP — External Wing Tanks Fuel: STOP

EXT CTR
- **49** ORIDE — External Centerline Tank Fuel: ORIDE
- **50** NORM — External Centerline Tank Fuel: NORM
- **51** STOP — External Centerline Tank Fuel: STOP

INT WING
- **36** INHIBIT — Internal Wing Tank Fuel: INHIBIT
- **37** NORM — Internal Wing Tank Fuel: INHIBIT/NORM

EXT LIGHTS
- **RX** ↔ Formation — FORMATION Lights Dimmer
- **RY** ↔ Position — POSITION Lights Dimmer

Engines & fuel · Aircraft systems

F/A-18C WinWing F18 TAKEOFF PANEL 2

39 of 64 controls bound

RigReady cheat sheet
2026-11-12

EMERG JETT

1 Push
Emergency Jettison

MASTER CAUTION

2 Push
Master caution reset

LAUNCH BAR

4 EXTEND
Launch bar down

3 RETRACT
Launch bar up

FLAP

5 AUTO
Flaps AUTO (up)

6 HALF
Flaps HALF

7 FULL
Flaps FULL

LDG / TAXI LIGHT

8 ON
Landing light on

9 OFF
Landing light off

ANTI SKID

10 ON
Anti-skid on

11 OFF
Anti-skid off

HOOK BYPASS

12 FIELD
HOOK BYPASS: FIELD

13 CARRIER
HOOK BYPASS: CARRIER

SEL JETT

17 L FUS MSL
Selective Jettison: L FUS MSL

18 SAFE
Selective Jettison: SAFE

19 R FUS MSL
Selective Jettison: R FUS MSL

20 RACK/LCHR
Selective Jettison: RACK/LCHR

21 STORES
Selective Jettison: STORES

STATION JETT

23 CTR
Station Jettison Select CENTER: ON/OFF

24 LI
Station Jettison Select LEFT IN: ON/OFF

25 RI
Station Jettison Select RIGHT IN: ON/OFF

26 LO
Station Jettison Select LEFT OUT: ON/OFF

27 RO
Station Jettison Select RIGHT OUT: ON/OFF

WING FOLD

28 FOLD
Wing Fold: FOLD

29 HOLD
Wing Fold: HOLD

30 SPREAD
Wing Fold: SPREAD

31 PULL
Wing Fold: PULL/STOW

PARK BRAKE

38 STOW
Emergency/Parking Brake: STOW

39 PULL
Emergency/Parking Brake: PULL

40 CCW
Emergency/Parking Brake: CCW

41 CW
Emergency/Parking Brake: CW

HOOK

32 UP
Hook up

33

34 DOWN
Hook down

JETT

22 Push
Selective Jettison

LDG GEAR

35 UP
Gear up

36

37 DOWN
Gear down

3-WAY 14–16

14 ×2
Probe: EXTEND

15 ×2
Probe: RETRACT

16 ×2
Probe: EMERG EXTD


Other buttons


42 **43** **44** **45** **46** **47** **48** **49**


50 **51** **52** **53** **54** **55** **56** **57**

58 **59** **60** **61** **62** **63** **64**

Engines & fuel · Weapons · Gear, flaps & airframe · Aircraft systems


OSB 1 · 42
AMPCD PB 6
OSB 2 · 40
AMPCD PB 7
OSB 3 · 38
AMPCD PB 8
OSB 4 · 36
AMPCD PB 9
OSB 5 · 34
AMPCD PB 10
GAIN · 43–44
▲ AMPCD Night/Day Brightness: DAY
▼ AMPCD Night/Day Brightness: NGT
SYM · 32–33
▲ AMPCD Symbology: UP
▼ AMPCD Symbology: DOWN
GAIN
SYM
OSB 20 · 1
AMPCD PB 5
OSB 19 · 3
AMPCD PB 4
OSB 18 · 5
AMPCD PB 3
OSB 17 · 7
AMPCD PB 2
OSB 16 · 9
AMPCD PB 1
OSB 6 · 31
AMPCD PB 11
OSB 7 · 29
AMPCD PB 12
OSB 8 · 27
AMPCD PB 13
OSB 9 · 25
AMPCD PB 14
OSB 10 · 23
AMPCD PB 15
BRT · 10–11
▲ AMPCD Gain: UP
▼ AMPCD Gain: DOWN
BRT
CON
CON · 21–22
▲ AMPCD Contrast: UP
▼ AMPCD Contrast: DOWN
OSB 15 · 12
AMPCD PB 20
OSB 14 · 14
AMPCD PB 19
OSB 13 · 16
AMPCD PB 18
Knob · S1, 49, 50
turn —
◄ AMPCD Off/Brightness :...
► AMPCD Off/Brightness : CW/Increase
OSB 12 · 18
AMPCD PB 17
OSB 11 · 20
AMPCD PB 16


OSB 1 · 42
Left MDI PB 6
OSB 2 · 40
Left MDI PB 7
OSB 3 · 38
Left MDI PB 8
OSB 4 · 36
Left MDI PB 9
OSB 5 · 34
Left MDI PB 10
GAIN · 43–44
▲ —
▼ —
SYM · 32–33
▲ —
▼ —
GAIN
SYM
OSB 20 · 1
Left MDI PB 5
OSB 19 · 3
Left MDI PB 4
OSB 18 · 5
Left MDI PB 3
OSB 17 · 7
Left MDI PB 2
OSB 16 · 9
Left MDI PB 1
OSB 6 · 31
Left MDI PB 11
OSB 7 · 29
Left MDI PB 12
OSB 8 · 27
Left MDI PB 13
OSB 9 · 25
Left MDI PB 14
OSB 10 · 23
Left MDI PB 15
BRT
CON
BRT · 10–11
▲ Left MDI Brightness: CW/Increase
▼ Left MDI Brightness: CCW/Decrease
CON · 21–22
▲ Left MDI Contrast: CW/Increase
▼ Left MDI Contrast: CCW/Decrease
OSB 15 · 12
Left MDI PB 20
OSB 14 · 14
Left MDI PB 19
OSB 13 · 16
Left MDI PB 18
Knob · S1, 49, 50
turn —
◄ Left MDI Brightness: CCW/Left
► Left MDI Brightness: CW/Right
OSB 12 · 18
Left MDI PB 17
OSB 11 · 20
Left MDI PB 16


OSB 1 · 42
Right MDI PB 6
OSB 2 · 40
Right MDI PB 7
OSB 3 · 38
Right MDI PB 8
OSB 4 · 36
Right MDI PB 9
OSB 5 · 34
Right MDI PB 10
GAIN · 43–44
▲ —
▼ —
SYM · 32–33
▲ —
▼ —
GAIN
SYM
OSB 20 · 1
Right MDI PB 5
OSB 19 · 3
Right MDI PB 4
OSB 18 · 5
Right MDI PB 3
OSB 17 · 7
Right MDI PB 2
OSB 16 · 9
Right MDI PB 1
OSB 6 · 31
Right MDI PB 11
OSB 7 · 29
Right MDI PB 12
OSB 8 · 27
Right MDI PB 13
OSB 9 · 25
Right MDI PB 14
OSB 10 · 23
Right MDI PB 15
BRT
CON
BRT · 10–11
▲ Right MDI Brightness: CW/Increase
▼ Right MDI Brightness: CCW/Decrease
CON · 21–22
▲ Right MDI Contrast: CW/Increase
▼ Right MDI Contrast: CCW/Decrease
OSB 15 · 12
Right MDI PB 20
OSB 14 · 14
Right MDI PB 19
OSB 13 · 16
Right MDI PB 18
Knob · S1, 49, 50
turn —
◄ Right MDI Brightness: CCW/Left
► Right MDI Brightness: CW/Right
OSB 12 · 18
Right MDI PB 17
OSB 11 · 20
Right MDI PB 16

F/A-18C WinWing UFC1 + HUD1

59 of 59 controls bound

RigReady cheat sheet
2026-11-12

2 1
UFC Keyboard: 1

3 2
UFC Keyboard: 2

4 3
UFC Keyboard: 3

5 4
UFC Keyboard: 4

6 5
UFC Keyboard: 5

7 6
UFC Keyboard: 6

8 7
UFC Keyboard: 7

9 8
UFC Keyboard: 8

10 9
UFC Keyboard: 9

11 CLR
UFC Keyboard: CLR

12 0
UFC Keyboard: 0

13 ENT
UFC Keyboard: ENT

SCRATCHPAD

1 I/P
UFC I/P

19 EMCON
UFC Emission

ADF

39 1
UFC ADF Function Select: 1

40 OFF
UFC ADF Function Select: OFF

41 2
UFC ADF Function Select: 2

14 OPTION 1
UFC Option Select 1

15 OPTION 2
UFC Option Select 2

16 OPTION 3
UFC Option Select 3

17 OPTION 4
UFC Option Select 4

18 OPTION 5
UFC Option Select 5

20 A/P
UFC Function: A/P

21 IFF
UFC Function: IFF

22 TCN
UFC Function: TCN

23 ILS
UFC Function: ILS

24 D/L
UFC Function: D/L

25 BCN
UFC Function: BCN

26 ON/OFF
UFC Function: ON/OFF

COMM 1

RX ↔ Volume
UFC COMM 1 Volume

27 ◄ CH
UFC COMM 1 Channel: CCW/Decrease

29 PULL
UFC COMM 1 Channel: PULL

28 CH ►
UFC COMM 1 Channel: CW/Increase

UFC

RZ ↔ Brightness
UFC Brightness

COMM 2

RY ↔ Volume
UFC COMM 2 Volume

30 ◄ CH
UFC COMM 2 Channel: CCW/Decrease

32 PULL
UFC COMM 2 Channel: PULL

31 CH ►
UFC COMM 2 Channel: CW/Increase

SYM REJECT

65 NORM
HUD Symbology Reject: NORM

66 REJ 1
HUD Symbology Reject: REJ 1

67 REJ 2
HUD Symbology Reject: REJ 2

SYM BRT

68 DAY
HUD Symbology Brightness: DAY

69 NIGHT
HUD Symbology Brightness: NIGHT

VIDEO

70 W/B
HUD Video: W/B

71 VID
HUD Video: VID

72 OFF
HUD Video: OFF

ALT

73 BARO
Altitude: BARO

74 RDR
Altitude: RDR

ATT

75 INS
Attitude: INS

76 AUTO
Attitude: AUTO

77 STBY
Attitude: STBY

HDG

80 ◄
Heading Set: Left

78 ►
Heading Set: Right

CRS

83 ◄
Course Set: Left

81 ►
Course Set: Right

HUD knobs

X ↔ HUD brightness
HUD Symbology Brightness

Y ↔ Black level
Black Level

Z ↔ Balance
Balance

S2 ↔ AOA indexer
AOA Indexer

Radio & comms · Displays & UFC · Aircraft systems

F/A-18C

FANATEC Podium Wheel Base DD2

12 of 36 controls bound

RigReady cheat sheet
2026-11-12

X ↔ Steering ×2
Roll (stick left and right)

Left side


6 Paddle

1

2

3

4



Right side

5 Paddle

7

8

9

10

11

12

Shifter

13

14

15

16

17

18

19

20

Axes: pedals, handbrake

Z ↔ Throttle pedal
Throttle, both engines

RZ ↔ Brake pedal ×2
Rudder (pedals or stick twist)

Y ↔ Clutch pedal ×2
Pitch (stick forward and back)

S1 ↔ Handbrake

RX ↔

RY ↔

S2 ↔

Flight controls · Engines & fuel · View

F/A-18C

Most important actions (1)

Your own bindings, hands-on controls first

RigReady cheat sheet
2026-11-12

WEAPONS

Cage / uncage	Throttle · **Button 16**
Emergency Jettison Button	WinWing F18 TAKEOFF PANEL 2 · **EMERG JETT Push (Button 1)**
Master Arm: ARM	R-VPC Panel #1 · **13 · 14 (Button 14)**
Master Arm: SAFE	R-VPC Panel #1 · **13 · 14 (Button 13)**
Master mode: air-to-air	R-VPC Panel #1 · **Button 7**
Master mode: air-to-ground	R-VPC Panel #1 · **Button 10**
Pickle: release weapon	Stick · **Weapon release (Button 20)**
Selective Jettison Knob - L FUS MSL	WinWing F18 TAKEOFF PANEL 2 · **SEL JETT L FUS MSL (Button 17)**
Selective Jettison Knob - R FUS MSL	WinWing F18 TAKEOFF PANEL 2 · **SEL JETT R FUS MSL (Button 19)**
Selective Jettison Knob - RACK/LCHR	WinWing F18 TAKEOFF PANEL 2 · **SEL JETT RACK/LCHR (Button 20)**
Selective Jettison Knob - SAFE	WinWing F18 TAKEOFF PANEL 2 · **SEL JETT SAFE (Button 18)**
Selective Jettison Knob - STORES	WinWing F18 TAKEOFF PANEL 2 · **SEL JETT STORES (Button 21)**
Selective Jettison Pushbutton	WinWing F18 TAKEOFF PANEL 2 · **JETT Push (Button 22)**
Station Jettison Select Button CENTER - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **STATION JETT CTR (Button 23)**
Station Jettison Select Button LEFT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **STATION JETT LI (Button 24)**
Station Jettison Select Button LEFT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **STATION JETT LO (Button 26)**
Station Jettison Select Button RIGHT IN - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **STATION JETT RI (Button 25)**
Station Jettison Select Button RIGHT OUT - ON/OFF	WinWing F18 TAKEOFF PANEL 2 · **STATION JETT RO (Button 27)**
Trigger: fire	Stick · **Trigger · second detent (Button 5)**

WEAPONS continued

Weapon select: AMRAAM	Stick · **4-way 10–13 → (Button 10)**
Weapon select: gun	Stick · **4-way 10–13 ↓ (Button 11)**
Weapon select: Sidewinder	Stick · **4-way 10–13 ← (Button 12)**
Weapon select: Sparrow	Stick · **4-way 10–13 ↑ (Button 13)**

SENSORS & TARGETING

HMD OFF/BRT Knob	R-VPC Panel #1 · **Knobs (Slider 1)**
INS Switch - CCW	R-VPC Panel #1 · **ENCODER 2 ◄ turn (Button 37)**
INS Switch - CW	R-VPC Panel #1 · **ENCODER 2 Turn ► (Button 38)**
LST/NFLR Switch - OFF	R-VPC Panel #1 · **31 · 32 (Button 31)**
LST/NFLR Switch - ON	R-VPC Panel #1 · **31 · 32 (Button 32)**
LTD/R Switch - ARM	R-VPC Panel #1 · **25 · 26 (Button 26)**
LTD/R Switch - SAFE	R-VPC Panel #1 · **25 · 26 (Button 25)**
Radar elevation down	Stick · **Button 34** Throttle · **Button 27** Throttle · **Button 32**
Radar elevation up	Stick · **Button 32** Throttle · **Button 25** Throttle · **Button 28**
RADAR Switch - CCW	R-VPC Panel #1 · **ENCODER 1 ◄ turn (Button 34)**
RADAR Switch - CW	R-VPC Panel #1 · **ENCODER 1 Turn ► (Button 35)**
RAID / field of view	Throttle · **Button 53** Throttle · **Button 56**
Sensor select: bottom display (AMPCD)	Stick · **4-way 37–40 ↓ (Button 39)**
Sensor select: HUD	Stick · **4-way 37–40 ↑ (Button 37)**
Sensor select: left display	Stick · **4-way 37–40 ← (Button 40)**
Sensor select: right display	Stick · **4-way 37–40 → (Button 38)**
TDC left/right (axis)	Stick · **Mini-stick Left / right (X rotation)** Throttle · **Mini-stick Left / right (X axis)**

F/A-18C

Most important actions (2)

Your own bindings, hands-on controls first

SENSORS & TARGETING continued

TDC press: designate / lock	Stick · **Mini-stick Press (Button 26)** Throttle · **Mini-stick Press (Button 35)**
TDC up/down (axis)	Stick · **Mini-stick Up / down (Y rotation)** Throttle · **Mini-stick Up / down (Y axis)**
Toggle goggles	R-VPC Panel #1 · **29 · 30 (Button 30)**
Undesignate / nose wheel steering	Stick · **Side button (Button 6)**

COUNTERMEASURES

ALQ-165 ECM Mode Switch - CCW	R-VPC Panel #1 · **ENCODER 3 ◄ turn (Button 40)**
ALQ-165 ECM Mode Switch - CW	R-VPC Panel #1 · **ENCODER 3 Turn ► (Button 41)**
Dispense chaff	Throttle · **3-WAY 22–24 (Button 22)**
Dispense flares	Throttle · **3-WAY 22–24 (Button 24)**

FLIGHT CONTROLS

Auto-throttle on/off	Throttle · **Button 50**
Paddle: autopilot off	Stick · **Paddle (Button 8)**
Rudder (pedals or stick twist)	Pedals · **Rudder (Z axis)** FANATEC Podium Wheel Base DD2 · **Brake pedal (Z rotation)**
Trim left wing down	Stick · **TRIM hat ← (Hat 1 left)**
Trim nose down	Stick · **TRIM hat ↑ (Hat 1 up)**
Trim nose up	Stick · **TRIM hat ↓ (Hat 1 down)**
Trim right wing down	Stick · **TRIM hat → (Hat 1 right)**

RADIO & COMMS

Pilot Salute	Throttle · **Button 21**
Talk on radio 1 / radio menu	Throttle · **4-WAY 6–9 (Button 6)**
Talk on radio 2 / radio menu	Throttle · **4-WAY 6–9 (Button 8)**

GEAR, FLAPS & AIRFRAME

Both brakes, one axis	Stick · **Lever (Slider 1)**
Left toe brake	Pedals · **Left toe brake (Y axis)**

GEAR, FLAPS & AIRFRAME continued

Right toe brake	Pedals · **Right toe brake (X axis)**
Speed brake in	Throttle · **3-WAY 3–5 (Button 5)**
Speed brake in (two-position switch)	Throttle · **3-WAY 3–5 (Button 4)**
Speed brake out	Throttle · **3-WAY 3–5 (Button 3)**

ENGINES & FUEL

Exterior lights: toggle	Throttle · **Button 59**
Left throttle to IDLE	Throttle · **LEFT DETENTS IDLE (Button 31)**
Right throttle to IDLE	Throttle · **RIGHT DETENTS IDLE (Button 30)**
Throttle (Left) - OFF	Throttle · **LEFT DETENTS OFF (Button 2)**
Throttle (Right) - OFF	Throttle · **RIGHT DETENTS OFF (Button 1)**
Throttle, left engine	Throttle · **Left throttle (Y rotation)**
Throttle, right engine	Throttle · **Right throttle (X rotation)**