

Publication Validation Report (pub-check): DMLex v1.0 OS (published, report only)

Target _publication/lexidma/dmlex/v1.0/os
Validation date 2026-09-27
Tool oasis_pub_check.py (OASIS-Docs/publication-assurance)
Coverage 178 individual checks across 61 check classes, all run
Blockers 9
Gate exit code 1

NOT publication-ready: 9 blocker(s). 45 of 58 evaluated check classes fully clean; 3 not evaluated; findings: 9 blocker, 43 warning, 11 informational.

Check-by-Check Results

Every check class the tool carries is listed, whether or not it raised a finding. Conditions is the number of individual verifications inside the class.

#	Result	Check class	Cond.	Findings
1	PASS	artifact-naming	1	none
2	BLOCKER	asset-refs	1	BLOCKER: HTML references 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' which is not in the package; it 404s on publication.
3	PASS	authors	4	none
4	PASS	boilerplate-dup	1	none
5	WARN (2 of 3 evaluated)	case	3	WARN: Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/> WARN: Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/dmlex.schema.json WARN: Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/dmlex_no-crosslingual.schema.json WARN: Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/RDF/> WARN: Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/XML/> ... and 32 more findings of this class (full list in the JSON record)
6	PASS	comment-resolution-log	2	none
7	WARN	conformance-structure	9	WARN: Conformance section is not populated with numbered clauses: no clause identifiers were extracted.

#	Result	Check class	Cond.	Findings
8	WARN	content-labels	1	WARN: Examples-pattern heading 'A.1 Examples (Informative) ' (markdown line 5708) carries no content-type label (heading suffix, first-sentence statement, labeled ancestor heading, or document-wide blanket statement): the Handbook classifies Examples as non-normative content and says it should be clearly labelled 'Non-normative' (or 'Informative'). INFO: Appendix/Annex heading 'Appendix A Informative material on serializations (Informative) ' (markdown line 5706) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix B References (Normative) ' (markdown line 9644) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix C Machine Readable Validation Artifacts (Normative) ' (markdown line 9706) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. INFO: Appendix/Annex heading 'Appendix D DMLex UML diagram (Normative) ' (markdown line 9718) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt. ... and 4 more findings of this class (full list in the JSON record)
9	WARN	cover-hr	1	WARN: Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.
10	PASS	date-sync	2	none
11	PASS (2 of 3 evaluated)	dead-lists	3	none
12	PASS	double-slash	1	none
13	PASS	extension-conformance	1	none
14	PASS	extension-count	4	none
15	PASS	fence-collapse	1	none
16	PASS	filenames	6	none
17	WARN (9 of 12 evaluated)	front-matter	12	WARN: This-stage block does not list the .md artifact. WARN: URL declares version v2.1 (package is v1.0): http://docs.oasis-open.org/xliff/xliff-core/v2.1/os/xliff-core-v2.1-os.html* -- confirm this is an intentional external reference.
18	NA	generator	1	NA: DOCX-render condition; this package carries no Word source
19	PASS	html-anchors	2	none
20	PASS	html-code-sync	2	none
21	PASS	html-residue	3	none
22	PASS	html-title	2	none
23	PASS	image-policy	11	none
24	PASS	junk-files	2	none

#	Result	Check class	Cond.	Findings
25	BLOCKER	link-mismatch	2	BLOCKER: Visible link text and href disagree in the HTML: the text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf.pdf' but the link targets 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf'. One of them is wrong; readers cite what they see, not what the anchor resolves to. BLOCKER: Visible link text and href disagree in the HTML: the text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf.pdf' but the link targets 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf'. One of them is wrong; readers cite what they see, not what the anchor resolves to. BLOCKER: Visible URL and link target disagree: text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf.pdf' but links to 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf'. One of them is wrong. BLOCKER: Visible URL and link target disagree: text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf.pdf' but links to 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf'. One of them is wrong.
26	PASS	logo	1	none
27	INFO (0 of 3 evaluated)	manifest	3	INFO: No manifest.json in the package. Emit one (--emit-manifest or your own tool) and intake verification becomes automatic.
28	PASS	md-links	2	none
29	BLOCKER	member-uri	1	BLOCKER: Cites an OASIS member-only (Kavi) URI: https://www.oasis-open.org/committees/download.php. Naming Directives v1.7 s6.6 bars password-protected member-only references from any TC document that is or may become public.
30	PASS	multi-part-naming	8	none
31	PASS	name-chars	4	none
32	PASS	normdef-refs	2	none
33	PASS	ns-segment	2	none
34	NA	odt-integrity	6	NA: ODT-source condition; this package carries no ODT source
35	BLOCKER	package-refs	1	BLOCKER: The document cites https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh under its own stage path, but 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' is not in the package: it will 404 on publication.
36	PASS	pdf-cover	2	none
37	INFO (0 of 2 evaluated)	pdf-fonts	2	INFO: Package declares no local font authority (no font-family in its HTML/CSS); font check skipped.
38	PASS	pdf-legibility	2	none
39	PASS	pdf-sync	5	none
40	PASS	pdf-toc-pages	2	none
41	PASS (1 of 2 evaluated)	previous-stage	2	none
42	NA	public-review-metadata	3	NA: no live-site result for this check (offline, unreachable, or nothing to probe)
43	PASS	ref-rfc	2	none
44	PASS	references-split	2	none
45	PASS	residue	4	none
46	WARN	revision-collision	1	WARN: Stage /os/ is already published at https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/: a NEW submission for v1.0 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself. INFO: Published stages already live under https://docs.oasis-open.org/lexidma/dmlex/v1.0/: cs01, csd01, csd02, csd03, csd04.

#	Result	Check class	Cond.	Findings
47	PASS	rfc-keywords	2	none
48	BLOCKER	schema-id	4	BLOCKER: schemas/JSON/dmlex.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/'. An implementer following the \$id gets a 404 or the wrong document. BLOCKER: schemas/JSON/dmlex_no-crosslingual.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/'. An implementer following the \$id gets a 404 or the wrong document.
49	PASS	stage-name	4	none
50	PASS	stage-token	3	none
51	PASS	stage-uri-live	1	none
52	PASS	symlinks	1	none
53	PASS	template	3	none
54	PASS	template-css	2	none
55	PASS	title-oasis-prefix	1	none
56	PASS	title-version	3	none
57	PASS (6 of 9 evaluated)	uri-alias	9	none
58	PASS	uri-chars	1	none
59	PASS	version-naming	3	none
60	PASS	vml-fallback	1	none
61	PASS	xml-namespace	5	none

All Individual Conditions: Observed vs Expected

Every one of the 178 individual conditions, with the value the check pulled from this package and what it was compared against. NA rows state why the condition does not apply to this package.

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
1	PASS	stage-name	Stage directory name, and an errataNN parent directory, carry a two-digit number	stage_directory: os	valid stage prefixes must carry exactly two digits (csd01, never bare csd or csd1); an Errata directory is /errata01/ (naming-directives.txt Section 4)
2	PASS	stage-name	A package staged for publication is not a Working Draft	stage_directory: os	wd: Working Drafts are unpublished and may use any naming (naming-directives.txt 5.2 note); docs.oasis-open.org has no wd location (dmlex/v1.1/wd01 returns 404)
3	PASS	stage-name	Stage token is not a retired abbreviation	stage_directory: os	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
4	PASS	stage-name	Stage token (and an Errata parent directory) is a recognized current stage, in lower case, and os carries no revision number	stage_directory: os	valid stage set: wd, csd, cs, cnd, cn, os, ps, psd, pn, pnd, errata; lower case, and 'The os stage abbreviation is never used with a revision number' (naming-directives.txt 5.2)
5	PASS	version-naming	Version directory matches the vN.N(N) convention	version_directory: v1.0; delivery_stem: dmlex-v1.0-os	the Naming Directives version-segment pattern vN.N(N), e.g. v1.0, v2.0.1
6	PASS	version-naming	Version embedded in the delivery filename agrees with the version directory	version_directory: v1.0; delivery_stem: dmlex-v1.0-os	the version directory the package publishes under
7	PASS	version-naming	Delivery filename embeds the version segment	version_directory: v1.0; delivery_stem: dmlex-v1.0-os	the Naming Directives filename shape <base>-<version>-<stage>
8	WARN	revision-collision	The submitted stage does not already exist on the live site	Stage /os/ is already published at https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/: a NEW submission for v1.0 must use the next revision number instead. Ignore this warning if you are re-checking the published package itself.	expected non-200 for a NEW submission; an existing stage means the revision must increment
9	PASS	filenames	The stage directory contains delivery items at all	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one delivery item (md/docx/odt/html/pdf) must be present
10	PASS	filenames	All delivery items share one basename, and the stage directory and package zip hold only that document	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	exactly one distinct stem across md/docx/odt/html/pdf; another [WP-abbrev]-[version]-[stage] identifier, or a zip named for one, is a second package
11	PASS	filenames	Delivery filename carries no working token	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	forbidden working tokens: draft, tmp, rc (files are named for the published stage)
12	PASS	filenames	Delivery filename ends in the stage suffix	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the stage directory name as a -<stage> suffix, or -errataNN-<stage> inside an Errata directory
13	PASS	filenames	All required delivery formats are present	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	the track's required set: html+pdf plus the authoritative source (md, docx, or odt)
14	PASS	filenames	An authoritative source artifact travels with the renderings	stems: dmlex-v1.0-os; delivery_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf	at least one authoritative source (.md, .docx, or .odt) expected beside HTML/PDF
15	PASS	stage-uri-live	Every Previous-stage and Latest-stage URI the cover declares actually retrieves	previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf; stage_uris_fetched: 4; latest_created_by_this_publication: (none)	a definitive 404/410 from the published site (transport failures and non-404 errors stay INFO)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
16	PASS	front-matter	Markdown front matter carries a This-stage URL block	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	at least one URL must be declared
17	PASS	front-matter	Every stage URL is under docs.oasis-open.org	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	the canonical site prefix https://docs.oasis-open.org/
18	PASS	front-matter	This-stage URLs carry the version and stage path segments	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	the package's <code><version></code> and <code><stage></code> path segments
19	PASS	front-matter	Every This-stage URL points at a file included in the package	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	the set of delivery filenames actually in the package
20	WARN	front-matter	The This-stage block lists all three artifacts (md, html, pdf)	This-stage block does not list the .md artifact.	the full delivery set: .md, .html, .pdf
21	PASS	front-matter	Latest-stage URLs point at the persistent version root	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	must NOT contain the <code><stage></code> segment (latest is the version-root path)
22	PASS	front-matter	Latest-stage URLs are under the package's version directory	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	the package's <code><version></code> path segment
23	WARN	front-matter	Any docs.oasis-open.org URL declaring a different version is intentional	URL declares version v2.1 (package is v1.0): http://docs.oasis-open.org/xliff/xliff-core/v2.1/os/xliff-core-v2.1-os.html >* -- confirm this is an intentional external reference.	the package's own version; a different version is a stale-draft tell unless external
24	PASS	front-matter	No Latest-labelled line cites a stage-pinned URL for this spec	this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf ; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html , https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	the persistent version-root form (no <code><stage></code> segment)
25	PASS	uri-chars	No underscore appears in a This/Latest-stage document URI	cover_uris_scanned: 4	Naming Directives v1.7 s3: <code>'_'</code> is barred from any filename or directory name used in a document URI

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
26	BLOCKER	member-uri	No OASIS member-only (Kavi) URI is cited in the package	Cites an OASIS member-only (Kavi) URI: https://www.oasis-open.org/committees/download.php . Naming Directives v1.7 s6.6 bars password-protected member-only references from any TC document that is or may become public.	Naming Directives v1.7 s6.6: member-only (password-protected) Kavi references must not appear in public TC documents
27	NA	front-matter	HTML cover carries a This-version URL block	NA: DOCX-render condition; this package carries no Word source	at least one URL must be present
28	NA	front-matter	Cover This-version URLs carry the version and stage segments	NA: DOCX-render condition; this package carries no Word source	the package's /<version>/ and /<stage>/ path segments
29	NA	front-matter	Cover Latest-version URLs point at the persistent version root	NA: DOCX-render condition; this package carries no Word source	must NOT contain the /<stage>/ segment
30	PASS	residue	No editor TODO markers left in prose	scanned: html, markdown	the patterns TODO(...) and TODO: must not occur
31	PASS	residue	No bare 'tbd' placeholder sections	scanned: html, markdown	no line consisting solely of 'tbd'
32	PASS	residue	No template editor-instruction text left in the published prose	scanned: html, markdown	the OASIS Board-approved work product templates, which state that 'All template instructions ... need to be deleted prior to publication'; an imperative to remove/delete something 'before publication' or 'prior to publication' surviving in the prose means an instruction block reached publication
33	PASS	residue	No 'Will be filled in' placeholders (early-stage tolerated, must resolve before CS)	scanned: html, markdown	the phrase 'Will be filled in' must not occur
34	PASS	html-title	HTML title carries no working residue	title: Data Model for Lexicography (DMLex) Version 1.0	must not end in tmp, draft, or wip
35	PASS	html-title	HTML title is a plausible document title	title: Data Model for Lexicography (DMLex) Version 1.0	a full spec title (at least 8 characters)
36	PASS	html-residue	No stale pandoc title-block header in the HTML	title_block_headers: 0; runner_paths: 0	the <header id="title-block-header"> element must be absent (lint D2)
37	PASS	html-residue	No CI runner paths in HTML hrefs or srcs	title_block_headers: 0; runner_paths: 0	the /home/runner/ path prefix must not occur (lint D3)
38	PASS	html-residue	The document title appears in exactly one H1	title_block_headers: 0; runner_paths: 0	exactly 1 (more renders the title twice on the PDF cover, lint D1)
39	PASS	html-anchors	Every internal fragment link resolves to an anchor	internal_links: 292; anchors: 663; unresolved: 0	every referenced fragment must exist as an id or <a name>
40	PASS	html-anchors	The HTML carries a linked table of contents	internal_links: 292; anchors: 663; unresolved: 0	at least one expected (a spec HTML without any is missing its TOC links)
41	PASS	md-links	No dual `[url](url)` links in the markdown	links_scanned: 269	text and target being the same URL calls for a bare autolink or real anchor text
42	PASS	md-links	No bare URL runs into '.' without a space	links_scanned: 269	the safe form '.' (otherwise pandoc pulls the period and backslash into the href)

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
43	PASS	fence-collapse	No opening code fence carries trailing text in its info string	fences_scanned: 632	a bare language token or curly-attribute form; trailing text collapses the block (lint D6)
44	PASS	image-policy	No empty img src attributes	img_tags: 50; image_payload_bytes: 779378	src must be non-empty
45	PASS	image-policy	No absolute-path image sources	img_tags: 50; image_payload_bytes: 779378	a leading / resolves outside the package on publication
46	PASS	image-policy	No path-traversal image sources	img_tags: 50; image_payload_bytes: 779378	the path must not contain .. segments
47	PASS	image-policy	No responsive srcset image constructs	img_tags: 50; image_payload_bytes: 779378	the publication pipeline's self-containment policy refuses srcset
48	PASS	image-policy	No image lays out wider than the printable width of the PDF page	img_tags: 50; image_payload_bytes: 779378	643px (A4 less 20mm side margins at 96px/in) unless the package's CSS caps images; a wider figure runs off the page or shrinks every page
49	PASS	image-policy	No <picture> elements	img_tags: 50; image_payload_bytes: 779378	the publication pipeline's self-containment policy refuses <picture>
50	PASS	image-policy	Every image file is under the per-image size cap	img_tags: 50; image_payload_bytes: 779378	the pipeline's 2MB per-image refusal cap
51	PASS	image-policy	No SVG carries script content	img_tags: 50; image_payload_bytes: 779378	<script> elements are active content, refused on docs.oasis-open.org
52	PASS	image-policy	No SVG carries inline event handlers	img_tags: 50; image_payload_bytes: 779378	on* attributes are active content, refused
53	PASS	image-policy	No SVG references external image or use targets	img_tags: 50; image_payload_bytes: 779378	external <image>/<use> hrefs break self-containment
54	PASS	image-policy	Total image payload is under the cumulative cap	img_tags: 50; image_payload_bytes: 779378	the pipeline's 5MB cumulative inlining cap
55	PASS	pdf-cover	The document title appears exactly once on the PDF cover page	title: Data Model for Lexicography (DMLex) Version 1.0; cover_page_occurrences: 1; runner_path_in_pdf: False	exactly 1 (more means stale title-block residue baked into the render, assertion A1)
56	PASS	pdf-cover	No CI runner path anywhere in the PDF text	title: Data Model for Lexicography (DMLex) Version 1.0; cover_page_occurrences: 1; runner_path_in_pdf: False	the /home/runner/ path must not occur (assertion A2)
57	PASS	schema-id	Every .json file in the package parses as JSON	json_files: 2; expected_id_root: https://docs.oasis-open.org/lexidma/dmllex/v1.0/	must parse without error
58	PASS	schema-id	A flattened \$id under the version root is a conscious convention	json_files: 2; expected_id_root: https://docs.oasis-open.org/lexidma/dmllex/v1.0/	the file's publish path; a version-root flattened \$id (CSAF v2.0 style) needs a copy at that location

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
59	BLOCKER x2	schema-id	Each schema's \$id agrees with where the file publishes	schemas/JSON/dmlex.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0/' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/'. An implementer following the \$id gets a 404 or the wrong document. schemas/JSON/dmlex_no-crosslingual.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0/' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/'. An implementer following the \$id gets a 404 or the wrong document.	the canonical latest-version URL derived from the package path
60	PASS	schema-id	Schema-internal self-references agree with the declared \$id	json_files: 2; expected_id_root: https://docs.oasis-open.org/lexidma/dmlex/v1.0/	the schema's own declared \$id
61	PASS	pdf-sync	The PDF cross-check toolchain is available	pdftotext: present; this_stage_base_in_pdf: True	pdftotext present; absent means the PDF front-matter cross-check is skipped here and runs at intake
62	PASS	pdf-sync	pdftotext executes against the PDF	pdftotext: present; this_stage_base_in_pdf: True	a clean execution
63	PASS	pdf-sync	The PDF is machine-readable	pdftotext: present; this_stage_base_in_pdf: True	exit 0
64	PASS	pdf-sync	The PDF front matter carries the canonical this-stage URL	pdftotext: present; this_stage_base_in_pdf: True	the this-stage base URL declared by the package front matter
65	PASS	pdf-sync	The PDF cites no unexpected other version of this spec	pdftotext: present; this_stage_base_in_pdf: True	the package's own version (previous-stage citations expected, anything else confirmed)
66	PASS	template	All required template front-matter sections are present	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the template's required set: This/Previous/Latest stage, Technical Committee, Chairs, Editors, Abstract
67	PASS	template	Front-matter sections appear in template order	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the canonical template ordering
68	PASS	template	A Conformance section exists	sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True	the TC Process requirement: every Standards Track Work Product carries conformance clauses
69	PASS	template-css	A non-canonical stylesheet keeps the template font family	stylesheet_links: 1; inline_style_blocks: 1	the template look: Liberation Sans / Arial / Helvetica
70	PASS	template-css	The HTML carries a stylesheet	stylesheet_links: 1; inline_style_blocks: 1	at least one styling source must be present
71	BLOCKER	package-refs	Every file the document cites under its own stage path is included in the package	The document cites https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh under its own stage path, but 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' is not in the package: it will 404 on publication.	the cited relative path must exist as a file in the package

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
72	BLOCKER x2	link-mismatch	Visible URL text and its link target agree	Visible URL and link target disagree: text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf.pdf' but links to 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf'. One of them is wrong. Visible URL and link target disagree: text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf.pdf' but links to 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf'. One of them is wrong.	shown and target must be the same URL (a disagreement is a rename artifact)
73	BLOCKER x2	link-mismatch	Anchor text that displays a URL agrees with the anchor's href	Visible link text and href disagree in the HTML: the text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf.pdf' but the link targets 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf'. One of them is wrong; readers cite what they see, not what the anchor resolves to. Visible link text and href disagree in the HTML: the text shows 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf.pdf' but the link targets 'https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf'. One of them is wrong; readers cite what they see, not what the anchor resolves to.	the displayed URL and the href must name the same resource (scheme, www., and trailing-slash differences and ellipsis display-truncation excepted); readers cite what they see
74	PASS	ref-rfc	An [RFCnnnn] references entry's URL cites the same RFC number as its label	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 6	the RFC number in the entry's own label; a disagreement means the label or the linked document is stale
75	PASS	ref-rfc	An [RFCnnnn] references entry's body text cites the same RFC number as its label and URL	markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 6	the RFC number in the entry's label and URL (numbers drift when a reference is upgraded to a successor RFC and the prose is not)
76	PASS	boilerplate-dup	The template's 'send comments' status paragraph appears exactly once	markdown_comments_paragraphs: 1; html_comments_paragraphs: 1	exactly one occurrence per the Board-approved template (a duplicate rides in on a stale template merge and truncates the sentence it collides with)
77	PASS	double-slash	No relative link path contains a double slash	double_slash_paths: 0	single slashes only (the CDN 404s a double slash even where browsers tolerate it)
78	WARN	cover-hr	No horizontal rule between the OASIS logo and the title	Horizontal rule between the OASIS logo and the title: the publication CSS treats as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.	no --- / *** / ____ rule after the logo (the publication CSS renders it as a PDF page break)
79	NA	pdf-fonts	pdffonts executes against the PDF	NA: pdffonts unavailable or the package declares no font authority	a clean execution
80	NA	pdf-fonts	The PDF's embedded fonts are declared by the package's own CSS	NA: pdffonts unavailable or the package declares no font authority	the font families declared in the package's HTML/CSS (its own typography authority)
81	PASS	pdf-legibility	pdftotext -bbox executes against the PDF	median_word_height_pt: 11.2; declared_body_pt: 12; declared_by: markdown-styles-v1.7.3.css; words: 38119	a clean execution

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
82	PASS	pdf-legibility	The PDF's body text prints at no less than 85% of the body size the package declares	median_word_height_pt: 11.2; declared_body_pt: 12; declared_by: markdown-styles-v1.7.3.css; words: 38119	85% of the declared body size; skipped for landscape PDFs and PDFs from Word, LibreOffice, TeX, Typst, FOP or Acrobat
83	PASS	html-code-sync	Each fenced code block of the Markdown source is published in the HTML with the same whitespace	markdown_fenced_blocks: 316; not_compared: 0; html_pre_blocks: 316	the same block with its tabs intact; a block whose only change is tabs expanded to spaces (the pipeline's pandoc did this to DMLex v1.0 OS, Sep 2026) is this WARN, any other change the BLOCKER
84	PASS	html-code-sync	Each fenced code block of the Markdown source appears in the HTML with the same characters	markdown_fenced_blocks: 316; not_compared: 0; html_pre_blocks: 316	the HTML's <pre> blocks: every Markdown block must match one not already matched, character for character apart from whitespace at line ends
85	PASS	pdf-toc-pages	The PDF's table of contents gives a page number for its entries	contents_entries: 133; with_page_numbers: 133; sampled: 20; page_offset: 0; wrong: 0	at least half of the entries numbered; a contents list of fewer than five entries is not graded
86	PASS	pdf-toc-pages	The page a contents entry gives is the page its heading is printed on	contents_entries: 133; with_page_numbers: 133; sampled: 20; page_offset: 0; wrong: 0	the entry's title on that page, after the constant offset most entries agree on (printed labels may differ from the PDF page index); more than 2, or a fifth of the sample, missing is reported
87	NA	manifest	manifest.json parses as JSON	NA: no manifest.json in the package (noted as informational)	must parse without error
88	NA	manifest	Every manifest item exists in the package	NA: no manifest.json in the package (noted as informational)	the package file tree
89	NA	manifest	Every manifest sha256 matches the file's actual digest	NA: no manifest.json in the package (noted as informational)	the digest recorded in the manifest
90	PASS	junk-files	No working directories inside the package	files_walked: 66	forbidden set: __MACOSX, .git, .venv, venv, node_modules
91	PASS	junk-files	No OS junk or editor backup files in the package	files_walked: 66	forbidden: .DS_Store, Thumbs.db, desktop.ini, and ~ / .bak / .orig / .swp suffixes

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
92	WARN x28	case	Every filename in the package is lowercase	Mixed-case filename 'modules/etymology/databaseDiagrams/etymonType.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf) Mixed-case filename 'modules/etymology/databaseDiagrams/etymonLanguage.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf) Mixed-case filename 'modules/etymology/databaseDiagrams/etymonUnit.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf) ... and 25 more (full list in the JSON record)	its lowercase form (the publication origin is case-sensitive; the canonical logo filename is exempt)
93	WARN x9	case	Every self-referential docs.oasis-open.org URL path is lowercase (markdown source)	Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/dmlex.schema.json) Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/schemas/JSON/dmlex_no-crosslingual.schema.json) ... and 6 more (full list in the JSON record)	its lowercase form (case-sensitive origin; /templates/ paths exempt)
94	NA	case	Every self-referential docs.oasis-open.org URL path is lowercase (HTML render)	NA: evaluated on the markdown-source row for this package	its lowercase form (case-sensitive origin; /templates/ paths exempt)
95	NA	odt-integrity	The ODT source opens as a ZIP archive	NA: ODT-source condition; this package carries no ODT source	a readable OpenDocument container
96	NA	odt-integrity	The ODT archive carries a mimetype member	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a mimetype entry
97	NA	odt-integrity	The declared mimetype is an OpenDocument type	NA: ODT-source condition; this package carries no ODT source	the application/vnd.oasis.opendocument.* family
98	NA	odt-integrity	The ODT archive carries the document body (content.xml)	NA: ODT-source condition; this package carries no ODT source	the OpenDocument package requirement of a content.xml body
99	NA	odt-integrity	The ODT document body parses as XML	NA: ODT-source condition; this package carries no ODT source	well-formed XML
100	NA	odt-integrity	The ODT carries no embedded macros or scripts	NA: ODT-source condition; this package carries no ODT source	the host's active-content policy (none permitted, same as SVG scripts)
101	PASS	symlinks	No symlink points at itself or an ancestor directory	symlinks_found: 0	must not equal or contain its own directory (deploys materialize symlinks into unbounded recursion)
102	PASS	dead-lists	No reference to a lists.oasis-open.org mailing address (markdown source)	md_lists_addresses: (none)	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
103	NA	dead-lists	No reference to a lists.oasis-open.org mailing address (HTML render)	NA: evaluated on the markdown-source row for this package	the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic
104	PASS	dead-lists	Links into the retired list archives are flagged for verification	md_lists_addresses: (none)	each must be individually verified while the archive infrastructure is retired
105	PASS	rfc-keywords	Normative key words are backed by an RFC 2119 citation	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	an RFC 2119 citation must be present when key words are used
106	PASS	rfc-keywords	RFC 2119 citation is paired with RFC 8174	normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True	the current template cites both 2119 and 8174 (uppercase-only clarification)
107	PASS	logo	The cover logo is the canonical OASIS logo	logo_sources: https://docs.oasis-open.org/templates/OASISLogo-v3.0.png	https://docs.oasis-open.org/templates/OASISLogo-v3.0.png
108	PASS	previous-stage	A stage past 01 cites its previous stage	pulled: the URLs in the markdown's Previous-stage block; no violating instance found	at least one docs.oasis-open.org URL required when the revision number exceeds 01
109	NA	previous-stage	A stage past 01 cites its previous stage on the HTML cover	NA: DOCX-render condition; this package carries no Word source	at least one docs.oasis-open.org URL required when the revision number exceeds 01
110	PASS	date-sync	The markdown front-matter date appears in the HTML	document_date: 29 April 2025; copyright_year: 2025	the rendered HTML text (absence means the HTML came from a different revision)
111	PASS	date-sync	The copyright year matches the document date year	document_date: 29 April 2025; copyright_year: 2025	the year of the front-matter document date
112	NA	generator	A DOCX-native render was produced by Microsoft Word	NA: DOCX-render condition; this package carries no Word source	must contain 'Microsoft Word' (a LibreOffice render differs in kind from the TC's precedent)
113	PASS	vml-fallback	Every VML image has an <![if !vml]> img fallback	vml_images: 0; img_fallbacks: 0	fallback count must cover VML count (the invisible-cover-logo class)
114	BLOCKER	asset-refs	Every relative src/href the HTML references is included in the package	HTML references 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' which is not in the package; it 404s on publication.	the package file tree; a missing target 404s on publication
115	PASS	conformance-structure	At least one Conformance heading is a genuine top-level numbered section (not nested deeper than the document's modal top-level depth, and not under an Annex/Appendix ancestor)	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	handbook-Conformance.txt: 'a separate, top-level numbered section of the work product (not a subsection buried elsewhere)'; BLOCKER at cs/os (WARN at wd/csd, or when the modal-depth signal itself is low-confidence)
116	WARN	conformance-structure	Each conformance profile scope yields at least one extracted clause identifier	Conformance section is not populated with numbered clauses: no clause identifiers were extracted.	handbook-WPQualityRequirements.txt: 'a set of numbered conformance clauses to which any implementation must adhere'; BLOCKER at cs/os, WARN at wd/csd; an empty Conformance section is reported at either tier

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
117	PASS	conformance-structure	No clause identifier repeats within the same profile scope	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	handbook-Conformance.txt: 'individually numbered conformance clauses ... so that implementers and Statements of Use can cite specific clauses by number'; BLOCKER at cs/os, WARN at wd/csd
118	PASS	conformance-structure	Every (profile, clause number) pair in the previous stage is still present in this stage (append-only extension is fine; removal/renumbering, including a whole profile silently disappearing, is flagged)	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	handbook-WPQualityRequirements.txt 'Key principles': 'Clause numbering must be unique and stable across revisions'. Guidelines-sourced (recommended, not mandatory) so WARN-tier informational, never BLOCKER, and never fired for the CS->OS transition (that gets the zero-tolerance override instead)
119	PASS	conformance-structure	A (profile, clause number) pair missing from this stage does not reappear under a DIFFERENT number in the same profile with the same content (a disguised renumber-via-delete-and-re-add)	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	the same Guidelines stability principle as 'removed/renumbered'; WARN-tier informational
120	PASS	conformance-structure	At the CS->OS transition, the current (profile, clause id) key set is a byte-for-byte match to the approved-CS key set, scoped per profile, so a whole profile silently dropped while a surviving profile happens to reuse its bare clause numbers is still caught	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	handbook-Conformance.txt 'OASIS Standard os': 'Conformance clauses are preserved unchanged from the approved Committee Specification' (TC Process 2.9): zero tolerance, always BLOCKER
121	PASS	conformance-structure	A clause whose (profile, number) key is unchanged at CS->OS is flagged for manual confirmation when its content hash changed	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	handbook-WPQualityRequirements.txt 'Allowed changes during publication': coordinated non-material changes are permitted (TC Process 2.2.4); not itself a zero-tolerance failure, so WARN/manual-review, never an automatic BLOCKER
122	PASS	conformance-structure	At the CS->OS transition, the approved-CS baseline artifact must be resolvable to verify clause-set preservation at all	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	TC Process 2.9's preservation obligation cannot be verified for a Standards Track OS approval if the CS baseline is unreachable, so it is elevated to BLOCKER rather than reported as a silent WARN

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
123	PASS	conformance-structure	A general (non-CS->OS) stability diff that could not resolve its previous-stage artifact says so in the report	stage_prefix: os; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: True	the general stability check is WARN-tier informational; an unresolvable prior artifact (first publication is a separate, silent no-op) still surfaces the gap as a WARN
124	PASS	references-split	A bare 'References' heading carrying 2+ direct reference entries is split into separately labeled Normative/Informative child headings (or is too small a sample, 0 or 1 entries, to judge)	stage_prefix: os; stage_track: standards; references_headings_found: 0	handbook-WPQualityChecklist.txt editorial quality checklist bullet: 'normative references listed separately from informative references' (WARN: staff-maintained best-practice checklist, not a TC Process must/shall clause)
125	PASS	references-split	No reference-entry ID appears under both a Normative References heading and an Informative References heading anywhere in the document	stage_prefix: os; stage_track: standards; references_headings_found: 0	the two ID sets must not intersect; a shared ID is a labeling inconsistency or editorial duplication (handbook-WPQualityChecklist.txt same checklist bullet)
126	WARN	content-labels	Every Examples/Illustrative-Examples/Sample-<noun> heading carries a structural content-type label (heading suffix, first-sentence lead/predicate, labeled ancestor heading, or document-wide blanket statement)	Examples-pattern heading 'A.1 Examples (Informative) ' (markdown line 5708) carries no content-type label (heading suffix, first-sentence statement, labeled ancestor heading, or document-wide blanket statement): the Handbook classifies Examples as non-normative content and says it should be clearly labelled 'Non-normative' (or 'Informative').	handbook-Conformance.txt 'Normative versus non-normative content': Examples content is classified non-normative and 'should be clearly labelled'
127	PASS	stage-token	Previous-stage URL stage token is not a retired abbreviation	applicability: not applicable (stage 'os' is not csd/cnd)	retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7; WARN with a legacy-URI verification caveat since a pre-2024 Previous-stage URI may permanently retain a retired token (naming-directives.txt 6.3 Resource Permanence)
128	PASS	stage-token	Previous-stage URL stage token matches the document's own current csd/cnd stage abbreviation or the track's approved-stage counterpart	applicability: not applicable (stage 'os' is not csd/cnd)	the document's own current stage token, or the track's approved-stage set (csd: cs/os/errata; cnd: cn) when the block links a previous VERSION at its own approved stage (handbook-PublicReviews.txt: the cover page URIs 'should all reflect the csd stage abbreviation')

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
129	PASS	stage-token	Latest-stage URL's filename embeds no stage-abbreviation/revision token at all	applicability: not applicable (stage 'os' is not csd/cnd)	naming-directives.txt 6.2: the Latest-stage locator URI 'does not contain the path component [stage-abbrev] [revisionNumber] or stage identifier in the filename', an absolute prohibition independent of whether the token matches the current stage
130	PASS	title-version	The rendered cover-page title incorporates the package's own Version identifier	stage: os; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: Data Model for Lexicography (DMLex) Version 1.0; version_tokens_found: 1	naming-directives.txt 5.1: 'A Version identifier must also be incorporated into a Work Product name/title'
131	PASS	title-version	The Version cited in the title agrees with the package's own Version identifier	stage: os; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: Data Model for Lexicography (DMLex) Version 1.0; version_tokens_found: 1	the package's own Version identifier (the version directory segment, with a leading 'v' stripped per naming-directives.txt Section 4's [version-id] grammar)
132	PASS	title-version	The title's Version token is composed as '<name/identifier> Version <number>' with no forbidden punctuation before it and only a sanctioned continuation after it (a '. Part N: <part title>' suffix; on a package whose own stage directory or immediate parent is named errataNN, also an 'Errata NN' or 'Plus Errata NN' suffix whose number matches the package's own errata number, per naming-directives.txt Section 4's separate Errata construction)	stage: os; track: standards; pkg_version: 1.0; title_source: HTML <title>/<h1>; title_text: Data Model for Lexicography (DMLex) Version 1.0; version_tokens_found: 1	naming-directives.txt Section 7: MUST for Standards Track (csd/cs/os/errata) -> BLOCKER; SHOULD for Non-Standards Track (cnd/cn) -> WARN with the 'reasonable grounds for alternate constructions' exception; WARN also for any stage token outside the six Section-5.2-enumerated tokens (track unresolved, no corpus citation, never escalated to BLOCKER on an uncited classification)
133	PASS	title-oasis-prefix	The Work Product title (the <h1> identified by _h1_title_match_info's 'exact' or 'singular-related-fallback' classification) does not begin with the word 'OASIS'	title_source: Data Model for Lexicography (DMLex) Version 1.0; track: standards; track_confidence: confirmed; title_match: exact	naming-directives.txt s7: 'Preferably, a title should not begin with the name "OASIS" except on the recommendation of Project Administration for special cases.' Section 7's lead sentence track-scopes this to BLOCKER (Standards Track, must-observe) / WARN (Non-Standards Track, should-follow with an additional alternate-construction escape valve).
134	PASS	authors	A Technical Report/Technical Report Draft names its Authors on the cover page (heading or title-block byline)	work_product_type: oasis standard	TC Handbook, Technical Reports: 'A Technical Report has one or more named Authors ... recorded on the cover page'
135	PASS	authors	The Authors heading/byline is not empty or placeholder-only (tbd/n/a/none), including list/task/blockquote-dressed variants	work_product_type: oasis standard	at least one non-placeholder named entry must remain

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
136	PASS	authors	A Technical Report Draft's Authors section is not left on the registry's own tolerated 'Will be filled in' placeholder indefinitely (WARN while still a TRD)	work_product_type: oasis standard	the existing residue-check precedent (check='residue') tolerating 'Will be filled in' pre-CS, scoped here to the Authors record of an in-progress Technical Report Draft
137	PASS	authors	An approved (non-draft) Technical Report's Authors section is resolved, not still the 'Will be filled in' placeholder	work_product_type: oasis standard	the TRD-stage 'will be filled in' tolerance does not survive Full Majority Vote approval to the final Technical Report
138	PASS	name-chars	No underscore in an identifying (document-URI-bearing) package name	names_scanned: 91; identifying_stage: os; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: an UNDERSCORE 'must never be used in a filename or directory name that is used in a document URI'
139	PASS	name-chars	No character outside the sixty-four permitted characters in an identifying package name	names_scanned: 91; identifying_stage: os; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: 'TCs must use only the sixty-four characters from among alphanumerics [A-Za-z0-9] and the two punctuation characters ... PERIOD ... and ... HYPHEN'
140	PASS	name-chars	No character outside the sixty-four permitted characters plus UNDERSCORE in a supporting (non-identifying) package name	names_scanned: 91; identifying_stage: os; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	BASE allowlist [A-Za-z0-9._-]. Naming Directives v1.7 s3 base 'must use only' clause, with UNDERSCORE included per the conditional tolerance
141	PASS	name-chars	An identifying (document-URI-bearing) package name is non-empty	names_scanned: 91; identifying_stage: os; identifying_version: v1.0; multi_part_dirs: (none); junk_dirs_skipped: (none)	STRICT test ^[A-Za-z0-9.-]+\$ the '+' quantifier requires at least one character, so an empty identifying name trivially fails the sixty-four-permitted-character allowlist; mirrors how check_stage_name's and check_version_naming's own fullmatch patterns already reject an empty stage/version token without any special-casing
142	PASS	extension-count	A stage-directory-root delivery item (the established document-identifier stem plus one packaged format) carries at least one file extension	tier_a_files_checked: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 63; tier_b_flagged: (none)	Naming Directives v1.7 s4: 'A single file(name) extension must be used in each filename except for a recognized set of extensionless filenames in common use.' BLOCKER at published stages, WARN at wd (s5.2 Note: working drafts 'may use any file naming pattern preferred by the TC'); wd-stage match is case-folded.

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
143	PASS	extension-count	A stage-directory-root delivery item carries exactly one file extension after the stem (or one blessed compound: tar.gz/tar.bz2/tar.xz, and only when that compound is the WHOLE remaining suffix)	tier_a_files_checked: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 63; tier_b_flagged: (none)	Naming Directives v1.7 s4's single-extension rule, structurally against the same stem boundary the 'filenames' check already validates. BLOCKER at published stages, WARN at wd.
144	PASS	extension-count	A non-delivery-item (Tier B) file with zero dots is one of the three literally recognized extensionless names	tier_a_files_checked: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 63; tier_b_flagged: (none)	Naming Directives v1.7 s9: 'Exceptions to the rule that every filename must include a file extension include: CATALOG or catalog, README, ChangeLog.' Non-blocking WARN per s4's Applicability carve-out for non-identification-pattern files.
145	PASS	extension-count	A non-delivery-item (Tier B) dotted filename's penultimate segment does not look like a known extension token (or the trailing pair is a blessed compound)	tier_a_files_checked: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; tier_a_severity: BLOCKER; tier_b_files_checked: 63; tier_b_flagged: (none)	A disclosed, non-exhaustive known-extension-token vocabulary (not an IANA-derived classification); flagged only as a non-blocking heuristic pattern-match advisory per s4's Applicability carve-out for non-identification-pattern files (schemas, images, WSDLs, XML/JSON artifacts).
146	PASS	extension-conformance	Every root principal/stage-identifying filename and every Multi-Part named-part filename uses an extension that matches a common OASIS publication rendering format	principal_files: dmlex-v1.0-os.html, dmlex-v1.0-os.md, dmlex-v1.0-os.pdf; named_part_files: (none)	a curated allowlist of common OASIS document/publication rendering-format extensions (txt, md, html, htm, pdf, doc, docx, odt, ods, odp, xls, xlsx, ppt, pptx, rtf, xml, json, epub), per Naming Directives Section 4 'File extensions should conform to industry best practice, matching well-known IANA MIME Media Types'; filenames on the Section 9 extensionless allowlist (CATALOG, catalog, README, ChangeLog) are exempt
147	PASS	artifact-naming	A non-document-identifier artifact's own filename does not embed a stage+revision token	supporting_files_scanned: 63; stage_revision_matches: 0	Naming Directives s4: 'it is considered inadvisable to incorporate instance-specific [stage][revision] data for any release in filenames other than in the document identifier files ... thus mySchema.xsd but NOT mySchema-csd02.xsd'; TCs are advised to use named subdirectories and retain stable/identical filenames per s5.2/5.3's stage-abbreviation and two-digit-revision definitions

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
148	PASS	multi-part-naming	Every Multi-Part Work Product part filename embeds the identical WP-abbrev token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	the set of distinct WP-abbrev tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product name and the Handbook's Multi-part work products restatement
149	PASS	multi-part-naming	Every Multi-Part Work Product part filename embeds the identical version-id token	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	the set of distinct version-id tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product version number and the Handbook's Multi-part work products restatement
150	PASS	multi-part-naming	No bare CORE.ext delivery filename coexists with genuine part files	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	naming-directives.txt s4: the single-part bare-CORE filename rule does not apply once the package is multi-part
151	PASS	multi-part-naming	Every non-canonical delivery filename sharing the package core carries a well-formed -part<N>-<name> segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	Naming Directives v1.7 s4 multi-part filename grammar: literal lowercase 'part' + Arabic numeral + hyphen + partName, positioned before the extension
152	PASS	multi-part-naming	A part file discovered inside an Option-1 URI part-subdirectory agrees with that subdirectory's own [partNumber]-[partName] segment	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	naming-directives.txt s6.1 (Option 1): the subdirectory segment and the filename's part identifier must name the same part
153	PASS	multi-part-naming	Each part number maps to exactly one partName across every format variant and discovery location	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	Naming Directives v1.7 s4: partNumber identifies one distinct separately-titled prose part, not two
154	PASS	multi-part-naming	Part numbering for a multi-part package begins at 1	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	naming-directives.txt s4: partNumber begins with the number '1' (for Part 1)
155	PASS	multi-part-naming	Part numbering for a multi-part package is contiguous with no gaps	part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_entries_scanned: 3; naming20_cores_resolved: dmlex-v1.0-os; naming20_core: dmlex-v1.0-os; naming20_distinct_tails:	naming-directives.txt s4: partNumber increases monotonically (2, 3, 4, ...) for other parts, i.e. the exact sequence [1, 2, ..., N]

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
156	NA	public-review-metadata	A live, published csd/cnd stage directory confirmed (by tiered evidence) and successfully scanned to have undergone TC public review carries the required public-review-metadata companion file	NA: no live-site result for this check (offline, unreachable, or nothing to probe)	the exact, case-sensitive filename [WP-abbrev]-[version-id]-[stage-abbrev][revisionNumber]-public-review-metadata.html (naming-directives.txt 5.2; handbook-Naming.txt 'Public-review metadata filename (new in v1.7)')
157	NA	public-review-metadata	A present public-review-metadata companion file is non-empty	NA: no live-site result for this check (offline, unreachable, or nothing to probe)	naming-directives.txt 5.2: the file 'provides a publication history of the Work Product' (content validation itself is out of scope for this check; only non-zero size is tested here)
158	NA	public-review-metadata	A public-review-metadata companion file listed in the live directory is actually reachable so its content can be evaluated	NA: no live-site result for this check (offline, unreachable, or nothing to probe)	a listing entry alone is not proof of a readable file; an unreachable listed file stays an open advisory rather than a silent, unreviewed pass
159	PASS	comment-resolution-log	A file resembling a comment-resolution-log, if present in a CSD/CND stage directory that itself carries a public-review-metadata file, carries the exact basename Naming Directives prescribes	gate: not applicable: stage 'os' is not csd/cnd	the expected basename [stem]-comment-resolution-log against naming-directives.txt s5.2's filename pattern for a produced comment resolution log
160	PASS	comment-resolution-log	Where in-package evidence (a later-stage sibling directory) shows a CSD/CND public review has demonstrably concluded, a comment-resolution-log basename match was sought and not found	gate: not applicable: stage 'os' is not csd/cnd	tc-process.txt s2.6/s2.7 (comment disposition is required to be posted to the TC's e-mail lists; the downstream approval ballot may only commence once every comment is resolved) against handbook-PublicReviews.txt's 'best practice, not a normative filing mandate' framing for HOW that record is kept
161	PASS	normdef-refs	Every candidate normative-definition file (schema/grammar/code plain-text file, excluding example/sample/test-case/non-normative and pipeline/asset directories) is referenced from the Work Product	candidates: schemas/JSON/dmlex.schema.json, schemas/JSON/dmlex_no-crosslingual.schema.json, schemas/XML/dmlex.xsd, schemas/XML/dmlex_no-crosslingual.xsd; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5: 'Each text file must be referenced from the Work Product; and'. Standards Track (csd, cs, os, errata) only
162	PASS	normdef-refs	A basename-only match among candidate files sharing that basename in different directories is flagged for confirmation rather than silently satisfying the requirement for every tied file	candidates: schemas/JSON/dmlex.schema.json, schemas/JSON/dmlex_no-crosslingual.schema.json, schemas/XML/dmlex.xsd, schemas/XML/dmlex_no-crosslingual.xsd; orphans: 0; ambiguous_basename_only: 0	TC Process 2.2.5's reference requirement; an ambiguous basename-only match does not unambiguously resolve which file was referenced
163	PASS	uri-alias	No live META-refresh element in any delivered HTML file	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	Naming Directives v1.7 s6.5(a): unauthorized URI aliasing via META-refresh elements is barred

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
164	PASS	uri-alias	No stage-root delivery file or manifest-cited file (by exact package-relative path) shares byte-identical content with another package-relative path	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	Naming Directives v1.7 s6.5(b): preparing files with identical content under two different filenames within a published instance is barred
165	PASS	uri-alias	An ancillary (non-delivery, non-manifest-cited) duplicate is flagged for review, not treated as a s6.5(b) aliasing risk	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	the package's own delivery-item paths and manifest.json authoritative/delivery-role paths
166	PASS	uri-alias	The markdown Previous-stage block cites no redirect/URL-shortening domain	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	the seed redirect-service domain list (tinyurl.com, bit.ly, goo.gl, ow.ly, t.co, is.gd, buff.ly, rebrand.ly, tiny.cc, cutt.ly, shorturl.at, rb.gy, purl.oclc.org)
167	NA	uri-alias	The DOCX-native rendered cover's This/Previous/Latest-version fields cite no redirect/URL-shortening domain	NA: DOCX-render condition; this package carries no Word source	the seed redirect-service domain list
168	PASS	uri-alias	Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'
169	NA	uri-alias	Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'
170	PASS	uri-alias	A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (markdown source)	prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 6; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
171	NA	uri-alias	A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (HTML render)	NA: evaluated on the markdown-source row for this package	the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'
172	PASS	xml-namespace	An http(s) namespace's tail matches the docs.oasis-open.org/[tc-shortname]/ns/xxxx pattern	schema_files_scanned: 2; schema_files_excluded: 0; tc_shortname: lexdma; namespaces_declared: http://docs.oasis-open.org/lexdma/ns/dmlex-1.0; parse_failures: (none)	Naming Directives s8 pattern http(s)://docs.oasis-open.org/[tc-shortname]/ns/xxxx, xxxx restricted to the s3 sixty-four-character set plus internal '/', terminating in '/', '#', or alphanumeric; BLOCKER when the tc-shortname has no pattern-grandfather allowlist entry

#	Result	Check	Condition verified	Value pulled (observed)	Compared against
173	PASS	xml - namespace	A pattern-mismatched namespace's tc-shortname is a confirmed-approved pre-2012 pattern grandfather	schema_files_scanned: 2; schema_files_excluded: 0; tc_shortname: lexicdma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)	Naming Directives v1.2 s9: pre-2012 practice 'may be grandfathered, if approved by Project Administration': WARN when listed but approval is not machine-confirmable at check time
174	PASS	xml - namespace	The same namespace tail is declared under one scheme only, package-wide	schema_files_scanned: 2; schema_files_excluded: 0; tc_shortname: lexicdma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)	Naming Directives s8: 'While either "http" or "https" may be used ... they are not interchangeable. One or the other must be used consistently.'
175	PASS	xml - namespace	A urn:-scheme declared namespace's TC is on the URN-grandfather allowlist	schema_files_scanned: 2; schema_files_excluded: 0; tc_shortname: lexicdma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)	Naming Directives s8: URN-based namespaces 'must not be declared otherwise', permitted only for TCs that already used the feature (or Maintenance Activity TCs), approved by Project Administration
176	PASS	xml - namespace	A RELAX NG grammar declares only one namespace, on its root grammar/element node	schema_files_scanned: 2; schema_files_excluded: 0; tc_shortname: lexicdma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)	this check only validates the root-level self-declared namespace; a differing non-root ns is flagged for manual review rather than silently dropped
177	PASS	ns - segment	This-stage and Latest-stage cover URIs do not reuse the reserved /ns/ path segment	cover_uris_scanned: 6; this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf; previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	handbook-Naming.txt: '/ns/ ... is for namespace identifiers, not for retrievable documents. Do not use /ns/ in the URI of a document you intend to publish as a retrievable resource'
178	PASS	ns - segment	Previous-stage cover URI does not reuse the reserved /ns/ path segment (non-blocking, manual-review if it does: an immutable inherited citation)	cover_uris_scanned: 6; this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf; previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/cs01/dmlex-v1.0-cs01.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf	handbook-Naming.txt's /ns/ reservation rule, applied to an already-published prior-stage citation the current package cannot alter