

# Publication Validation Report (pub-check): Data Model for Lexicography (DMLex) Version 1.1 Working Draft 01

| Field             | Value                                                                                                                              |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------|
| TC                | lexidma                                                                                                                            |
| Stage             | wd01                                                                                                                               |
| Package validated | lexidma/dmlex/v1.1/wd01, rendered by tools/publication-assurance/render.sh from MColetta-OASIS/lexidma, branch markdown-conversion |
| Ticket            | <a href="#">TCADMIN-4742</a>                                                                                                       |
| Validation date   | 2026-09-24                                                                                                                         |
| Tool              | oasis_pub_check.py (OASIS-Docs/publication-assurance)                                                                              |
| Coverage          | 170 individual checks across 58 check classes, all run                                                                             |
| Findings          | 5 blocker, 51 warning, 10 informational                                                                                            |
| Blockers          | 5                                                                                                                                  |

## Result

**NOT publication-ready: 5 blocker(s).** 44 of 58 check classes are fully clean (123 of 170 individual conditions in clean classes); every finding is itemized below against the check that raised it.

All five blockers are carried from the published v1.0 OASIS Standard source and need a TC decision; none is introduced by the Markdown conversion. See the publication audit report, findings F3 to F5.

## Check-by-Check Results

Every check class the tool carries is listed, whether or not it raised a finding. Conditions is the number of individual verifications inside the class.

| # | Result  | Check class     | Cond. | Findings                                                                                                                                        |
|---|---------|-----------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | PASS    | artifact-naming | 1     | none                                                                                                                                            |
| 2 | BLOCKER | asset-refs      | 1     | <b>BLOCKER:</b> HTML references 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' which is not in the package; it 404s on publication. |
| 3 | PASS    | authors         | 4     | none                                                                                                                                            |
| 4 | PASS    | boilerplate-dup | 1     | none                                                                                                                                            |

| #  | Result      | Check class            | Cond. | Findings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----|-------------|------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5  | <b>WARN</b> | case                   | 3     | <b>WARN:</b> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/</a><br><b>WARN:</b> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dmlex.schema.json">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dmlex.schema.json</a><br><b>WARN:</b> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dmlex_no-crosslingual.schema.json">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dmlex_no-crosslingual.schema.json</a><br><b>WARN:</b> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/RDF/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/RDF/</a><br><b>WARN:</b> Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/XML/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/XML/</a><br>... and 32 more findings of this class (full list in the JSON record)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 6  | <b>PASS</b> | comment-resolution-log | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 7  | <b>WARN</b> | conformance-structure  | 9     | <b>WARN:</b> Conformance section is not populated with numbered clauses: no clause identifiers were extracted.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 8  | <b>WARN</b> | content-labels         | 1     | <b>WARN:</b> Examples-pattern heading 'A.1 Examples (Informative) <a id='examples'></a>' (markdown line 5709) carries no content-type label (heading suffix, first-sentence statement, labeled ancestor heading, or document-wide blanket statement): the Handbook classifies Examples as non-normative content and says it should be clearly labelled 'Non-normative' (or 'Informative').<br><b>INFO:</b> Appendix/Annex heading 'Appendix A Informative material on serializations (Informative) <a id='appendix-a-informative-material-on-serializations-informative'></a>' (markdown line 5707) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt.<br><b>INFO:</b> Appendix/Annex heading 'Appendix B References (Normative) <a id='references'></a>' (markdown line 9645) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt.<br><b>INFO:</b> Appendix/Annex heading 'Appendix C Machine Readable Validation Artifacts (Normative) <a id='Validation'></a>' (markdown line 9707) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt.<br><b>INFO:</b> Appendix/Annex heading 'Appendix D DMLex UML diagram (Normative) <a id='diagram_uml'></a>' (markdown line 9719) carries no content-type label. Advisory only: confirm whether this appendix/annex is part of the conformance requirements, and if not, label it 'Non-normative' per handbook-Conformance.txt.<br>... and 4 more findings of this class (full list in the JSON record) |
| 9  | <b>WARN</b> | cover-hr               | 1     | <b>WARN:</b> Horizontal rule between the OASIS logo and the title: the publication CSS treats <hr/> as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 10 | <b>WARN</b> | date-sync              | 2     | <b>WARN:</b> Copyright year 2025 does not match the document date year 2026.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 11 | <b>PASS</b> | dead-lists             | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 12 | <b>PASS</b> | double-slash           | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 13 | <b>PASS</b> | extension-conformance  | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 14 | <b>PASS</b> | extension-count        | 4     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 15 | <b>PASS</b> | fence-collapse         | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 16 | <b>PASS</b> | filenames              | 6     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| #  | Result         | Check class       | Cond. | Findings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|----|----------------|-------------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17 | <b>WARN</b>    | front-matter      | 12    | <p><b>WARN:</b> URL declares version v2.1 (package is v1.1): <a href="http://docs.oasis-open.org/xliff/xliff-core/v2.1/os/xliff-core-v2.1-os.html">http://docs.oasis-open.org/xliff/xliff-core/v2.1/os/xliff-core-v2.1-os.html</a> -- confirm this is an intentional external reference.</p> <p><b>WARN:</b> URL declares version v1.0 (package is v1.1): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd02/dmlex-v1.0-csd02.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd02/dmlex-v1.0-csd02.pdf</a> -- confirm this is an intentional external reference.</p> <p><b>WARN:</b> URL declares version v1.0 (package is v1.1): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf</a>(<a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf</a> -- confirm this is an intentional external reference.</p> <p><b>WARN:</b> URL declares version v1.0 (package is v1.1): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf</a>(<a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf</a> -- confirm this is an intentional external reference.</p> <p><b>WARN:</b> URL declares version v1.0 (package is v1.1): <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/dmlex-v1.0.pdf</a> -- confirm this is an intentional external reference.</p> <p>... and 2 more findings of this class (full list in the JSON record)</p> |
| 18 | <b>PASS</b>    | generator         | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 19 | <b>PASS</b>    | html-anchors      | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 20 | <b>PASS</b>    | html-residue      | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 21 | <b>PASS</b>    | html-title        | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 22 | <b>PASS</b>    | image-policy      | 10    | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 23 | <b>PASS</b>    | junk-files        | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 24 | <b>PASS</b>    | link-mismatch     | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 25 | <b>PASS</b>    | logo              | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 26 | <b>INFO</b>    | manifest          | 3     | <b>INFO:</b> No manifest.json in the package. Emit one (--emit-manifest or your own tool) and intake verification becomes automatic.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 27 | <b>WARN</b>    | md-links          | 2     | <p><b>WARN:</b> Dual link <a href="#">url</a>; prefer a bare URL (autolinked) or real anchor text: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf</a></p> <p><b>WARN:</b> Dual link <a href="#">url</a>; prefer a bare URL (autolinked) or real anchor text: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf</a></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 28 | <b>BLOCKER</b> | member-uri        | 1     | <b>BLOCKER:</b> Cites an OASIS member-only (Kavi) URI: <a href="https://www.oasis-open.org/committees/download.php">https://www.oasis-open.org/committees/download.php</a> . Naming Directives v1.7 s6.6 bars password-protected member-only references from any TC document that is or may become public.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 29 | <b>PASS</b>    | multi-part-naming | 8     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 30 | <b>PASS</b>    | name-chars        | 4     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 31 | <b>PASS</b>    | normdef-refs      | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 32 | <b>PASS</b>    | ns-segment        | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 33 | <b>PASS</b>    | odt-integrity     | 6     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 34 | <b>BLOCKER</b> | package-refs      | 1     | <b>BLOCKER:</b> The document cites <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh">https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh</a> under its own stage path, but 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' is not in the package: it will 404 on publication.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 35 | <b>PASS</b>    | pdf-cover         | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 36 | <b>INFO</b>    | pdf-fonts         | 2     | <b>INFO:</b> Package declares no local font authority (no font-family in its HTML/CSS); font check skipped.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 37 | <b>WARN</b>    | pdf-sync          | 5     | <b>WARN:</b> PDF cites <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/">https://docs.oasis-open.org/lexidma/dmlex/v1.0/</a> (package is v1.1); expected only as a previous-stage reference -- confirm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

| #  | Result  | Check class            | Cond. | Findings                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----|---------|------------------------|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 38 | PASS    | previous-stage         | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 39 | PASS    | public-review-metadata | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 40 | PASS    | ref-rfc                | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 41 | PASS    | references-split       | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 42 | PASS    | residue                | 4     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 43 | PASS    | revision-collision     | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 44 | PASS    | rfc-keywords           | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 45 | BLOCKER | schema-id              | 4     | <p><b>BLOCKER:</b> schemas/JSON/dmlex.schema.json: \$id is '<a href="http://docs.oasis-open.org/lexidma/ns/dmlex-1.0">http://docs.oasis-open.org/lexidma/ns/dmlex-1.0</a>' but the file publishes under '<a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/</a>'. An implementer following the \$id gets a 404 or the wrong document.</p> <p><b>BLOCKER:</b> schemas/JSON/dmlex_no-crosslingual.schema.json: \$id is '<a href="http://docs.oasis-open.org/lexidma/ns/dmlex-1.0">http://docs.oasis-open.org/lexidma/ns/dmlex-1.0</a>' but the file publishes under '<a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/</a>'. An implementer following the \$id gets a 404 or the wrong document.</p> |
| 46 | PASS    | stage-name             | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 47 | PASS    | stage-token            | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 48 | PASS    | stage-uri-live         | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 49 | PASS    | symlinks               | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 50 | PASS    | template               | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 51 | PASS    | template-css           | 2     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 52 | PASS    | title-oasis-prefix     | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 53 | PASS    | title-version          | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 54 | PASS    | uri-alias              | 9     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 55 | PASS    | uri-chars              | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 56 | PASS    | version-naming         | 3     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 57 | PASS    | vml-fallback           | 1     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 58 | PASS    | xml-namespace          | 5     | none                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## All Individual Conditions: Observed vs Expected

Every one of the 170 individual conditions the tool verifies, with the value its logic pulled from this package and what that value was compared against. NA rows state why a condition was not applicable to this package (authoring track or absent prerequisite); nothing is silently skipped.

| # | Result | Condition verified                                                   | Value pulled (observed)                                 | Compared against                                                               |
|---|--------|----------------------------------------------------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------|
| 1 | PASS   | stage-name: Stage directory name carries a two-digit revision number | stage_directory: wd01                                   | valid stage prefixes must carry a two-digit suffix (csd01, never bare csd)     |
| 2 | PASS   | stage-name: Stage token is not a retired abbreviation                | stage_directory: wd01                                   | retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7 |
| 3 | PASS   | stage-name: Stage token is a recognized current stage                | stage_directory: wd01                                   | valid stage set: wd, csd, cs, cnd, cn, os, ps, psd, pn, pnd, errata            |
| 4 | PASS   | version-naming: Version directory matches the vN.N(.N) convention    | version_directory: v1.1; delivery_stem: dmlex-v1.1-wd01 | the Naming Directives version-segment pattern vN.N(.N), e.g. v1.0, v2.0.1      |

| #  | Result | Condition verified                                                                              | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Compared against                                                                               |
|----|--------|-------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| 5  | PASS   | version-naming: Version embedded in the delivery filename agrees with the version directory     | version_directory: v1.1; delivery_stem: dmlex-v1.1-wd01                                                                                                                                                                                                                                                                                                                                                                                                                                                    | the version directory the package publishes under                                              |
| 6  | PASS   | version-naming: Delivery filename embeds the version segment                                    | version_directory: v1.1; delivery_stem: dmlex-v1.1-wd01                                                                                                                                                                                                                                                                                                                                                                                                                                                    | the Naming Directives filename shape <base>-<version>-<stage>                                  |
| 7  | PASS   | revision-collision: The submitted stage does not already exist on the live site                 | this_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/; http_status: 404                                                                                                                                                                                                                                                                                                                                                                                                                     | expected non-200 for a NEW submission; an existing stage means the revision must increment     |
| 8  | PASS   | filenames: The stage directory contains delivery items at all                                   | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | at least one delivery item (md/docx/odt/html/pdf) must be present                              |
| 9  | PASS   | filenames: All delivery items share one basename                                                | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | exactly one distinct stem across md/docx/odt/html/pdf                                          |
| 10 | PASS   | filenames: Delivery filename carries no working token                                           | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | forbidden working tokens: draft, tmp, rc (files are named for the published stage)             |
| 11 | PASS   | filenames: Delivery filename ends in the stage suffix                                           | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | the stage directory name as a -<stage> suffix                                                  |
| 12 | PASS   | filenames: All required delivery formats are present                                            | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | the track's required set: html+pdf plus the authoritative source (md, docx, or odt)            |
| 13 | PASS   | filenames: An authoritative source artifact travels with the renderings                         | stems: dmlex-v1.1-wd01; delivery_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; formats_present: html, md, pdf; required_formats: html, md, pdf                                                                                                                                                                                                                                                                                                                                     | at least one authoritative source (.md, .docx, or .odt) expected beside HTML/PDF               |
| 14 | PASS   | stage-uri-live: Every Previous-stage and Latest-stage URI the cover declares actually retrieves | previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf; stage_uris_fetched: 2; latest_created_by_this_publication: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf | a definitive 404/410 from the published site (transport failures and non-404 errors stay INFO) |
| 15 | PASS   | front-matter: Markdown front matter carries a This-stage URL block                              | this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                               | at least one URL must be declared                                                              |
| 16 | PASS   | front-matter: Every stage URL is under docs.oasis-open.org                                      | this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                               | the canonical site prefix https://docs.oasis-open.org/                                         |

| #  | Result  | Condition verified                                                                     | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Compared against                                                                     |
|----|---------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
| 17 | PASS    | front-matter: This-stage URLs carry the version and stage path segments                | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                                                                                                                                                                                            | the package's /<version>/ and /<stage>/ path segments                                |
| 18 | PASS    | front-matter: Every This-stage URL points at a file included in the package            | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                                                                                                                                                                                            | the set of delivery filenames actually in the package                                |
| 19 | PASS    | front-matter: The This-stage block lists all three artifacts (md, html, pdf)           | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                                                                                                                                                                                            | the full delivery set: .md, .html, .pdf                                              |
| 20 | PASS    | front-matter: Latest-stage URLs point at the persistent version root                   | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                                                                                                                                                                                            | must NOT contain the /<stage>/ segment (latest is the version-root path)             |
| 21 | PASS    | front-matter: Latest-stage URLs are under the package's version directory              | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf                                                                                                                                                                                                                                                                            | the package's /<version>/ path segment                                               |
| 22 | WARN x7 | front-matter: Any docs.oasis-open.org URL declaring a different version is intentional | URL declares version v2.1 (package is v1.1):<br>http://docs.oasis-open.org/xliff/xliff-core/v2.1/os/xliff-core-v2.1-os.html>* -- confirm this is an intentional external reference.   URL declares version v1.0 (package is v1.1):<br>https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd02/dmlex-v1.0-csd02.pdf> -- confirm this is an intentional external reference.   URL declares version v1.0 (package is v1.1):<br>https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf (https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf -- confirm this is an intentional external reference.   ... and 4 more (full list in the JSON record) | the package's own version; a different version is a stale-draft tell unless external |

| #  | Result  | Condition verified                                                                           | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                  | Compared against                                                                                                                                                                                                                                                                                         |
|----|---------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 23 | PASS    | front-matter: No Latest-labelled line cites a stage-pinned URL for this spec                 | this_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; latest_stage_urls:<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html,<br>https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf | the persistent version-root form (no /<stage>/ segment)                                                                                                                                                                                                                                                  |
| 24 | PASS    | uri-chars: No underscore appears in a This/Latest-stage document URI                         | cover_uris_scanned: 5                                                                                                                                                                                                                                                                                                                                                                                    | Naming Directives v1.7 s3: '_' is barred from any filename or directory name used in a document URI                                                                                                                                                                                                      |
| 25 | BLOCKER | member-uri: No OASIS member-only (Kavi) URI is cited in the package                          | Cites an OASIS member-only (Kavi) URI:<br>https://www.oasis-open.org/committees/download.php. Naming Directives v1.7 s6.6 bars password-protected member-only references from any TC document that is or may become public.                                                                                                                                                                              | Naming Directives v1.7 s6.6: member-only (password-protected) Kavi references must not appear in public TC documents                                                                                                                                                                                     |
| 26 | NA      | front-matter: HTML cover carries a This-version URL block                                    | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                                                                                                                                                                           | at least one URL must be present                                                                                                                                                                                                                                                                         |
| 27 | NA      | front-matter: Cover This-version URLs carry the version and stage segments                   | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                                                                                                                                                                           | the package's /<version>/ and /<stage>/ path segments                                                                                                                                                                                                                                                    |
| 28 | NA      | front-matter: Cover Latest-version URLs point at the persistent version root                 | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                                                                                                                                                                           | must NOT contain the /<stage>/ segment                                                                                                                                                                                                                                                                   |
| 29 | PASS    | residue: No editor TODO markers left in prose                                                | scanned: html, markdown                                                                                                                                                                                                                                                                                                                                                                                  | the patterns TODO(...) and TODO: must not occur                                                                                                                                                                                                                                                          |
| 30 | PASS    | residue: No bare 'tbd' placeholder sections                                                  | scanned: html, markdown                                                                                                                                                                                                                                                                                                                                                                                  | no line consisting solely of 'tbd'                                                                                                                                                                                                                                                                       |
| 31 | PASS    | residue: No template editor-instruction text left in the published prose                     | scanned: html, markdown                                                                                                                                                                                                                                                                                                                                                                                  | the OASIS Board-approved work product templates, which state that 'All template instructions ... need to be deleted prior to publication'; an imperative to remove/delete something 'before publication' or 'prior to publication' surviving in the prose means an instruction block reached publication |
| 32 | PASS    | residue: No 'Will be filled in' placeholders (early-stage tolerated, must resolve before CS) | scanned: html, markdown                                                                                                                                                                                                                                                                                                                                                                                  | the phrase 'Will be filled in' must not occur                                                                                                                                                                                                                                                            |
| 33 | PASS    | html-title: HTML title carries no working residue                                            | title: Data Model for Lexicography (DMLex) Version 1.1                                                                                                                                                                                                                                                                                                                                                   | must not end in tmp, draft, or wip                                                                                                                                                                                                                                                                       |
| 34 | PASS    | html-title: HTML title is a plausible document title                                         | title: Data Model for Lexicography (DMLex) Version 1.1                                                                                                                                                                                                                                                                                                                                                   | a full spec title (at least 8 characters)                                                                                                                                                                                                                                                                |
| 35 | PASS    | html-residue: No stale pandoc title-block header in the HTML                                 | title_block_headers: 0; runner_paths: 0                                                                                                                                                                                                                                                                                                                                                                  | the <header id="title-block-header"> element must be absent (lint D2)                                                                                                                                                                                                                                    |
| 36 | PASS    | html-residue: No CI runner paths in HTML hrefs or srcs                                       | title_block_headers: 0; runner_paths: 0                                                                                                                                                                                                                                                                                                                                                                  | the /home/runner/ path prefix must not occur (lint D3)                                                                                                                                                                                                                                                   |
| 37 | PASS    | html-residue: The document title appears in exactly one H1                                   | title_block_headers: 0; runner_paths: 0                                                                                                                                                                                                                                                                                                                                                                  | exactly 1 (more renders the title twice on the PDF cover, lint D1)                                                                                                                                                                                                                                       |
| 38 | PASS    | html-anchors: Every internal fragment link resolves to an anchor                             | internal_links: 292; anchors: 663; unresolved: 0                                                                                                                                                                                                                                                                                                                                                         | every referenced fragment must exist as an id or <a name>                                                                                                                                                                                                                                                |
| 39 | PASS    | html-anchors: The HTML carries a linked table of contents                                    | internal_links: 292; anchors: 663; unresolved: 0                                                                                                                                                                                                                                                                                                                                                         | at least one expected (a spec HTML without any is missing its TOC links)                                                                                                                                                                                                                                 |

| #  | Result            | Condition verified                                                             | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Compared against                                                                                       |
|----|-------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
| 40 | <b>WARN x2</b>    | md-links: No dual `[url](url)` links in the markdown                           | Dual link [url](url); prefer a bare URL (autolinked) or real anchor text: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd04/dmlex-v1.0-csd04.pdf</a>   Dual link [url](url); prefer a bare URL (autolinked) or real anchor text: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf">https://docs.oasis-open.org/lexidma/dmlex/v1.0/csd03/dmlex-v1.0-csd03.pdf</a>                     | text and target being the same URL calls for a bare autolink or real anchor text                       |
| 41 | <b>PASS</b>       | md-links: No bare URL runs into '.' without a space                            | links_scanned: 269                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | the safe form '.' (otherwise pandoc pulls the period and backslash into the href)                      |
| 42 | <b>PASS</b>       | fence-collapse: No opening code fence carries trailing text in its info string | fences_scanned: 632                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | a bare language token or curly-attribute form; trailing text collapses the block (lint D6)             |
| 43 | <b>PASS</b>       | image-policy: No empty img src attributes                                      | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | src must be non-empty                                                                                  |
| 44 | <b>PASS</b>       | image-policy: No absolute-path image sources                                   | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | a leading / resolves outside the package on publication                                                |
| 45 | <b>PASS</b>       | image-policy: No path-traversal image sources                                  | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | the path must not contain .. segments                                                                  |
| 46 | <b>PASS</b>       | image-policy: No responsive srcset image constructs                            | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | the publication pipeline's self-containment policy refuses srcset                                      |
| 47 | <b>PASS</b>       | image-policy: No <picture> elements                                            | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | the publication pipeline's self-containment policy refuses <picture>                                   |
| 48 | <b>PASS</b>       | image-policy: Every image file is under the per-image size cap                 | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | the pipeline's 2MB per-image refusal cap                                                               |
| 49 | <b>PASS</b>       | image-policy: No SVG carries script content                                    | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <script> elements are active content, refused on docs.oasis-open.org                                   |
| 50 | <b>PASS</b>       | image-policy: No SVG carries inline event handlers                             | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | on*= attributes are active content, refused                                                            |
| 51 | <b>PASS</b>       | image-policy: No SVG references external image or use targets                  | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | external <image>/<use> hrefs break self-containment                                                    |
| 52 | <b>PASS</b>       | image-policy: Total image payload is under the cumulative cap                  | img_tags: 50; image_payload_bytes: 779378                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | the pipeline's 5MB cumulative inlining cap                                                             |
| 53 | <b>PASS</b>       | pdf-cover: The document title appears exactly once on the PDF cover page       | title: Data Model for Lexicography (DMLex) Version 1.1; cover_page_occurrences: 1; runner_path_in_pdf: False                                                                                                                                                                                                                                                                                                                                                                                                  | exactly 1 (more means stale title-block residue baked into the render, assertion A1)                   |
| 54 | <b>PASS</b>       | pdf-cover: No CI runner path anywhere in the PDF text                          | title: Data Model for Lexicography (DMLex) Version 1.1; cover_page_occurrences: 1; runner_path_in_pdf: False                                                                                                                                                                                                                                                                                                                                                                                                  | the /home/runner/ path must not occur (assertion A2)                                                   |
| 55 | <b>PASS</b>       | schema-id: Every .json file in the package parses as JSON                      | json_files: 2; expected_id_root: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/</a>                                                                                                                                                                                                                                                                                                                                                                | must parse without error                                                                               |
| 56 | <b>PASS</b>       | schema-id: A flattened \$id under the version root is a conscious convention   | json_files: 2; expected_id_root: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/</a>                                                                                                                                                                                                                                                                                                                                                                | the file's publish path; a version-root flattened \$id (CSAF v2.0 style) needs a copy at that location |
| 57 | <b>BLOCKER x2</b> | schema-id: Each schema's \$id agrees with where the file publishes             | schemas/JSON/dmlex.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.1/'. An implementer following the \$id gets a 404 or the wrong document.   schemas/JSON/dmlex_no-crosslingual.schema.json: \$id is 'http://docs.oasis-open.org/lexidma/ns/dmlex-1.0' but the file publishes under 'https://docs.oasis-open.org/lexidma/dmlex/v1.1/'. An implementer following the \$id gets a 404 or the wrong document. | the canonical latest-version URL derived from the package path                                         |
| 58 | <b>PASS</b>       | schema-id: Schema-internal self-references agree with the declared \$id        | json_files: 2; expected_id_root: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.1/">https://docs.oasis-open.org/lexidma/dmlex/v1.1/</a>                                                                                                                                                                                                                                                                                                                                                                | the schema's own declared \$id                                                                         |
| 59 | <b>PASS</b>       | pdf-sync: The PDF cross-check toolchain is available                           | pdftotext: present; this_stage_base_in_pdf: True                                                                                                                                                                                                                                                                                                                                                                                                                                                              | pdftotext present; absent means the PDF front-matter cross-check is skipped here and runs at intake    |

| #  | Result  | Condition verified                                                                                | Value pulled (observed)                                                                                                                                                                                                                                                     | Compared against                                                                                                                                                               |
|----|---------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 60 | PASS    | pdf-sync: pdftotext executes against the PDF                                                      | pdftotext: present; this_stage_base_in_pdf: True                                                                                                                                                                                                                            | a clean execution                                                                                                                                                              |
| 61 | PASS    | pdf-sync: The PDF is machine-readable                                                             | pdftotext: present; this_stage_base_in_pdf: True                                                                                                                                                                                                                            | exit 0                                                                                                                                                                         |
| 62 | PASS    | pdf-sync: The PDF front matter carries the canonical this-stage URL                               | pdftotext: present; this_stage_base_in_pdf: True                                                                                                                                                                                                                            | the this-stage base URL declared by the package front matter                                                                                                                   |
| 63 | WARN    | pdf-sync: The PDF cites no unexpected other version of this spec                                  | PDF cites https://docs.oasis-open.org/lexidma/dmlex/v1.0/ (package is v1.1); expected only as a previous-stage reference -- confirm.                                                                                                                                        | the package's own version (previous-stage citations expected, anything else confirmed)                                                                                         |
| 64 | PASS    | template: All required template front-matter sections are present                                 | sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True                                                            | the template's required set: This/Previous/Latest stage, Technical Committee, Chairs, Editors, Abstract                                                                        |
| 65 | PASS    | template: Front-matter sections appear in template order                                          | sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True                                                            | the canonical template ordering                                                                                                                                                |
| 66 | PASS    | template: A Conformance section exists                                                            | sections_found: Abstract, Chair(s), Citation format, Editor(s), Latest stage/version, Notices, Previous stage/version, Status, Technical Committee / Open Project, This stage/version; conformance_section: True                                                            | the TC Process requirement: every Standards Track Work Product carries conformance clauses                                                                                     |
| 67 | PASS    | template-css: A non-canonical stylesheet keeps the template font family                           | stylesheet_links: 1; inline_style_blocks: 1                                                                                                                                                                                                                                 | the template look: Liberation Sans / Arial / Helvetica                                                                                                                         |
| 68 | PASS    | template-css: The HTML carries a stylesheet                                                       | stylesheet_links: 1; inline_style_blocks: 1                                                                                                                                                                                                                                 | at least one styling source must be present                                                                                                                                    |
| 69 | BLOCKER | package-refs: Every file the document cites under its own stage path is included in the package   | The document cites https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh under its own stage path, but 'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' is not in the package: it will 404 on publication. | the cited relative path must exist as a file in the package                                                                                                                    |
| 70 | PASS    | link-mismatch: Visible URL text and its link target agree                                         | html_url_text_anchors: 40; shown_target_pairs: 2                                                                                                                                                                                                                            | shown and target must be the same URL (a disagreement is a rename artifact)                                                                                                    |
| 71 | PASS    | link-mismatch: Anchor text that displays a URL agrees with the anchor's href                      | html_url_text_anchors: 40; shown_target_pairs: 2                                                                                                                                                                                                                            | the displayed URL and the href must name the same resource (scheme, www., and trailing-slash differences and ellipsis display-truncation excepted); readers cite what they see |
| 72 | PASS    | ref-rfc: An [RFCnnnn] references entry's URL cites the same RFC number as its label               | markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 6                                                                                                                                                                                                            | the RFC number in the entry's own label; a disagreement means the label or the linked document is stale                                                                        |
| 73 | PASS    | ref-rfc: An [RFCnnnn] references entry's body text cites the same RFC number as its label and URL | markdown_rfc_reference_entries: 0; html_rfc_reference_entries: 6                                                                                                                                                                                                            | the RFC number in the entry's label and URL (numbers drift when a reference is upgraded to a successor RFC and the prose is not)                                               |
| 74 | PASS    | boilerplate-dup: The template's 'send comments' status paragraph appears exactly once             | markdown_comments_paragraphs: 1; html_comments_paragraphs: 1                                                                                                                                                                                                                | exactly one occurrence per the Board-approved template (a duplicate rides in on a stale template merge and truncates the sentence it collides with)                            |
| 75 | PASS    | double-slash: No relative link path contains a double slash                                       | double_slash_paths: 0                                                                                                                                                                                                                                                       | single slashes only (the CDN 404s a double slash even where browsers tolerate it)                                                                                              |
| 76 | WARN    | cover-hr: No horizontal rule between the OASIS logo and the title                                 | Horizontal rule between the OASIS logo and the title: the publication CSS treats <hr/> as a page break, which opens the PDF with a blank page. Harmless in other renderers; remove if publishing through the OASIS HTML-to-PDF path.                                        | no --- / *** / ___ rule after the logo (the publication CSS renders it as a PDF page break)                                                                                    |
| 77 | NA      | pdf-fonts: pdffonts executes against the PDF                                                      | NA: pdffonts unavailable or the package declares no font authority                                                                                                                                                                                                          | a clean execution                                                                                                                                                              |

| #  | Result   | Condition verified                                                                       | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Compared against                                                                                     |
|----|----------|------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 78 | NA       | pdf-fonts: The PDF's embedded fonts are declared by the package's own CSS                | NA: pdffonts unavailable or the package declares no font authority                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | the font families declared in the package's HTML/CSS (its own typography authority)                  |
| 79 | NA       | manifest: manifest.json parses as JSON                                                   | NA: no manifest.json in the package (noted as informational)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | must parse without error                                                                             |
| 80 | NA       | manifest: Every manifest item exists in the package                                      | NA: no manifest.json in the package (noted as informational)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the package file tree                                                                                |
| 81 | NA       | manifest: Every manifest sha256 matches the file's actual digest                         | NA: no manifest.json in the package (noted as informational)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the digest recorded in the manifest                                                                  |
| 82 | PASS     | junk-files: No working directories inside the package                                    | files_walked: 66                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | forbidden set: __MACOSX, .git, .env, venv, node_modules                                              |
| 83 | PASS     | junk-files: No OS junk or editor backup files in the package                             | files_walked: 66                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | forbidden: .DS_Store, Thumbs.db, desktop.ini, and ~ / .bak / .orig / .swp suffixes                   |
| 84 | WARN x28 | case: Every filename in the package is lowercase                                         | Mixed-case filename 'core/databaseDiagrams/inflectedForm.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf)   Mixed-case filename 'core/databaseDiagrams/partOfSpeech.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf)   Mixed-case filename 'core/databaseDiagrams/lexicographicResource.svg': the publication host is case-sensitive and canonical paths are lowercase; lowercase citations of this file will 404. (auxiliary file: warning; published precedent exists, e.g. -DIFF.pdf)   ... and 25 more (full list in the JSON record) | its lowercase form (the publication origin is case-sensitive; the canonical logo filename is exempt) |
| 85 | WARN x9  | case: Every self-referential docs.oasis-open.org URL path is lowercase (markdown source) | Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/>   Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dml ex.schema.json)   Mixed-case path in docs.oasis-open.org URL (host is case-sensitive): https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/schemas/JSON/dml ex_no-crosslingual.schema.json)   ... and 6 more (full list in the JSON record)                                                                                                                                                                                                                                                                                                           | its lowercase form (case-sensitive origin; /templates/ paths exempt)                                 |
| 86 | NA       | case: Every self-referential docs.oasis-open.org URL path is lowercase (HTML render)     | NA: evaluated on the markdown-source row for this package                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | its lowercase form (case-sensitive origin; /templates/ paths exempt)                                 |
| 87 | NA       | odt-integrity: The ODT source opens as a ZIP archive                                     | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | a readable OpenDocument container                                                                    |
| 88 | NA       | odt-integrity: The ODT archive carries a mimetype member                                 | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the OpenDocument package requirement of a mimetype entry                                             |
| 89 | NA       | odt-integrity: The declared mimetype is an OpenDocument type                             | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the application/vnd.oasis.opendocument.* family                                                      |
| 90 | NA       | odt-integrity: The ODT archive carries the document body (content.xml)                   | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the OpenDocument package requirement of a content.xml body                                           |
| 91 | NA       | odt-integrity: The ODT document body parses as XML                                       | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | well-formed XML                                                                                      |
| 92 | NA       | odt-integrity: The ODT carries no embedded macros or scripts                             | NA: ODT-source condition; this package carries no ODT source                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | the host's active-content policy (none permitted, same as SVG scripts)                               |
| 93 | PASS     | symlinks: No symlink points at itself or an ancestor directory                           | symlinks_found: 0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | must not equal or contain its own directory (deploys materialize symlinks into unbounded recursion)  |

| #   | Result  | Condition verified                                                                                                                                                                                      | Value pulled (observed)                                                                                                                                                                                                                                                                                                                    | Compared against                                                                                                                                                                                                       |
|-----|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 94  | PASS    | dead-lists: No reference to a lists.oasis-open.org mailing address (markdown source)                                                                                                                    | md_lists_addresses: (none)                                                                                                                                                                                                                                                                                                                 | the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic                                                                                                                           |
| 95  | NA      | dead-lists: No reference to a lists.oasis-open.org mailing address (HTML render)                                                                                                                        | NA: evaluated on the markdown-source row for this package                                                                                                                                                                                                                                                                                  | the dead-infrastructure rule: that mail host silently fails; comments route via Higher Logic                                                                                                                           |
| 96  | PASS    | dead-lists: Links into the retired list archives are flagged for verification                                                                                                                           | md_lists_addresses: (none)                                                                                                                                                                                                                                                                                                                 | each must be individually verified while the archive infrastructure is retired                                                                                                                                         |
| 97  | PASS    | rfc-keywords: Normative key words are backed by an RFC 2119 citation                                                                                                                                    | normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True                                                                                                                                                                                                                                                                 | an RFC 2119 citation must be present when key words are used                                                                                                                                                           |
| 98  | PASS    | rfc-keywords: RFC 2119 citation is paired with RFC 8174                                                                                                                                                 | normative_keywords_present: True; rfc2119_cited: True; rfc8174_cited: True                                                                                                                                                                                                                                                                 | the current template cites both 2119 and 8174 (uppercase-only clarification)                                                                                                                                           |
| 99  | PASS    | logo: The cover logo is the canonical OASIS logo                                                                                                                                                        | logo_sources: https://docs.oasis-open.org/templates/OASISLogo-v3.0.png                                                                                                                                                                                                                                                                     | https://docs.oasis-open.org/templates/OASISLogo-v3.0.png                                                                                                                                                               |
| 100 | PASS    | previous-stage: A stage past 01 cites its previous stage                                                                                                                                                | pulled: the URLs in the markdown's Previous-stage block; no violating instance found                                                                                                                                                                                                                                                       | at least one docs.oasis-open.org URL required when the revision number exceeds 01                                                                                                                                      |
| 101 | NA      | previous-stage: A stage past 01 cites its previous stage on the HTML cover                                                                                                                              | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                                                                                                             | at least one docs.oasis-open.org URL required when the revision number exceeds 01                                                                                                                                      |
| 102 | PASS    | date-sync: The markdown front-matter date appears in the HTML                                                                                                                                           | document_date: 24 September 2026; copyright_year: 2025                                                                                                                                                                                                                                                                                     | the rendered HTML text (absence means the HTML came from a different revision)                                                                                                                                         |
| 103 | WARN    | date-sync: The copyright year matches the document date year                                                                                                                                            | Copyright year 2025 does not match the document date year 2026.                                                                                                                                                                                                                                                                            | the year of the front-matter document date                                                                                                                                                                             |
| 104 | NA      | generator: A DOCX-native render was produced by Microsoft Word                                                                                                                                          | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                                                                                                             | must contain 'Microsoft Word' (a LibreOffice render differs in kind from the TC's precedent)                                                                                                                           |
| 105 | PASS    | vml-fallback: Every VML image has an <![if !vml]> img fallback                                                                                                                                          | vml_images: 0; img_fallbacks: 0                                                                                                                                                                                                                                                                                                            | fallback count must cover VML count (the invisible-cover-logo class)                                                                                                                                                   |
| 106 | BLOCKER | asset-refs: Every relative src/href the HTML references is included in the package                                                                                                                      | HTML references<br>'schemas/informativeCopiesOf3rdPartySchemas/NVH/dmlex.nvh' which is not in the package; it 404s on publication.                                                                                                                                                                                                         | the package file tree; a missing target 404s on publication                                                                                                                                                            |
| 107 | PASS    | conformance-structure: At least one Conformance heading is a genuine top-level numbered section (not nested deeper than the document's modal top-level depth, and not under an Annex/Appendix ancestor) | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | handbook-Conformance.txt: 'a separate, top-level numbered section of the work product (not a subsection buried elsewhere)'; BLOCKER at cs/os (WARN at wd/csd, or when the modal-depth signal itself is low-confidence) |
| 108 | WARN    | conformance-structure: Each conformance profile scope yields at least one extracted clause identifier                                                                                                   | Conformance section is not populated with numbered clauses: no clause identifiers were extracted.                                                                                                                                                                                                                                          | handbook-WPQualityRequirements.txt: 'a set of numbered conformance clauses to which any implementation must adhere'; BLOCKER at cs/os, WARN at wd/csd; an empty Conformance section is reported at either tier         |
| 109 | PASS    | conformance-structure: No clause identifier repeats within the same profile scope                                                                                                                       | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | handbook-Conformance.txt: 'individually numbered conformance clauses ... so that implementers and Statements of Use can cite specific clauses by number'; BLOCKER at cs/os, WARN at wd/csd                             |

| #   | Result | Condition verified                                                                                                                                                                                                                                                                        | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                        | Compared against                                                                                                                                                                                                                                                                                         |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 110 | PASS   | conformance-structure: Every (profile, clause number) pair in the previous stage is still present in this stage (append-only extension is fine; removal/renumbering, including a whole profile silently disappearing, is flagged)                                                         | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | handbook-WPQualityRequirements.txt 'Key principles': 'Clause numbering must be unique and stable across revisions'. Guidelines-sourced (recommended, not mandatory) so WARN-tier informational, never BLOCKER, and never fired for the CS->OS transition (that gets the zero-tolerance override instead) |
| 111 | PASS   | conformance-structure: A (profile, clause number) pair missing from this stage does not reappear under a DIFFERENT number in the same profile with the same content (a disguised renumber-via-delete-and-re-add)                                                                          | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | the same Guidelines stability principle as 'removed/renumbered'; WARN-tier informational                                                                                                                                                                                                                 |
| 112 | PASS   | conformance-structure: At the CS->OS transition, the current (profile, clause id) key set is a byte-for-byte match to the approved-CS key set, scoped per profile, so a whole profile silently dropped while a surviving profile happens to reuse its bare clause numbers is still caught | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | handbook-Conformance.txt 'OASIS Standard os': 'Conformance clauses are preserved unchanged from the approved Committee Specification' (TC Process 2.9): zero tolerance, always BLOCKER                                                                                                                   |
| 113 | PASS   | conformance-structure: A clause whose (profile, number) key is unchanged at CS->OS is flagged for manual confirmation when its content hash changed                                                                                                                                       | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | handbook-WPQualityRequirements.txt 'Allowed changes during publication': coordinated non-material changes are permitted (TC Process 2.2.4); not itself a zero-tolerance failure, so WARN/manual-review, never an automatic BLOCKER                                                                       |
| 114 | PASS   | conformance-structure: At the CS->OS transition, the approved-CS baseline artifact must be resolvable to verify clause-set preservation at all                                                                                                                                            | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | TC Process 2.9's preservation obligation cannot be verified for a Standards Track OS approval if the CS baseline is unreachable, so it is elevated to BLOCKER rather than reported as a silent WARN                                                                                                      |
| 115 | PASS   | conformance-structure: A general (non-CS->OS) stability diff that could not resolve its previous-stage artifact says so in the report                                                                                                                                                     | stage_prefix: wd; headings_scanned: 327; conformance_candidates: 1; modal_top_level: 1; modal_confidence: high; profiles_found: 1; clauses_extracted: 0; previous_stage_url: <a href="https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html">https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html</a> ; previous_stage_resolved: True; previous_stage_is_html: True; cs_to_os_transition: False | the general stability check is WARN-tier informational; an unresolvable prior artifact (first publication is a separate, silent no-op) still surfaces the gap as a WARN                                                                                                                                  |
| 116 | PASS   | references-split: A bare 'References' heading carrying 2+ direct reference entries is split into separately labeled Normative/Informative child headings (or is too small a sample, 0 or 1 entries, to judge)                                                                             | stage_prefix: wd; stage_track: non-standards/unrecognized (skipped)                                                                                                                                                                                                                                                                                                                                                            | handbook-WPQualityChecklist.txt editorial quality checklist bullet: 'normative references listed separately from informative references' (WARN: staff-maintained best-practice checklist, not a TC Process must/shall clause)                                                                            |
| 117 | PASS   | references-split: No reference-entry ID appears under both a Normative References heading and an Informative References heading anywhere in the document                                                                                                                                  | stage_prefix: wd; stage_track: non-standards/unrecognized (skipped)                                                                                                                                                                                                                                                                                                                                                            | the two ID sets must not intersect; a shared ID is a labeling inconsistency or editorial duplication (handbook-WPQualityChecklist.txt same checklist bullet)                                                                                                                                             |

| #   | Result      | Condition verified                                                                                                                                                                                                                             | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                           | Compared against                                                                                                                                                                                                                                                                                                                                                                          |
|-----|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 118 | <b>WARN</b> | content-labels: Every Examples/Illustrative-Examples/Sample- <i>&lt;noun&gt;</i> heading carries a structural content-type label (heading suffix, first-sentence lead/predicate, labeled ancestor heading, or document-wide blanket statement) | Examples-pattern heading 'A.1 Examples (Informative) <i>&lt;a id='examples'&gt;&lt;/a&gt;</i> ' (markdown line 5709) carries no content-type label (heading suffix, first-sentence statement, labeled ancestor heading, or document-wide blanket statement): the Handbook classifies Examples as non-normative content and says it should be clearly labelled 'Non-normative' (or 'Informative'). | handbook-Conformance.txt 'Normative versus non-normative content': Examples content is classified non-normative and 'should be clearly labelled'                                                                                                                                                                                                                                          |
| 119 | <b>PASS</b> | stage-token: Previous-stage URL stage token is not a retired abbreviation                                                                                                                                                                      | applicability: not applicable (stage 'wd01' is not csd/cnd)                                                                                                                                                                                                                                                                                                                                       | retired token set (csprd, cnprd, cos, csdpr, cndpr) per Naming Directives v1.7; WARN with a legacy-URI verification caveat since a pre-2024 Previous-stage URI may permanently retain a retired token (naming-directives.txt 6.3 Resource Permanence)                                                                                                                                     |
| 120 | <b>PASS</b> | stage-token: Previous-stage URL stage token matches the document's own current csd/cnd stage abbreviation or the track's approved-stage counterpart                                                                                            | applicability: not applicable (stage 'wd01' is not csd/cnd)                                                                                                                                                                                                                                                                                                                                       | the document's own current stage token, or the track's approved-stage set (csd: cs/os/errata; cnd: cn) when the block links a previous VERSION at its own approved stage (handbook-PublicReviews.txt: the cover page URIs 'should all reflect the csd stage abbreviation')                                                                                                                |
| 121 | <b>PASS</b> | stage-token: Latest-stage URL's filename embeds no stage-abbreviation/revision token at all                                                                                                                                                    | applicability: not applicable (stage 'wd01' is not csd/cnd)                                                                                                                                                                                                                                                                                                                                       | naming-directives.txt 6.2: the Latest-stage locator URI 'does not contain the path component [stage-abbrev][revisionNumber] or stage identifier in the filename', an absolute prohibition independent of whether the token matches the current stage                                                                                                                                      |
| 122 | <b>PASS</b> | title-version: The rendered cover-page title incorporates the package's own Version identifier                                                                                                                                                 | stage: wd01; evaluated: no (Working Draft is not a Work Product)                                                                                                                                                                                                                                                                                                                                  | naming-directives.txt 5.1: 'A Version identifier must also be incorporated into a Work Product name/title'                                                                                                                                                                                                                                                                                |
| 123 | <b>PASS</b> | title-version: The Version cited in the title agrees with the package's own Version identifier                                                                                                                                                 | stage: wd01; evaluated: no (Working Draft is not a Work Product)                                                                                                                                                                                                                                                                                                                                  | the package's own Version identifier (the version directory segment, with a leading 'v' stripped per naming-directives.txt Section 4's [version-id] grammar)                                                                                                                                                                                                                              |
| 124 | <b>PASS</b> | title-version: The title's Version token is composed as ' <i>&lt;name/identifier&gt; Version &lt;number&gt;</i> ' with no forbidden punctuation before it and only a sanctioned continuation after it                                          | stage: wd01; evaluated: no (Working Draft is not a Work Product)                                                                                                                                                                                                                                                                                                                                  | naming-directives.txt Section 7: MUST for Standards Track (csd/cs/os/errata) -> BLOCKER; SHOULD for Non-Standards Track (cnd/cn) -> WARN with the 'reasonable grounds for alternate constructions' exception; WARN also for any stage token outside the six Section-5.2-enumerated tokens (track unresolved, no corpus citation, never escalated to BLOCKER on an uncited classification) |
| 125 | <b>PASS</b> | title-oasis-prefix: The Work Product title (the <i>&lt;h1&gt;</i> identified by <i>_h1_title_match_info</i> 's 'exact' or 'singular-related-fallback' classification) does not begin with the word 'OASIS'                                     | title_source: not applicable -- html-residue D1 classification is 'ambiguous': 0 <i>&lt;h1&gt;</i> element(s) exactly matching the <i>&lt;title&gt;</i> text out of 14 <i>&lt;h1&gt;</i> element(s) total (need exactly 1 matching, or exactly 1 <i>&lt;h1&gt;</i> total as a fallback)                                                                                                           | naming-directives.txt s7: 'Preferably, a title should not begin with the name "OASIS" except on the recommendation of Project Administration for special cases.' Section 7's lead sentence track-scopes this to BLOCKER (Standards Track, must-observe) / WARN (Non-Standards Track, should-follow with an additional alternate-construction escape valve).                               |
| 126 | <b>PASS</b> | authors: A Technical Report/Technical Report Draft names its Authors on the cover page (heading or title-block byline)                                                                                                                         | work_product_type: working draft                                                                                                                                                                                                                                                                                                                                                                  | TC Handbook, Technical Reports: 'A Technical Report has one or more named Authors ... recorded on the cover page'                                                                                                                                                                                                                                                                         |
| 127 | <b>PASS</b> | authors: The Authors heading/byline is not empty or placeholder-only (tbd/n/a/none), including list/task/blockquote-dressed variants                                                                                                           | work_product_type: working draft                                                                                                                                                                                                                                                                                                                                                                  | at least one non-placeholder named entry must remain                                                                                                                                                                                                                                                                                                                                      |

| #   | Result | Condition verified                                                                                                                                                                                                  | Value pulled (observed)                                                                                                                                      | Compared against                                                                                                                                                                                                                                                                                                                      |
|-----|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 128 | PASS   | authors: A Technical Report Draft's Authors section is not left on the registry's own tolerated 'Will be filled in' placeholder indefinitely (WARN while still a TRD)                                               | work_product_type: working draft                                                                                                                             | the existing residue-check precedent (check='residue') tolerating 'Will be filled in' pre-CS, scoped here to the Authors record of an in-progress Technical Report Draft                                                                                                                                                              |
| 129 | PASS   | authors: An approved (non-draft) Technical Report's Authors section is resolved, not still the 'Will be filled in' placeholder                                                                                      | work_product_type: working draft                                                                                                                             | the TRD-stage 'will be filled in' tolerance does not survive Full Majority Vote approval to the final Technical Report                                                                                                                                                                                                                |
| 130 | PASS   | name-chars: No underscore in an identifying (document-URI-bearing) package name                                                                                                                                     | names_scanned: 91; identifying_stage: wd01; identifying_version: v1.1; multi_part_dirs: (none); junk_dirs_skipped: (none)                                    | STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: an UNDERSCORE 'must never be used in a filename or directory name that is used in a document URI'                                                                                                                                                                          |
| 131 | PASS   | name-chars: No character outside the sixty-four permitted characters in an identifying package name                                                                                                                 | names_scanned: 91; identifying_stage: wd01; identifying_version: v1.1; multi_part_dirs: (none); junk_dirs_skipped: (none)                                    | STRICT allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3: 'TCs must use only the sixty-four characters from among alphanumerics [A-Za-z0-9] and the two punctuation characters ... PERIOD ... and ... HYPHEN'                                                                                                                        |
| 132 | PASS   | name-chars: No character outside the sixty-four permitted characters plus UNDERSCORE in a supporting (non-identifying) package name                                                                                 | names_scanned: 91; identifying_stage: wd01; identifying_version: v1.1; multi_part_dirs: (none); junk_dirs_skipped: (none)                                    | BASE allowlist [A-Za-z0-9.-]. Naming Directives v1.7 s3 base 'must use only' clause, with UNDERSCORE included per the conditional tolerance                                                                                                                                                                                           |
| 133 | PASS   | name-chars: An identifying (document-URI-bearing) package name is non-empty                                                                                                                                         | names_scanned: 91; identifying_stage: wd01; identifying_version: v1.1; multi_part_dirs: (none); junk_dirs_skipped: (none)                                    | STRICT test ^[A-Za-z0-9.-]+\$; the '+' quantifier requires at least one character, so an empty identifying name trivially fails the sixty-four-permitted-character allowlist; mirrors how check_stage_name's and check_version_naming's own fullmatch patterns already reject an empty stage/version token without any special-casing |
| 134 | PASS   | extension-count: A stage-directory-root delivery item (the established document-identifier stem plus one packaged format) carries at least one file extension                                                       | tier_a_files_checked: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; tier_a_severity: WARN; tier_b_files_checked: 63; tier_b_flagged: (none) | Naming Directives v1.7 s4: 'A single file(name) extension must be used in each filename except for a recognized set of extensionless filenames in common use.' BLOCKER at published stages, WARN at wd (s5.2 Note: working drafts 'may use any file naming pattern preferred by the TC'); wd-stage match is case-folded.              |
| 135 | PASS   | extension-count: A stage-directory-root delivery item carries exactly one file extension after the stem (or one blessed compound: tar.gz/tar.bz2/tar.xz, and only when that compound is the WHOLE remaining suffix) | tier_a_files_checked: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; tier_a_severity: WARN; tier_b_files_checked: 63; tier_b_flagged: (none) | Naming Directives v1.7 s4's single-extension rule, structurally against the same stem boundary the 'filenames' check already validates. BLOCKER at published stages, WARN at wd.                                                                                                                                                      |
| 136 | PASS   | extension-count: A non-delivery-item (Tier B) file with zero dots is one of the three literally recognized extensionless names                                                                                      | tier_a_files_checked: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; tier_a_severity: WARN; tier_b_files_checked: 63; tier_b_flagged: (none) | Naming Directives v1.7 s9: 'Exceptions to the rule that every filename must include a file extension include: CATALOG or catalog, README, ChangeLog.' Non-blocking WARN per s4's Applicability carve-out for non-identification-pattern files.                                                                                        |

| #   | Result | Condition verified                                                                                                                                                                         | Value pulled (observed)                                                                                                                                                                                                                                   | Compared against                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 137 | PASS   | extension-count: A non-delivery-item (Tier B) dotted filename's penultimate segment does not look like a known extension token (or the trailing pair is a blessed compound)                | tier_a_files_checked: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; tier_a_severity: WARN; tier_b_files_checked: 63; tier_b_flagged: (none)                                                                                              | A disclosed, non-exhaustive known-extension-token vocabulary (not an IANA-derived classification); flagged only as a non-blocking heuristic pattern-match advisory per s4's Applicability carve-out for non-identification-pattern files (schemas, images, WSDLs, XML/JSON artifacts).                                                                                                                                           |
| 138 | PASS   | extension-conformance: Every root principal/stage-identifying filename and every Multi-Part named-part filename uses an extension that matches a common OASIS publication rendering format | principal_files: dmlex-v1.1-wd01.html, dmlex-v1.1-wd01.md, dmlex-v1.1-wd01.pdf; named_part_files: (none)                                                                                                                                                  | a curated allowlist of common OASIS document/publication rendering-format extensions (txt, md, html, htm, pdf, doc, docx, odt, ods, odp, xls, xlsx, ppt, pptx, rtf, xml, json, epub), per Naming Directives Section 4 'File extensions should conform to industry best practice, matching well-known IANA MIME Media Types'; filenames on the Section 9 extensionless allowlist (CATALOG, catalog, README, ChangeLog) are exempt |
| 139 | PASS   | artifact-naming: A non-document-identifier artifact's own filename does not embed a stage+revision token                                                                                   | supporting_files_scanned: 63; stage_revision_matches: 0                                                                                                                                                                                                   | Naming Directives s4: 'it is considered inadvisable to incorporate instance-specific [stage][revision] data for any release in filenames other than in the document identifier files ... thus mySchema.xsd but NOT mySchema-csd02.xsd'; TCs are advised to use named subdirectories and retain stable/identical filenames per s5.2/5.3's stage-abbreviation and two-digit-revision definitions                                   |
| 140 | PASS   | multi-part-naming: Every Multi-Part Work Product part filename embeds the identical WP-abbrev token                                                                                        | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | the set of distinct WP-abbrev tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product name and the Handbook's Multi-part work products restatement                                                                                                                                                                                                               |
| 141 | PASS   | multi-part-naming: Every Multi-Part Work Product part filename embeds the identical version-id token                                                                                       | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | the set of distinct version-id tokens across all matched part filenames must collapse to exactly one value, per TC Process 2.2.3's single Work Product version number and the Handbook's Multi-part work products restatement                                                                                                                                                                                                    |
| 142 | PASS   | multi-part-naming: No bare CORE.ext delivery filename coexists with genuine part files                                                                                                     | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | naming-directives.txt s4: the single-part bare-CORE filename rule does not apply once the package is multi-part                                                                                                                                                                                                                                                                                                                  |
| 143 | PASS   | multi-part-naming: Every non-canonical delivery filename sharing the package core carries a well-formed -part<N>-<name> segment                                                            | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | Naming Directives v1.7 s4 multi-part filename grammar: literal lowercase 'part' + Arabic numeral + hyphen + partName, positioned before the extension                                                                                                                                                                                                                                                                            |
| 144 | PASS   | multi-part-naming: A part file discovered inside an Option-1 URI part-subdirectory agrees with that subdirectory's own [partNumber]-[partName] segment                                     | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | naming-directives.txt s6.1 (Option 1): the subdirectory segment and the filename's part identifier must name the same part                                                                                                                                                                                                                                                                                                       |
| 145 | PASS   | multi-part-naming: Each part number maps to exactly one partName across every format variant and discovery location                                                                        | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only) | Naming Directives v1.7 s4: partNumber identifies one distinct separately-titled prose part, not two                                                                                                                                                                                                                                                                                                                              |

| #   | Result | Condition verified                                                                                                                                                                                                      | Value pulled (observed)                                                                                                                                                                                                                                                                                     | Compared against                                                                                                                                                                                                                                                                                           |
|-----|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 146 | PASS   | multi-part-naming: Part numbering for a multi-part package begins at 1                                                                                                                                                  | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only)                                                   | naming-directives.txt s4: partNumber begins with the number '1' (for Part 1)                                                                                                                                                                                                                               |
| 147 | PASS   | multi-part-naming: Part numbering for a multi-part package is contiguous with no gaps                                                                                                                                   | part_subdirs_scanned: (none); part_subdirs_unreadable: (none); matched_part_grammar_files: (none); part_grammar_files: 0; distinct_parts: 0; naming20_skipped: stage track 'wd' out of scope (Standards Track CSD/CS/OS, Non-Standards Track CND/CN only)                                                   | naming-directives.txt s4: partNumber increases monotonically (2, 3, 4, ...) for other parts, i.e. the exact sequence [1, 2, ..., N]                                                                                                                                                                        |
| 148 | PASS   | public-review-metadata: A live, published csd/cnd stage directory confirmed (by tiered evidence) and successfully scanned to have undergone TC public review carries the required public-review-metadata companion file | pulled: the LIVE docs.oasis-open.org stage-directory-root filename listing (fetched over the network, post-publication audit only), plus a same-revision comment-resolution-log or a downstream cs/errata stage's own Previous-stage cover URL as evidence the review occurred; no violating instance found | the exact, case-sensitive filename [WP-abbrev]-[version-id]-[stage-abbrev][revisionNumber]-public-review-metadata.html (naming-directives.txt 5.2; handbook-Naming.txt 'Public-review metadata filename (new in v1.7)')                                                                                    |
| 149 | PASS   | public-review-metadata: A present public-review-metadata companion file is non-empty                                                                                                                                    | pulled: the byte length of the fetched companion file; no violating instance found                                                                                                                                                                                                                          | naming-directives.txt 5.2: the file 'provides a publication history of the Work Product' (content validation itself is out of scope for this check; only non-zero size is tested here)                                                                                                                     |
| 150 | PASS   | public-review-metadata: A public-review-metadata companion file listed in the live directory is actually reachable so its content can be evaluated                                                                      | pulled: the HTTP status of a direct fetch of the listed companion filename; no violating instance found                                                                                                                                                                                                     | a listing entry alone is not proof of a readable file; an unreachable listed file stays an open advisory rather than a silent, unreviewed pass                                                                                                                                                             |
| 151 | PASS   | comment-resolution-log: A file resembling a comment-resolution-log, if present in a CSD/CND stage directory that itself carries a public-review-metadata file, carries the exact basename Naming Directives prescribes  | gate: not applicable: stage 'wd01' is not csd/cnd                                                                                                                                                                                                                                                           | the expected basename [stem]-comment-resolution-log against naming-directives.txt s5.2's filename pattern for a produced comment resolution log                                                                                                                                                            |
| 152 | PASS   | comment-resolution-log: Where in-package evidence (a later-stage sibling directory) shows a CSD/CND public review has demonstrably concluded, a comment-resolution-log basename match was sought and not found          | gate: not applicable: stage 'wd01' is not csd/cnd                                                                                                                                                                                                                                                           | tc-process.txt s2.6/s2.7 (comment disposition is required to be posted to the TC's e-mail lists; the downstream approval ballot may only commence once every comment is resolved) against handbook-PublicReviews.txt's 'best practice, not a normative filing mandate' framing for HOW that record is kept |
| 153 | PASS   | normdef-refs: Every candidate normative-definition file (schema/grammar/code plain-text file, excluding example/sample/test-case/non-normative and pipeline/asset directories) is referenced from the Work Product      | track: not-applicable (stage prefix 'wd')                                                                                                                                                                                                                                                                   | TC Process 2.2.5: 'Each text file must be referenced from the Work Product; and'. Standards Track (csd, cs, os, errata) only                                                                                                                                                                               |
| 154 | PASS   | normdef-refs: A basename-only match among candidate files sharing that basename in different directories is flagged for confirmation rather than silently satisfying the requirement for every tied file                | track: not-applicable (stage prefix 'wd')                                                                                                                                                                                                                                                                   | TC Process 2.2.5's reference requirement; an ambiguous basename-only match does not unambiguously resolve which file was referenced                                                                                                                                                                        |
| 155 | PASS   | uri-alias: No live META-refresh element in any delivered HTML file                                                                                                                                                      | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66; prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0; prong_c_md_block_urls_scanned: 7; prong_c_md_anchor_links_scanned: 924; prong_c_md_bare_urls_scanned: 40                                                                      | Naming Directives v1.7 s6.5(a): unauthorized URI aliasing via META-refresh elements is barred                                                                                                                                                                                                              |

| #   | Result | Condition verified                                                                                                                                              | Value pulled (observed)                                                                                                                                                                                                                            | Compared against                                                                                                                                                                                                                                                            |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 156 | PASS   | uri-alias: No stage-root delivery file or manifest-cited file (by exact package-relative path) shares byte-identical content with another package-relative path | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66;<br>prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0;<br>prong_c_md_block_urls_scanned: 7;<br>prong_c_md_anchor_links_scanned: 924;<br>prong_c_md_bare_urls_scanned: 40 | Naming Directives v1.7 s6.5(b): preparing files with identical content under two different filenames within a published instance is barred                                                                                                                                  |
| 157 | PASS   | uri-alias: An ancillary (non-delivery, non-manifest-cited) duplicate is flagged for review, not treated as a s6.5(b) aliasing risk                              | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66;<br>prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0;<br>prong_c_md_block_urls_scanned: 7;<br>prong_c_md_anchor_links_scanned: 924;<br>prong_c_md_bare_urls_scanned: 40 | the package's own delivery-item paths and manifest.json authoritative/delivery-role paths                                                                                                                                                                                   |
| 158 | PASS   | uri-alias: The markdown Previous-stage block cites no redirect/URL-shortening domain                                                                            | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66;<br>prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0;<br>prong_c_md_block_urls_scanned: 7;<br>prong_c_md_anchor_links_scanned: 924;<br>prong_c_md_bare_urls_scanned: 40 | the seed redirect-service domain list (tinyurl.com, bit.ly, goo.gl, ow.ly, t.co, is.gd, buff.ly, rebrand.ly, tiny.cc, cutt.ly, shorturl.at, rb.gy, purl.oclc.org)                                                                                                           |
| 159 | NA     | uri-alias: The DOCX-native rendered cover's This/Previous/Latest-version fields cite no redirect/URL-shortening domain                                          | NA: DOCX-render condition; this package carries no Word source                                                                                                                                                                                     | the seed redirect-service domain list                                                                                                                                                                                                                                       |
| 160 | PASS   | uri-alias: Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (markdown source)                                | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66;<br>prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0;<br>prong_c_md_block_urls_scanned: 7;<br>prong_c_md_anchor_links_scanned: 924;<br>prong_c_md_bare_urls_scanned: 40 | the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'                                                                                                                                                                       |
| 161 | NA     | uri-alias: Plain-prose anchor text that names oasis-open.org does not link to a redirect/URL-shortening domain (HTML render)                                    | NA: evaluated on the markdown-source row for this package                                                                                                                                                                                          | the seed redirect-service domain list, gated on the anchor text literally containing 'oasis-open.org'                                                                                                                                                                       |
| 162 | PASS   | uri-alias: A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (markdown source)                       | prong_a_html_files_scanned: 1; prong_b_files_hashed: 66;<br>prong_b_duplicate_buckets: 0; prong_b_unreadable_entries_skipped: 0;<br>prong_c_md_block_urls_scanned: 7;<br>prong_c_md_anchor_links_scanned: 924;<br>prong_c_md_bare_urls_scanned: 40 | the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'                                                                                                                                                                   |
| 163 | NA     | uri-alias: A bare URL's enclosing sentence that names oasis-open.org does not point at a redirect/URL-shortening domain (HTML render)                           | NA: evaluated on the markdown-source row for this package                                                                                                                                                                                          | the seed redirect-service domain list, gated on the sentence window literally containing 'oasis-open.org'                                                                                                                                                                   |
| 164 | PASS   | xml-namespace: An http(s) namespace's tail matches the docs.oasis-open.org/[tc-shortname]/ns/xxxx pattern                                                       | schema_files_scanned: 2; schema_files_excluded: 0; tc_shortcode: lexicma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)                                                                             | Naming Directives s8 pattern http(s)://docs.oasis-open.org/[tc-shortname]/ns/xxxx, xxxx restricted to the s3 sixty-four-character set plus internal '/', terminating in '/', '#', or alphanumeric; BLOCKER when the tc-shortname has no pattern-grandfather allowlist entry |
| 165 | PASS   | xml-namespace: A pattern-mismatched namespace's tc-shortname is a confirmed-approved pre-2012 pattern grandfather                                               | schema_files_scanned: 2; schema_files_excluded: 0; tc_shortcode: lexicma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)                                                                             | Naming Directives v1.2 s9: pre-2012 practice 'may be grandfathered, if approved by Project Administration': WARN when listed but approval is not machine-confirmable at check time                                                                                          |
| 166 | PASS   | xml-namespace: The same namespace tail is declared under one scheme only, package-wide                                                                          | schema_files_scanned: 2; schema_files_excluded: 0; tc_shortcode: lexicma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)                                                                             | Naming Directives s8: 'While either "http" or "https" may be used ... they are not interchangeable. One or the other must be used consistently.'                                                                                                                            |

| #   | Result | Condition verified                                                                                                                                           | Value pulled (observed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Compared against                                                                                                                                                                                    |
|-----|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 167 | PASS   | xml-namespace: A urn:-scheme declared namespace's TC is on the URN-grandfather allowlist                                                                     | schema_files_scanned: 2; schema_files_excluded: 0; tc_shortcode: lexidma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)                                                                                                                                                                                                                                                                                                                                                                                                              | Naming Directives s8: URN-based namespaces 'must not be declared otherwise', permitted only for TCs that already used the feature (or Maintenance Activity TCs), approved by Project Administration |
| 168 | PASS   | xml-namespace: A RELAX NG grammar declares only one namespace, on its root grammar/element node                                                              | schema_files_scanned: 2; schema_files_excluded: 0; tc_shortcode: lexidma; namespaces_declared: http://docs.oasis-open.org/lexidma/ns/dmlex-1.0; parse_failures: (none)                                                                                                                                                                                                                                                                                                                                                                                                              | this check only validates the root-level self-declared namespace; a differing non-root ns is flagged for manual review rather than silently dropped                                                 |
| 169 | PASS   | ns-segment: This-stage and Latest-stage cover URIs do not reuse the reserved /ns/ path segment                                                               | cover_uris_scanned: 7; this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf | handbook-Naming.txt: '/ns/ ... is for namespace identifiers, not for retrievable documents. Do not use /ns/ in the URI of a document you intend to publish as a retrievable resource'               |
| 170 | PASS   | ns-segment: Previous-stage cover URI does not reuse the reserved /ns/ path segment (non-blocking, manual-review if it does: an immutable inherited citation) | cover_uris_scanned: 7; this_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.md, https://docs.oasis-open.org/lexidma/dmlex/v1.1/wd01/dmlex-v1.1-wd01.pdf; previous_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.html, https://docs.oasis-open.org/lexidma/dmlex/v1.0/os/dmlex-v1.0-os.pdf; latest_stage_urls: https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.html, https://docs.oasis-open.org/lexidma/dmlex/v1.1/dmlex-v1.1.pdf | handbook-Naming.txt's /ns/ reservation rule, applied to an already-published prior-stage citation the current package cannot alter                                                                  |