

Post-MDT Oncology Workflow Bottlenecks: A Design-Science Study of an NHS Integrated Data Repository and Decision-Support Dashboard to Reduce Delays from MDT Outcome to Treatment Start.

Mark Collins

A dissertation submitted in partial fulfilment
of the requirements for the degree of
MSc Enterprise IT Management

April 10, 2026

Contents

1	Introduction	3
1.1	Problem Statement	3
1.2	Research Aim and Objectives	4
1.3	Design Science Methodology	5
1.4	Academic and Practical Significance	5
2	Literature Review	7
2.1	Introduction	7
2.2	The NHS Cancer Pathway and MDT Framework	8
2.3	Operational Delays in Cancer Pathways	10
2.4	Data Fragmentation and the Need for Integrated Data Repositories	11
2.5	Dashboards, Operational Analytics, and Decision-Support Systems	12
2.6	Usability, HCI, and ISO 9241-110	12
2.7	AI-Enabled MDT Systems and Emerging Technologies	13
2.8	Synthesis of Gaps	13
2.9	Summary	14
3	Methodology	15
3.1	Overview of Research Design	15
3.2	Design Science Research Framework	15
3.3	Research Questions and Method Alignment	17
3.4	Design Principles	17
3.5	Evaluation Strategy	18
3.6	Ethical and Governance Considerations	19
3.7	Summary	19
	References	20
	List of Acronyms	25

Chapter 1

Introduction

Delivering timely cancer care remains a critical priority within the NHS, where delays at any stage of the diagnostic and treatment pathway can negatively affect patient outcomes, experience, and service performance. Recent policy reforms have consolidated the NHS Cancer Waiting Time (CWT) framework into three outcome-focused standards: the 28-day Faster Diagnosis Standard (FDS), the 31-day decision-to-treat to treatment (DTT) standard, and the 62-day referral-to-treatment (RTT) standard—implemented nationally from October 2023 (Johnson, 2024; NHS Digital, 2026). These standards place increased emphasis on operational viability, rapid decision-making, and efficient progression of patients through the post-MDT (multidisciplinary team) stages of the oncology pathway. However, many Trusts continue to face systemic challenges in generating timely, accurate, and actionable insights from fragmented data sources.

Within Portsmouth Hospitals University NHS Trust, as in many NHS institutions, key operational data concerning MDT outcomes, clinic scheduling, booking practices, and treatment initiation remain dispersed across siloed systems. Although these systems individually support MDT coordination, outpatient clinic management, and treatment delivery, they lack a consolidated view of pathway performance. This fragmentation makes it difficult for operational managers to detect bottlenecks, identify emerging breach risks, or allocate clinical capacity efficiently. As a result, delays between **MDT outcomes**, **first oncology clinic**, **decision-to-treat**, and **first definitive treatment** remain insufficiently visible, impairing the Trust’s ability to monitor compliance with the 31- and 62-day standards and to respond rapidly to operational pressures.

1.1 Problem Statement

The central problem addressed in this research is the absence of an integrated, operationally focused data infrastructure and decision-support interface to illuminate post-MDT workflow delays and guide timely interventions within an NHS oncology service. Despite the availability of relevant data, the lack of integration and harmonisation across MDT, clinic, and treatment

systems results in manual workarounds, inconsistent performance monitoring, and delayed insights. This gap diminishes the ability of operational teams to identify patients at risk of breaching national cancer standards, understand the factors driving variability in pathway intervals, and proactively manage capacity-constrained environments.

Moreover, existing reporting solutions tend to focus on aggregate compliance metrics rather than providing real-time or near-real-time visibility of operational bottlenecks. Without a unified source of truth that aligns event definitions, timestamps, and clinical coding standards (NHS Digital, 2026), it becomes difficult to execute performance analysis or support day-to-day decision-making. Literature on Integrated Data Repositories (IDRs) similarly highlights that many institutions struggle with data harmonisation, terminological alignment, and the creation of analytics-ready architectures capable of supporting both research and operational use cases (Gagalova *et al.*, 2020).

This study therefore seeks to design, develop, and evaluate a **lightweight Integrated Data Repository (IDR)** and accompanying **decision-support dashboard** tailored specifically to the post-MDT oncology workflow. By integrating key pathway events, clinic capacity information, and national standard definitions, the artefact aims to surface bottlenecks, highlight breach risks, and support operational teams in prioritising actions that improve pathway performance.

1.2 Research Aim and Objectives

The overarching aim of this research is to apply Design Science Research (DSR) methods to create and evaluate an IDR-backed dashboard that enhances operational decision-making in post-MDT oncology pathways. The study seeks to generate both a practical artefact—an integrated warehouse plus a usable dashboard—and generalised design knowledge concerning IDR architectures and decision-support principles suitable for NHS operational analytics.

The specific objectives are to:

1. identify, quantify, and interpret delays within the MDT-to-treatment pathway;
2. design and implement an IDR architecture that consolidates and harmonises data from MDT, clinic scheduling, and treatment systems;
3. develop a decision-support dashboard aligned with ISO 9241-110 usability principles to surface actionable operational insights;
4. evaluate the artefact’s usability, utility, and technical validity through task-based experiments, heuristic analysis, and metric reconciliation;
5. derive transferable design principles and architecture guidance for NHS oncology operational analytics.

1.3 Design Science Methodology

This dissertation adopts the Design Science Research (DSR) paradigm, a well-established approach for solving complex, real-world problems through the creation and evaluation of innovative artefacts (Hevner *et al.*, 2004). DSR is especially suited to healthcare informatics contexts where organisational, data, and process challenges intersect, and where practical solutions must be both rigorously designed and empirically evaluated.

The research follows the six-activity Design Science Research Methodology (DSRM) proposed by Peffers *et al.* (2007):

1. **Problem identification and motivation** – identifying post-MDT workflow delays and the need for integrated information;
2. **Define objectives of the solution** – specifying analytic, architectural, and usability requirements for an IDR-backed dashboard;
3. **Design and development** – constructing the IDR, data transformation pipelines, and dashboard view;
4. **Demonstration** – deploying the artefact with real Trust data to show how it addresses operational problems;
5. **Evaluation** – measuring usability, utility, and technical accuracy using multi-method evaluation;
6. **Communication** – producing a dissertation delivering both artefact and design knowledge contributions.

This structured methodology ensures that the work moves beyond a local service-improvement project to make a scholarly contribution to the fields of operational analytics, IDR design, and health informatics within NHS settings.

1.4 Academic and Practical Significance

Academically, the research contributes to the limited body of DSR-grounded studies focusing on NHS operational analytics, offering:

- an IDR reference architecture for oncology operations;
- a set of design principles for NHS-appropriate decision-support dashboards;
- an evaluation protocol combining usability metrics, decision-quality testing, and technical verification.

Practically, the artefact provides operational teams with a tool that can:

- reduce time-to-insight;
- support rapid identification of bottlenecks and breach risks;
- align capacity planning with demand;
- improve pathway monitoring in line with the 28-, 31-, and 62-day standards.

Ultimately, the study aims to support faster, more reliable progression from MDT decision to treatment initiation, directly contributing to improved patient care and more effective management of oncology services.

DRAFT

Chapter 2

Literature Review

2.1 Introduction

The purpose of this literature review is to synthesise and critically evaluate existing research relevant to the design of an Integrated Data Repository (IDR) and operational analytics dashboard aimed at improving post-MDT oncology pathway efficiency. Timely cancer treatment has profound implications for survival, patient experience, resource utilisation, and system performance. Evidence from national datasets, observational studies, systematic reviews, and informatics research shows that delays between MDT decisions and treatment initiation remain persistent across the NHS. Furthermore, data fragmentation, inconsistent recording practices, and limited visibility of operational bottlenecks hinder the ability of clinicians, MDT coordinators, and service managers to proactively manage these delays.

The review is organised around five interrelated themes:

1. MDT operations and evolving pressures on multidisciplinary cancer decision making;
2. Operational delays across the cancer pathway, particularly diagnosis-to-treatment intervals (DTI);
3. Data fragmentation and the case for integrated data repositories;
4. Dashboards and performance-monitoring tools to support operational decision-making;
5. Emerging data trends and the role of ETL, interoperability, AI and multimodal data integration.

Collectively, this literature forms the conceptual foundation (kernel theory) for the artefact developed in this study. The following sections provide a detailed account of these themes, integrating high-quality evidence from the UK, international datasets, clinical oncology, health informatics, and organisational science.




Figure 2.1: Iterative literature review process (Dawson, 2015)

2.1.1 Method

An iterative literature review was conducted, as outlined in Chapter 5 of Dawson (2015) (Figure 2.1). An initial search of open access web pages and Google Scholar for terms such as “Data Management”, “NHS”, “Health Care”, “Cancer Bottlenecks”, and “Design Science Research”.

This open access search then provided refinement in search terms to use in additional databases such as ScienceDirect, IEEEXplore, and PubMed, as well as *seed articles*, where their list of references were followed to the original source.

2.2 The NHS Cancer Pathway and MDT Framework

2.2.1 MDTs as the Backbone of UK Cancer Care

Since the publication of the Calman–Hine report and subsequent interventions, MDTs have been embedded as the central governance structure for cancer decision making (Haward, 2006; Price *et al.*, 2014; Morris *et al.*, 2006, 2008). The MDT model mandates that every new cancer case in the UK is discussed by a multidisciplinary panel including oncologists, surgeons, radiologists, pathologists, specialist nurses, and allied professionals. The 2024 NHS Wales MDT Charter emphasises the crucial role MDTs play in standardising care, reducing unwarranted variation, and improving outcomes by bringing domain experts together in real time (NHS Wales, 2024).

Prospective benefits include higher adherence to guidelines, improved communication, shared decision-making, and better coordination of multi-modal treatment plans.

However, the complexity of modern cancer care has increased dramatically alongside rising incidence, new treatment options, biomarker-based stratification, digital imaging volume, and genomic data availability. MDTs now contend with substantially larger case numbers, more complex diagnostic information, and resource pressures that stretch meeting capacity. Professional societies and national audits consistently highlight that MDT meetings are often over-subscribed, under-resourced, and administratively burdensome. These pressures compromise the quality of discussion and create operational bottlenecks that directly affect patient pathways.

2.2.2 Evidence of MDT Operational Pressures

Several studies provide evidence of the challenges affecting MDT functioning:

- Soukup *et al.* (2022) conducted a detailed observational analysis of 822 case discussions across three UK MDTs. Administrative and process issues occurred in 30% of cases, attendance problems in 16%, and equipment issues in 5%. These logistical challenges significantly reduced the quality of information and decision-making, demonstrating how operational inefficiencies detract from MDT effectiveness.
- Lim *et al.* (2025) analysed 1,488 UK HNC patients across 50 MDTs and found extremely low compliance with national cancer pathway standards: 32.8% (FDS), 33.3% (31-day), and 34.6% (62-day). Median DTT-to-treatment was 42 days.
- Chakravarty *et al.* (2023) demonstrated that patients referred from secondary-care outpatient pathways experienced significantly longer delays to MDT discussion and treatment (mean 102 vs. 88 days). These patients were also more likely to receive palliative rather than curative treatment.
- Law *et al.* (2024) identified a decade of known MDT barriers including time pressures, communication challenges, inconsistent attendance, information deficits, and increasing clinical complexity.

2.2.3 National policy direction and waiting time standards

NHS England’s 2024/25 planning guidance emphasises compliance with the Faster Diagnosis Standard (FDS) and cancer treatment timeliness metrics. Persistent waiting-time challenges, data-quality requirements, and the need for integrated pathway oversight tools are highlighted (Parker, 2026). Radiotherapy services face particular strain: the Royal College of Radiologists reported over 2,300 breaches of the 31-day standard in October 2023 (RCR, 2024). Hidden waits—such as 20-week delays between surgery and radiotherapy—are not systematically captured, further illustrating limitations in operational visibility.

2.3 Operational Delays in Cancer Pathways

2.3.1 Diagnosis-to-Treatment Interval (DTI) as a Critical Metric

A robust body of literature demonstrates that prolonged DTI adversely affects survival across multiple cancer types.

Key findings include:

- Hanna *et al.* (2020): A systematic review of 34 studies (1.27M patients) found each four-week delay increased mortality by up to 6–8% across treatment modalities.
- Coca-Pelaz *et al.* (2018): Delays in HNSCC beyond four weeks contribute to tumour progression and reduced local control.
- Sharma *et al.* (2016): Delays greater than 30 days reduce overall survival (HR 1.12), with mortality increasing 2.2% per additional week.
- Villemure-Poliquin *et al.* (2025): Treatment within 30 days improves survival by 9%.
- Saleh *et al.* (2024): Cervical cancer survival drops dramatically after 30 days.

2.3.2 Hospital/System Factors Influencing Delay

Large-scale evidence shows that delays are driven not only by tumour characteristics but also by organisational inefficiencies:

- Yun *et al.* (2012): Delays over one month worsened outcomes, especially in low-volume hospitals.
- UK audits (e.g., Lim *et al.* (2025)) highlight delays in biopsies, imaging, scheduling, and treatment booking.

2.3.3 MDT-specific drivers of post-decision delays

- Missing diagnostic information and administrative errors cause re-discussion delays (Soukup *et al.*, 2022).
- High caseloads reduce decision completeness.
- Secondary-care referrals introduce additional diagnostic delays (Chakravarty *et al.*, 2023).
- Capacity constraints (radiotherapy, theatres, oncology clinics) generate downstream bottlenecks.

2.4 Data Fragmentation and the Need for Integrated Data Repositories

2.4.1 Fragmentation Across NHS Systems

Oncology data spans EPRs, PAS, pathology, RIS/PACS, radiotherapy systems, chemotherapy e-prescribing, Somerset/Cosmic, and MDT spreadsheets.

Evidence includes:

- Operational policy from Royal Wolverhampton highlights inconsistent event definitions and PTL challenges (The Royal Wolverhampton NHS Trust, 2024).
- Varma *et al.* (2026): 92.3% agreement between CWT and hospital data only when treatment occurs within 100 days; discrepancies arise from definition mismatches and missing fields.

2.4.2 Clinical Data Warehouses (CDWs) and the Evolution Toward IDRs

Examples:

- ROOT CDW: real-time repository for 67,000+ cancer patients (Jung *et al.*, 2021).
- ONCO-FAIR: chemotherapy-specific FHIR extensions (Guilbert *et al.*, 2024).
- NHS-industry multimodal genomic-clinical data lake (Conway *et al.*, 2025).
- HN-XNAT: federated imaging and radiotherapy repository (Butterworth *et al.*, 2025).

2.4.3 Need for IDRs in NHS Operational Oncology

Consequences of lacking IDRs include:

- inability to track MDT→clinic→treatment transitions,
- inconsistent manual workarounds,
- reactive rather than proactive breach management,
- dependency on retrospective audits.

2.5 Dashboards, Operational Analytics, and Decision-Support Systems

2.5.1 The Role of Dashboards in Performance Management

Dashboards synthesise high-volume data for actionable insight. NHS guidance emphasises dashboards as essential for meeting FDS and treatment targets.

Buttigieg *et al.* (2017) identify:

- strategic dashboards,
- tactical dashboards,
- operational dashboards.

Key design principles include real-time refresh, drill-downs, user-centred design, and integration with data infrastructures.

2.5.2 Clinical Decision-Support Dashboards and Multimodal Data

Examples:

- Multimodal CDSS supporting 170,000+ patients, using ETL + NLP + 140 data quality checks (Chang *et al.*, 2025).
- ROOT CDW: automated ingestion, structured/unstructured data integration (Jung *et al.*, 2021).

2.5.3 Data Quality and Informatics Challenges

Dashboards depend on strong data foundations:

- Coding variation limits dataset reliability (Varma *et al.*, 2026).
- Oncology workloads require custom FHIR extensions (Guilbert *et al.*, 2024).
- Multimodal data lakes require governance and standardisation (Conway *et al.*, 2025).

2.6 Usability, HCI, and ISO 9241-110

ISO 9241-110:2020 (International Organization for Standardization, 2020) provides seven principles:

1. Suitability for the task

2. Self-descriptiveness
3. Conformity with user expectations
4. Learnability
5. Controllability
6. Error tolerance
7. Suitability for individualisation

Fraunhofer usability research supports its relevance in healthcare (Hunkirchen).

2.7 AI-Enabled MDT Systems and Emerging Technologies

Examples include:

- EvoMDT: multi-agent MDT recommender reducing decision time by 30–40% (Liu *et al.*, 2026a).
- TrustedMDT: TNM staging and guideline checking integrated with Teams (Soltan *et al.*, 2025).
- AI-MDT for lung cancer: improved throughput and workload reduction (Liu *et al.*, 2026b).
- AI automation of transcription and summarisation (HealthOrbit, 2025).
- Multi-agent consensus MDT system achieving high inter-agent agreement (Han *et al.*, 2025).

A key insight: AI systems require structured, linked, high-quality data—yet most NHS operational systems lack it.

2.8 Synthesis of Gaps

- **Gap 1** — Lack of integrated operational visibility
- **Gap 2** — Significant treatment delays persist
- **Gap 3** — Siloed systems hinder analytics
- **Gap 4** — Dashboard capability depends on ETL and interoperability
- **Gap 5** — No integrated framework across MDT, IDR, dashboards, usability
- **Gap 6** — AI MDT systems require structured data not currently available

2.9 Summary

This literature review synthesises evidence across MDT functioning, treatment delays, operational workflow challenges, data fragmentation, health informatics, dashboard design, usability standards, and emerging AI-driven MDT tools. MDTs remain vital but increasingly pressured. Delays between diagnosis, MDT decisions, and treatment initiation significantly worsen outcomes, yet Trusts lack the integrated systems required to manage these pathways proactively. Modern CDWs demonstrate feasible architectures, while dashboard and usability literature highlight design imperatives. AI-enabled MDT systems reveal future potential but highlight the foundational need for high-quality integrated data repositories.

The combined evidence exposes a clear research gap: NHS oncology services require a robust, user-centred, IDR-backed operational dashboard to improve MDT-to-treatment coordination.

Chapter 3

Methodology

3.1 Overview of Research Design

This research adopts a Design Science Research (DSR) methodology to address an operational problem in NHS oncology services: the lack of integrated, actionable visibility of delays between MDT outcomes and treatment initiation. DSR is particularly suitable for this study because it explicitly focuses on the design, construction, and evaluation of an artefact intended to improve a real-world organisational context, while generating transferable design knowledge (Hevner *et al.*, 2004).

The primary artefact developed in this study is a lightweight integrated data repository (IDR) and decision-support dashboard, designed to consolidate post-MDT pathway data and support operational decision-making. In addition to the artefact itself, the research produces a set of evaluated design principles for oncology operational analytics, constituting a contribution to knowledge beyond the local implementation.

3.2 Design Science Research Framework

The study follows the Design Science Research Methodology (DSRM) proposed by Peffers *et al.* (2007), which structures DSR into six interrelated activities. These activities are applied iteratively rather than strictly linearly.

3.2.1 Problem Identification and Motivation

The problem was identified through:

- analysis of NHS Cancer waiting time standards and performance pressures (Johnson, 2024; NHS Digital, 2026),
- review of literature on MDT operational inefficiencies and pathway delays,
- practical experience with Portsmouth Hospitals University NHS Trust.

The central problem is the absence of an integrated, operationally focused data infrastructure that aligns MDT outcome, clinic scheduling, and treatment delivery data into a single, trusted view capable of supporting proactive action.

3.2.2 Objectives of a Solution

The objectives of the solution were derived from both literature synthesis and stakeholder needs, and include:

- consolidating post-MDT pathway events into a harmonised, analytics-ready data model;
- enabling early identification of patients at risk of breaching the 31- and 62-day standards;
- aligning operational risk signals with actionable capacity information;
- supporting rapid, routine decision-making through a usable dashboard interface;
- complying with NHS data governance and national metric definitions.

These objectives directly inform the design principles articulated in Section 3.4 and implemented in the artefact.

3.2.3 Design and Development

The design and development activity involved two tightly coupled components:

1. Integrated Data Repository (IDR)
2. Decision-Support Dashboard

The IDR adopts a general-model architecture consisting of a staging layer for ETL and harmonisation, a central warehouse, and an application layer for analytics and visualisation, consistent with IDR literature for single-institution deployments (Gagalova *et al.*, 2020).

The dashboard is designed to support operational tasks rather than retrospective reporting, aligning with the role of operational dashboards in healthcare performance management (Buttigieg *et al.*, 2017).

Both components were developed iteratively, guided by explicit design principles derived from prior research and refined during prototyping.

3.2.4 Demonstration

The artefact is demonstrated using:

- retrospective Trust data covering MDT decisions, clinic appointments, and treatment initiation;

- realistic operational scenarios reflecting common management tasks (e.g., identifying upcoming breach risks, assessing clinic capacity).

Demonstration focuses on illustrating how the artefact supports decision-making that was previously manual, fragmented, or retrospective.

3.2.5 Evaluation

Evaluation is multi-method and aligned with Hevner *et al.* (2004)'s guidance that DSR artefacts must be assessed for utility, quality, and efficacy. Evaluation methods are detailed in Section 3.5.

3.2.6 Communication

The final activity consists of communicating:

- the artefact,
- its measured effects, and
- the derived design principles,

through this dissertation, targeting both academic and practitioner audiences.

3.3 Research Questions and Method Alignment

Research Question	DSR Activity	
RQ1: Where do delays occur between MDT outcome and treatment?	Problem identification	D
RQ2: What operational factors predict extended delays?	Problem analysis	
RQ3: Does the artefact improve operational decision-making?	Evaluation	Task-
RQ4: What design principles support post-MDT operational analytics?	Design knowledge	Liter-

Table 3.1: This mapping ensures methodological coherence between the research questions, artefact, and evaluation.

3.4 Design Principles

Design principles represent the design knowledge contribution of this study. They are formulated using a standard DSR structure: *context*, *intervention*, and *rationale*. These initial principles are refined following evaluation.

DP1: Surface Breach Risks as a Leading Indicator

If operational teams must prioritise actions in time-constrained cancer pathways, then dashboards should surface leading indicators of breach risk (e.g. days remaining to breach thresholds), because prospective visibility enables earlier and more effective intervention than retrospective compliance metrics.

DP2: Pair Risk Information with Actionable Capacity Data

If users are expected to act on identified risks, then risk indicators should be presented alongside relevant capacity and demand information, because risk awareness without visible operational levers does not support decision-making.

DP3: Use Canonical, Standard-Aligned Pathway Events

If pathway metrics are to be trusted and comparable, then all intervals should be derived from canonical event definitions aligned to NCWTMDS rules, because inconsistent definitions undermine credibility and evaluation validity.

DP4: Match Data Refresh Cadence to the Action Horizon

If decisions depend on short operational windows, then data refresh frequency should be aligned to the decision horizon (e.g. daily or near-real-time where feasible), because stale information degrades decision quality.

DP5: Preserve Data Provenance and Auditability

If analytics are deployed in regulated healthcare environments, then all derived metrics must maintain transparent provenance to source systems, because trust, governance, and reconciliation are essential for adoption.

DP6: Align Interaction Design with Real Operational Tasks

If dashboards are intended to support complex operational work, then interaction design should reflect users' real task sequences, because task-aligned interfaces reduce cognitive load and improve decision quality (International Organization for Standardization, 2020).

These principles directly inform both the IDR architecture and the dashboard design, and serve as evaluation criteria in Section 3.5.

3.5 Evaluation Strategy

Evaluation combines formative and summative methods across four dimensions.

3.5.1 Usability Evaluation

- System Usability Scale (SUS)
- Heuristic review grounded in ISO 9241-110
- Think-aloud walkthroughs

3.5.2 Utility and Effectiveness

- Task-based experiment with operational users
- Primary measures:
 - time-to-answer key operational questions,
 - accuracy of breach-risk identification,
 - decision quality in constrained scheduling scenarios

3.5.3 Technical Validity

- Reconciliation of dashboard metrics with source SQL queries
- Validation of interval derivations against NCWTMDS rules

3.5.4 Design Knowledge Evaluation

- Synthesis of user feedback and performance outcomes
- Refinement and confirmation of final design principles

3.6 Ethical and Governance Considerations

The study operates within UK GDPR and NHS data governance requirements. All data are de-identified or pseudonymised, with access controls and separation between operational and research use. The project follows university ethics procedures and local Trust information governance guidance.

3.7 Summary

This chapter has outlined a rigorous, design-science-based methodology that supports both artefact creation and theory-driven knowledge contribution. By embedding explicit design principles within the DSR framework and evaluating the artefact using multiple complementary methods, the study ensures methodological robustness, practical relevance, and academic contribution.

References

- Butterworth, Victoria, Young, Tom, Drake, Haleema, Palmer, Isabel, Avgoulea, Tania, Ivy, Eleanor, Andriolo, Joshua, Creppy, Carole, Routledge, Corla, Adjogatse, Delali, Kong, Anthony, Petkar, Imran, Reis Ferreira, Miguel, Eaton, David, Lei, Mary, Mission, Sarah, Vilic, Dijana and Guerrero Urbano, Teresa (2025) ‘Data-centric Artificial Intelligence and Cancer Research: Construction of a Real-World Head and Neck Treatment Data Repository,’ *ESMO Real World Data and Digital Oncology*, 9(C), URL <http://dx.doi.org/10.1101/2025.02.12.25322092>
- Buttigieg, Sandra C., Pace, Adriana and Rathert, Cheryl (2017) ‘Hospital performance dashboards: A literature review,’ *Journal of Health Organization and Management*, 31(3), pp. 385–406, URL <http://dx.doi.org/10.1108/JHOM-04-2017-0088>
- Chakravarty, PD, Ton, T, Scott, A, Doherty, C, Douglas, CM and Montgomery, J (2023) ‘Outpatient secondary care pathways for head and neck cancer referral result in patient delays for cancer treatment,’ *The Annals of The Royal College of Surgeons of England*, 105(4), pp. 352–356, URL <http://dx.doi.org/10.1308/rcsann.2022.0111>
- Chang, Jee Suk, Kim, Hyunwook, Baek, Eun Sil, Choi, Jeong Eun, Lim, Joon Seok, Kim, Jin Sung and Shin, Sang Joon (2025) ‘Continuous multimodal data supply chain and expandable clinical decision support for oncology,’ *npj Digital Medicine*, 8(1), p. 128, URL <http://dx.doi.org/10.1038/s41746-025-01508-2>
- Coca-Pelaz, Andrés, Takes, Robert P., Hutcheson, Kate, Saba, Nabil F., Haigentz, Misak, Bradford, Carol R., de Bree, Remco, Strojan, Primož, Lund, Valerie J., Mendenhall, William M., Nixon, Iain J., Quer, Miquel, Rinaldo, Alessandra and Ferlito, Alfio (2018) ‘Head and Neck Cancer: A Review of the Impact of Treatment Delay on Outcome,’ *Advances in Therapy*, 35(2), pp. 153–160, URL <http://dx.doi.org/10.1007/s12325-018-0663-7>
- Conway, Alicia-Marie, Concannon, Matthew, Brown, Steven, Hussain, Humera, Marland, April, Griffiths, Matthew, Plummer, Barney, Warrington, Kelly, Bridges, Claire, Lightning-Jones, Karen and Cook, Natalie (2025) ‘Overcoming data management challenges in oncology research: Lessons from an NHS, industry, technology start-up and academic collaboration,’ *European Journal of Cancer*, 228, p. 115705, URL <http://dx.doi.org/10.1016/j.ejca.2025.115705>

- Dawson, Christian W. (2015) *Projects in Computing and Information Systems: A Student's Guide*, 3rd ed., Pearson, Harlow
- Gagalova, Kristina K., Elizalde, M. Angelica Leon, Portales-Casamar, Elodie and Görges, Matthias (2020) 'What You Need to Know Before Implementing a Clinical Research Data Warehouse: Comparative Review of Integrated Data Repositories in Health Care Institutions,' *JMIR Formative Research*, 4(8), p. e17687, URL <http://dx.doi.org/10.2196/17687>
- Guilbert, Baptiste, Rieu, Tristan, Delamarre, Denis, Laurent, Frédéric, Serre, Fanny, Leroy, Sarah, Paillard, Elliott, Le Buhan, Nolwenn, Ribault, Alain and Cuggia, Marc (2024) 'ONCO-FAIR Project: Improving Data Interoperability in Oncology Chemotherapy Treatments for Data Reuse,' in Mantas, John, Hasman, Arie, Demiris, George, Saranto, Kaija, Marschollek, Michael, Arvanitis, Theodoros N., Ognjanović, Ivana, Benis, Arriel, Gallos, Parisi, Zoulias, Emmanouil and Andrikopoulou, Elisavet (eds.), 'Studies in Health Technology and Informatics,' *Studies in Health Technology and Informatics*, vol. 316, IOS Press, pp. 1373–1377, URL <http://dx.doi.org/10.3233/SHTI240667>
- Han, Xudong, Gao, Xianglun, Qu, Xiaoyi and Yu, Zhenyu (2025) 'Multi-Agent Medical Decision Consensus Matrix System: An Intelligent Collaborative Framework for Oncology MDT Consultations,' URL <http://dx.doi.org/10.48550/arXiv.2512.14321>
- Hanna, Timothy P., King, Will D., Thibodeau, Stephane, Jalink, Matthew, Paulin, Gregory A., Harvey-Jones, Elizabeth, O'Sullivan, Dylan E., Booth, Christopher M., Sullivan, Richard and Aggarwal, Ajay (2020) 'Mortality due to cancer treatment delay: Systematic review and meta-analysis,' *BMJ*, 371, p. m4087, URL <http://dx.doi.org/10.1136/bmj.m4087>
- Haward, Robert A. (2006) 'The Calman–Hine report: A personal retrospective on the UK's first comprehensive policy on cancer services,' *The Lancet Oncology*, 7(4), pp. 336–346, URL [http://dx.doi.org/10.1016/S1470-2045\(06\)70659-3](http://dx.doi.org/10.1016/S1470-2045(06)70659-3)
- HealthOrbit (2025) 'AI Solutions for Real Clinical Workflows | HealthOrbit AI,' <https://healthorbit.ai/>
- Hevner, Alan R, March, Salvatore T, Park, Jinsoo and Ram, Sudha (2004) 'Design Science in Information Systems Research,' *MIS Quarterly*, 28(1)
- Hunkirchen, Peter () 'Guidelines and Standards,' <https://www.usability-ux.fit.fraunhofer.de/en/guidelines-and-standards.html>
- International Organization for Standardization (2020) 'Ergonomics of human-system interaction Part 110: Interaction principles,'
- Johnson, Peter (2024) 'Updating the NHS cancer waiting time standards,' *BMJ Oncology*, 3(1), URL <http://dx.doi.org/10.1136/bmjonc-2024-000337>

- Jung, Hyun Ae, Jeong, Oksoon, Chang, Dong Kyung, Park, Sehhoon, Sun, Jong-Mu Sun, Lee, Se-Hoon, Ahn, Jin Seok, Ahn, Myung-Ju and Park, Keunchil (2021) 'Real-time automatically updated data warehouse in healthcare (ROOT): An innovative and automated data collection system - Jung- Translational Lung Cancer Research,' *Translational Lung Cancer Research*, 10(10), pp. 3865–3874, URL <http://dx.doi.org/10.21037/tlcr-21-531>
- Law, Nicholas Lee Wei, Hong, Lai Wei, Tan, Shirley Siang Ning, Foo, Chuan Jie, Lee, Daniel and Voon, Pei Jye (2024) 'Barriers And Challenges Of Multidisciplinary Teams In Oncology Management: A Scoping Review Protocol,' *BMJ Open*, 14(2), p. e079559, URL <http://dx.doi.org/10.1136/bmjopen-2023-079559>
- Lim, Alison E., Williamson, Andrew, Green, Freddie, Lee, Ying Ki, Li, Lucy, Moen, Christy, Vasanthan, Rishi, Wharf, Olivia, Wong, Jeremy, Paleri, Vinidh and Network), INTEGRATE (The UK ENT Trainee Research (2025) 'Clinical Factors Influencing the Compliance With National Head and Neck Cancer Targets in the United Kingdom: Results From a National Cohort Study,' *Clinical Otolaryngology*, 50(4), pp. 739–750, URL <http://dx.doi.org/10.1111/coa.14314>
- Liu, Qicai, Hu, Zhichao, Huang, Tao, Niu, Yupeng, Zhang, Xinchu, Ma, Shanwu, Lin, Chutong, Huat, Goh Kim, Kwon, Hyeokkoo Eric, Gao, Feng, Sun, Xianfu, Ying, Zhitao and Qiang, Guangliang (2026a) 'EvoMDT: A self-evolving multi-agent system for structured clinical decision-making in multi-cancer,' *npj Digital Medicine*, 9(1), p. 124, URL <http://dx.doi.org/10.1038/s41746-025-02304-8>
- Liu, Yunyou, Wang, Fei, Wang, Peng, Zhou, Zhen, Wang, Hongqian, Li, Jingyao, Qiu, Yang, Wang, Haidong and Miao, Siwei (2026b) 'AI-MDT: An automatic and intelligent multidisciplinary team consultations platform for lung cancer diagnosis,' *Journal of Cancer Research and Clinical Oncology*, 152(1), p. 32, URL <http://dx.doi.org/10.1007/s00432-025-06413-5>
- Morris, E, Haward, R A, Gilthorpe, M S, Craigs, C and Forman, D (2006) 'The impact of the Calman-Hine report on the processes and outcomes of care for Yorkshire's colorectal cancer patients,' *British Journal of Cancer*, 95(8), pp. 979–985, URL <http://dx.doi.org/10.1038/sj.bjc.6603372>
- Morris, E., Haward, R. A., Gilthorpe, M. S., Craigs, C. and Forman, D. (2008) 'The impact of the Calman-Hine report on the processes and outcomes of care for Yorkshire's breast cancer patients,' *Annals of Oncology*, 19(2), pp. 284–291, URL <http://dx.doi.org/10.1093/annonc/mdm432>
- NHS Digital (2026) 'Cancer Waiting Times Data Collection (CWT),' <https://digital.nhs.uk/data-and-information/data-collections-and-data-sets/data-collections/cancerwaitingtimescwt>

- NHS Wales (2024) *Multidisciplinary Team (MDT) Charter*, Tech. rep., NHS Wales Cancer Network
- Parker, Jade (2026) ‘Six ways to improve cancer MDT meetings,’
- Peffer, Ken, Tuunanen, Tuure, Rothenberger, Marcus A. and Chatterjee, Samir (2007) ‘A design science research methodology for information systems research,’ *Journal of Management Information Systems*, 24(3), pp. 45–77, URL <http://dx.doi.org/10.2753/MIS0742-1222240302>
- Price, G, Roche, M and Wight, R (2014) ‘The impact of head and neck cancer service guidance on surgical workload,’ *The Bulletin of the Royal College of Surgeons of England*, 96(9), pp. 300–303, URL <http://dx.doi.org/10.1308/147363514X14042954769195>
- RCR (2024) *Radiotherapy Briefing - May 2024*, Briefing Paper, Royal College of Radiologists
- Saleh, Mona, Kaplowitz, Elianna, Gellman, Caroline, Flint, Matthew, Holtzman, Sharonne, Mercier, Ann Marie and Kolev, Valentin (2024) ‘Diagnosis-to-treatment interval in cervical cancer: An exploratory analysis of the SEER database,’ *Gynecologic Oncology*, 190, pp. S361–S362, URL <http://dx.doi.org/10.1016/j.ygyno.2024.07.541>
- Sharma, Sonam, Bekelman, Justin, Lin, Alexander, Lukens, J. Nicholas, Roman, Benjamin R., Mitra, Nandita and Swisher-McClure, Samuel (2016) ‘Clinical impact of prolonged diagnosis to treatment interval (DTI) among patients with oropharyngeal squamous cell carcinoma,’ *Oral Oncology*, 56, pp. 17–24, URL <http://dx.doi.org/10.1016/j.oraloncology.2016.02.010>
- Soltan, A. A. S., Patel, S. and Sharma, J. (2025) ‘296P The TrustedMDT multi-agent ai copilot for tumour boards: Protocol for a two-phase evaluation of performance, safety, and feasibility,’ *ESMO Real World Data and Digital Oncology*, 10, p. 100492, URL <http://dx.doi.org/10.1016/j.esmorw.2025.100492>
- Soukup, Tayana, Lamb, Benjamin W, Morbi, Abigail, Shah, Nisha J, Bali, Anish, Asher, Viren, Gandamihardja, Tasha, Giordano, Pasquale, Darzi, Ara, Sevdalis, Nick and Green, James S A (2022) ‘Cancer multidisciplinary team meetings: Impact of logistical challenges on communication and decision-making,’ *BJS Open*, 6(4), p. zrac093, URL <http://dx.doi.org/10.1093/bjsopen/zrac093>
- The Royal Wolverhampton NHS Trust (2024) *Cancer Operational Policy*, Policy OP03, The Royal Wolverhampton NHS Trust
- Varma, Raghav, Mayne, Emily, Parry, Marina A., Nathan, Arjun, van der Meulen, Jan, Bahl, Amit, Stewart, Grant D. and Cowling, Thomas E. (2026) ‘Comparing the national cancer

waiting times dataset with other linked electronic health records to measure treatment timeliness: A national cohort study of kidney cancer in England,' *Cancer Epidemiology*, 102, p. 103030, URL <http://dx.doi.org/10.1016/j.canep.2026.103030>

Villemure-Poliquin, Noémie, Fu, Rui, Gaebe, Karolina, Kwon, Jin, Cohen, Marc, Ruel, Marianne, Ayoo, Kennedy, Bailey, Andrew, Galapin, Madette, Hallet, Julie and Eskander, Antoine (2025) 'Delayed diagnosis to treatment interval (DTI) in head & neck cancers – A systematic review and meta-analysis,' *Oral Oncology*, 160, p. 107106, URL <http://dx.doi.org/10.1016/j.oraloncology.2024.107106>

Yun, Y. H., Kim, Y. A., Min, Y. H., Park, S., Won, Y. J., Kim, D. Y., Choi, I. J., Kim, Y. W., Park, S. J., Kim, J. H., Lee, D. H., Yoon, S. J., Jeong, S. Y., Noh, D. Y. and Heo, D. S. (2012) 'The influence of hospital volume and surgical treatment delay on long-term survival after cancer surgery,' *Annals of Oncology*, 23(10), pp. 2731–2737, URL <http://dx.doi.org/10.1093/annonc/mds101>

List of Acronyms

AI Artificial Intelligence

CDSS Clinical Decision Support System

CDW Clinical Data Warehouse

CWT Cancer Wait Time

DSR Design Science Research

DSRM Design Science Research Methodology

DTI Diagnosis to Treatment Interval

DTT Decision to Treat to Treatment

ETL Extract-Transform-Load

EPR Electronic Patient Record

FDS Faster Diagnosis Standard

FHIR Fast Healthcare Interoperability Resources

HCI Human Computer Interaction

HNC Head and Neck Cancer

HNSCC Head and Neck Squamous Cell Carcinoma

HR Hazard Ratio

IDR Integrated Data Repository

MDT Multidisciplinary Team

NCWTMDS National Cancer Waiting Times Monitoring Data Set

NHS National Health Service

NLP Natural Language Processing

PACS Picture Archiving and Communication System

PAS Patient Administration System

PTL Patient Tracking List

RCR Royal College of Radiologists

RIS (Radiology Information System)

RTT Referral To Treatment

DRAFT