

1 Introduction

These instructions are aimed at people familiar with R and familiar with TCGA/GDC platforms and data types. They are intended to introduce the reader to producing the given assessment. These instructions will only rarely, if ever, touch on the appropriateness of the assessment algorithm or interpretation of output. See MBatch_01_InstallLinux.docx for instructions on downloading test data.


2 Algorithm

Boxplot_Group_Structures is a function used to perform batch effects assessments using the boxplots and violin plots algorithms. Assessment is performed on each batch type available by default.

3 Output

The primary output method for MBatch is to view results in the Batch Effects Website, described elsewhere. The PNG files are rough versions of the website output.

Graphical output is a set of boxplots, one for each batch, based in this case on the mean for each sample.



4 Usage

```
Boxplot_Group_Structures(theData, theTitle, theOutputPath,  
    theBatchTypeAndValuePairsToRemove, theBatchTypeAndValuePairsToKeep,  
    theListOfGroupBoxFunction, theListOfGroupBoxLabels,  
    theMaxGeneCount=20000, theJavaParameters = "-Xms8000m")
```

5 Arguments

theData An instance of BEA_DATA BEA_DATA-class. This is the MBatch Data Object (of class BEA_DATA) described in MBatch_03_UserData.docx, and returned from mbatchLoadFiles or mbatchLoadStructures.

theTitle Object of class "character". Title to use in PNG files.

theOutputPath Object of class "character". Directory in which to place output PNG files and related data files used by the Batch Effects Website.

theBatchTypeAndValuePairsToRemove Object of class "list". A list of vectors containing the batch type (or * for all types) and the value to remove. list() or NULL indicate do nothing. This type of list is described in MBatch_03_ParametersBatchTypesValues.docx.

theBatchTypeAndValuePairsToKeep Object of class "list". A list of vectors containing the batch type (or * for all types) and a vector of the value(s) to keep. list() or NULL indicate do nothing. This type of list is described in MBatch_03_ParametersBatchTypesValues.docx.

theListOfGroupBoxFunction Object of class "vector" A list of functions to use for group assessments. This is a legacy argument. Always send this an argument of "c(mean)". The length must match the length for theListOfGroupBoxLabels. A future version will replace this argument with an alternative method of selecting group functions other than mean.

theListOfGroupBoxLabels Object of class "vector" A list of strings giving strings for labels to use for group assessments. This is a legacy argument. Always send this an argument of "c("Mean")". The length must match the length for theListOfGroupBoxFunction. A future version will replace this argument with an alternative method of selecting group functions other than mean.

theMaxGeneCount Integer giving maximum number of features (genes) to keep. Default is 20000. 0 means keep all.

theJavaParameters Object of class "character" String for initializing JVM. Defaults to -Xms8000m.

6 Example Call

The following code performs Boxplots and is taken from the tests/Boxplot_Group_Structures.R file. Data used is from the testing data as per the MBatch_01_InstallLinux.docx document.

```
library(MBatch)

# set the paths
theGeneFile <- "/bea_testing/MATRIX_DATA/matrix_data-Tumor.tsv"
theBatchFile <- "/bea_testing/MATRIX_DATA/batches-Tumor.tsv"
theOutputDir <- "/bea_testing/output/Boxplot_Group_Structures"

# make sure the output dir exists and is empty
unlink(theOutputDir, recursive=TRUE)
dir.create(theOutputDir, showWarnings=FALSE, recursive=TRUE)

# load the data and reduce the amount of data to reduce run time
myData <- mbatchLoadFiles(theGeneFile, theBatchFile)
myData@mData <- mbatchTrimData(myData@mData, 100000)

# here, we take most defaults
Boxplot_Group_Structures(theData=myData,
                        theTitle="Test",
                        theOutputPath=theOutputDir,
                        theBatchTypeAndValuePairsToRemove=NULL,
                        theBatchTypeAndValuePairsToKeep=NULL,
                        theListOfGroupBoxFunction=c(mean),
                        theListOfGroupBoxLabels=c("Mean"),
                        theJavaParameters="-Xms8000m",
                        theMaxGeneCount=10000)
```

6.1 Command Line Output

In the future, we plan to make the output from MBatch more user friendly, but currently, this produces the following output at the command line.

```
> library(MBatch)
>
> # set the paths
> theGeneFile <- "/bea_testing/MATRIX_DATA/matrix_data-Tumor.tsv"
> theBatchFile <- "/bea_testing/MATRIX_DATA/batches-Tumor.tsv"
> theOutputDir <- "/bea_testing/output/Boxplot_Group_Structures"
>
> # make sure the output dir exists and is empty
> unlink(theOutputDir, recursive=TRUE)
> dir.create(theOutputDir, showWarnings=FALSE, recursive=TRUE)
>
```



```

2017 10 17 11:46:11.842 DEBUG MachineName checkCreateDir:
/bea_testing/output/Boxplot_Group_Structures
2017 10 17 11:46:11.845 DEBUG MachineName boxplotJinit - Calling .jinit /home/linux/R/x86_64-pc-
linux-gnu-library/3.4/MBatch/BoxplotJava/jcommon-1.0.17.jar:/home/linux/R/x86_64-pc-linux-gnu-
library/3.4/MBatch/BoxplotJava/jfreechart-1.0.14.jar:/home/linux/R/x86_64-pc-linux-gnu-
library/3.4/MBatch/BoxplotJava/commons-lang3-3.3.2.jar:/home/linux/R/x86_64-pc-linux-gnu-
library/3.4/MBatch/BoxplotJava/commons-math3-3.3.jar:/home/linux/R/x86_64-pc-linux-gnu-
library/3.4/MBatch/BoxplotJava/BoxplotJava.jar:/home/linux/R/x86_64-pc-linux-gnu-
library/3.4/MBatch/BoxplotJava/LegendJava.jar
2017 10 17 11:46:12.164 DEBUG MachineName dim(theMatrixGeneData) 1250,
dim(theMatrixGeneData) 80
2017 10 17 11:46:12.165 DEBUG MachineName length(colnames(theMatrixGeneData)) 80
2017 10 17 11:46:12.165 DEBUG MachineName length(rownames(theMatrixGeneData)) 1250
2017 10 17 11:46:12.166 DEBUG MachineName dim(theDataframeBatchData) 80,
dim(theDataframeBatchData) 5
2017 10 17 11:46:12.166 DEBUG MachineName length(names(theDataframeBatchData)) 5
2017_10_17_1146.12.201      DEBUG      1      BoxplotJava 2017-07-24-1300
2017_10_17_1146.12.202      DEBUG      1      Prepare data for Boxplot_GroupFunction
2017_10_17_1146.12.202      DEBUG      1
theOutputDir=/bea_testing/output/Boxplot_Group_Structures
2017_10_17_1146.12.202      DEBUG      1      theTitle=Test Group
2017_10_17_1146.12.204      DEBUG      1      ReadMatrixFile::convertToMatrix
theBarcodeLength=80
2017_10_17_1146.12.204      DEBUG      1      ReadMatrixFile::convertToMatrix
theGeneLength=1250
2017_10_17_1146.12.208      DEBUG      1      Before Boxplot_GroupFunction
2017_10_17_1146.12.223      DEBUG      1      BoxplotJava 2017-07-24-1300
2017_10_17_1146.12.225      DEBUG      1      Boxplot_GroupFunction::processInternal - start
2017_10_17_1146.12.225      DEBUG      1      Boxplot_GroupFunction::processInternal -
batchTypeName=BatchId
2017_10_17_1146.12.225      DEBUG      1      Boxplot_GroupFunction::processInternal - list of
batches
2017_10_17_1146.12.226      DEBUG      1      Boxplot_GroupFunction::processInternal -
group function values for samples
2017_10_17_1146.12.280      DEBUG      1      Boxplot_GroupFunction::processInternal -
iterate through batches
2017_10_17_1146.12.280      DEBUG      1      Boxplot_GroupFunction::processInternal -
iterate through batches - before inside loop
2017_10_17_1146.12.280      DEBUG      1      Boxplot_GroupFunction::processInternal -
iterate through batches - after inside loop
2017_10_17_1146.12.280      DEBUG      1      =====
2017_10_17_1146.12.280      DEBUG      1      Boxplot_GroupFunction
2017_10_17_1146.12.281      DEBUG      1      =====
2017_10_17_1146.12.281      DEBUG      1      batchTypeIndex=0
2017_10_17_1146.12.281      DEBUG      1      values.length=80
2017_10_17_1146.12.281      DEBUG      1      valLabels.length=80
2017_10_17_1146.12.281      DEBUG      1      elementLabel=00304
2017_10_17_1146.12.281      DEBUG      1      groupLabel=00304
2017_10_17_1146.12.281      DEBUG      1      groupId=0
2017_10_17_1146.12.281      DEBUG      1      =====

```

2017_10_17_1146.12.294	DEBUG	1	Boxplot_GroupFunction::processInternal - after iterate through batches
2017_10_17_1146.12.294	DEBUG	1	writeBoxplotFiles - boxplotPng
2017_10_17_1146.12.294	DEBUG	1	BoxplotImpl::boxplotPng theElements.size()=1
2017_10_17_1146.12.295	DEBUG	1	BoxplotImpl::boxplotPng thePNGFile=/bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group- MEAN_Diagram-BatchId.png
2017_10_17_1146.12.295	DEBUG	1	BoxplotImpl::boxplotPng theDataLabel=values
2017_10_17_1146.12.295	DEBUG	1	BoxplotImpl::boxplotPng theSampleLabel=BatchId
2017_10_17_1146.12.295	DEBUG	1	BoxplotImpl::boxplotPng theTitle=Test Group
2017_10_17_1146.12.295	DEBUG	1	BoxplotImpl::boxplotPng theGroup=BatchId
LegendJava 2013_05_03_0823			
writeLegendWithSymbols theTitle = Test Group - BatchId			
writeLegendWithSymbols theVersion =			
writeLegendWithSymbols theFilenamePath = /bea_testing/output/Boxplot_Group_Structures/Group- MEAN/BoxPlot_Group-MEAN_Legend-BatchId.png			
Colors is non-null			
writeLegendWithSymbols write			
writeLegendWithSymbols done			
2017_10_17_1146.16.121	DEBUG	1	writeBoxplotFiles - boxplotAnnotations
2017_10_17_1146.16.170	DEBUG	1	writeBoxplotFiles - boxplotBox
2017_10_17_1146.16.171	DEBUG	1	writeBoxplotFiles - boxplotCat
2017_10_17_1146.16.172	DEBUG	1	writeBoxplotFiles - done
2017_10_17_1146.16.172	DEBUG	1	Boxplot_GroupFunction::processInternal - after files
2017_10_17_1146.16.172	DEBUG	1	Boxplot_GroupFunction::processInternal - batchTypeName=PlateId
2017_10_17_1146.16.172	DEBUG	1	Boxplot_GroupFunction::processInternal - list of batches
2017_10_17_1146.16.173	DEBUG	1	Boxplot_GroupFunction::processInternal - group function values for samples
2017_10_17_1146.16.187	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches
2017_10_17_1146.16.187	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - before inside loop
2017_10_17_1146.16.188	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - after inside loop
2017_10_17_1146.16.188	DEBUG	1	=====
2017_10_17_1146.16.188	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.188	DEBUG	1	=====
2017_10_17_1146.16.188	DEBUG	1	batchTypeIndex=1
2017_10_17_1146.16.188	DEBUG	1	values.length=80
2017_10_17_1146.16.188	DEBUG	1	valLabels.length=80
2017_10_17_1146.16.188	DEBUG	1	elementLabel=A29J
2017_10_17_1146.16.188	DEBUG	1	groupLabel=A29J
2017_10_17_1146.16.189	DEBUG	1	groupId=0
2017_10_17_1146.16.189	DEBUG	1	=====
2017_10_17_1146.16.189	DEBUG	1	Boxplot_GroupFunction::processInternal - after iterate through batches
2017_10_17_1146.16.189	DEBUG	1	writeBoxplotFiles - boxplotPng

2017_10_17_1146.16.189	DEBUG	1	BoxplotImpl::boxplotPng theElements.size()=1
2017_10_17_1146.16.189	DEBUG	1	BoxplotImpl::boxplotPng
thePNGFile=/bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group-MEAN_Diagram-PlateId.png			
2017_10_17_1146.16.190	DEBUG	1	BoxplotImpl::boxplotPng theDataLabel=values
2017_10_17_1146.16.190	DEBUG	1	BoxplotImpl::boxplotPng
theSampleLabel=PlateId			
2017_10_17_1146.16.190	DEBUG	1	BoxplotImpl::boxplotPng theTitle=Test Group
2017_10_17_1146.16.191	DEBUG	1	BoxplotImpl::boxplotPng theGroup=PlateId
LegendJava 2013_05_03_0823			
writeLegendWithSymbols theTitle = Test Group - PlateId			
writeLegendWithSymbols theVersion =			
writeLegendWithSymbols theFilenamePath = /bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group-MEAN_Legend-PlateId.png			
Colors is non-null			
writeLegendWithSymbols write			
writeLegendWithSymbols done			
2017_10_17_1146.16.346	DEBUG	1	writeBoxplotFiles - boxplotAnnotations
2017_10_17_1146.16.347	DEBUG	1	writeBoxplotFiles - boxplotBox
2017_10_17_1146.16.348	DEBUG	1	writeBoxplotFiles - boxplotCat
2017_10_17_1146.16.349	DEBUG	1	writeBoxplotFiles - done
2017_10_17_1146.16.349	DEBUG	1	Boxplot_GroupFunction::processInternal - after
files			
2017_10_17_1146.16.350	DEBUG	1	Boxplot_GroupFunction::processInternal -
batchTypeName=ShipDate			
2017_10_17_1146.16.350	DEBUG	1	Boxplot_GroupFunction::processInternal - list of
batches			
2017_10_17_1146.16.350	DEBUG	1	Boxplot_GroupFunction::processInternal -
group function values for samples			
2017_10_17_1146.16.360	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches			
2017_10_17_1146.16.360	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - before inside loop			
2017_10_17_1146.16.360	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - after inside loop			
2017_10_17_1146.16.360	DEBUG	1	=====
2017_10_17_1146.16.361	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.361	DEBUG	1	=====
2017_10_17_1146.16.361	DEBUG	1	batchTypeIndex=2
2017_10_17_1146.16.361	DEBUG	1	values.length=80
2017_10_17_1146.16.361	DEBUG	1	valLabels.length=80
2017_10_17_1146.16.361	DEBUG	1	elementLabel=2013-05-08
2017_10_17_1146.16.361	DEBUG	1	groupLabel=2013-05-08
2017_10_17_1146.16.361	DEBUG	1	groupId=0
2017_10_17_1146.16.362	DEBUG	1	=====
2017_10_17_1146.16.362	DEBUG	1	Boxplot_GroupFunction::processInternal - after
iterate through batches			
2017_10_17_1146.16.362	DEBUG	1	writeBoxplotFiles - boxplotPng
2017_10_17_1146.16.362	DEBUG	1	BoxplotImpl::boxplotPng theElements.size()=1

2017_10_17_1146.16.362	DEBUG	1	BoxplotImpl::boxplotPng thePNGFile=/bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group-MEAN_Diagram-ShipDate.png
2017_10_17_1146.16.362	DEBUG	1	BoxplotImpl::boxplotPng theDataLabel=values
2017_10_17_1146.16.362	DEBUG	1	BoxplotImpl::boxplotPng theSampleLabel=ShipDate
2017_10_17_1146.16.363	DEBUG	1	BoxplotImpl::boxplotPng theTitle=Test Group
2017_10_17_1146.16.363	DEBUG	1	BoxplotImpl::boxplotPng theGroup=ShipDate
LegendJava 2013_05_03_0823			
writeLegendWithSymbols theTitle = Test Group - ShipDate			
writeLegendWithSymbols theVersion =			
writeLegendWithSymbols theFilenamePath = /bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group-MEAN_Legend-ShipDate.png			
Colors is non-null			
writeLegendWithSymbols write			
writeLegendWithSymbols done			
2017_10_17_1146.16.482	DEBUG	1	writeBoxplotFiles - boxplotAnnotations
2017_10_17_1146.16.483	DEBUG	1	writeBoxplotFiles - boxplotBox
2017_10_17_1146.16.484	DEBUG	1	writeBoxplotFiles - boxplotCat
2017_10_17_1146.16.484	DEBUG	1	writeBoxplotFiles - done
2017_10_17_1146.16.484	DEBUG	1	Boxplot_GroupFunction::processInternal - after files
2017_10_17_1146.16.484	DEBUG	1	Boxplot_GroupFunction::processInternal - batchTypeName=TSS
2017_10_17_1146.16.484	DEBUG	1	Boxplot_GroupFunction::processInternal - list of batches
2017_10_17_1146.16.484	DEBUG	1	Boxplot_GroupFunction::processInternal - group function values for samples
2017_10_17_1146.16.492	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches
2017_10_17_1146.16.492	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - before inside loop
2017_10_17_1146.16.492	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - after inside loop
2017_10_17_1146.16.492	DEBUG	1	=====
2017_10_17_1146.16.493	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.493	DEBUG	1	=====
2017_10_17_1146.16.493	DEBUG	1	batchTypeIndex=3
2017_10_17_1146.16.493	DEBUG	1	values.length=72
2017_10_17_1146.16.493	DEBUG	1	valLabels.length=72
2017_10_17_1146.16.493	DEBUG	1	elementLabel=OR - University of Michigan
2017_10_17_1146.16.493	DEBUG	1	groupLabel=OR - University of Michigan
2017_10_17_1146.16.493	DEBUG	1	groupId=0
2017_10_17_1146.16.493	DEBUG	1	=====
2017_10_17_1146.16.493	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - before inside loop
2017_10_17_1146.16.493	DEBUG	1	Boxplot_GroupFunction::processInternal - iterate through batches - after inside loop
2017_10_17_1146.16.493	DEBUG	1	=====
2017_10_17_1146.16.493	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.493	DEBUG	1	=====

2017_10_17_1146.16.493	DEBUG	1	batchTypeIndex=3
2017_10_17_1146.16.494	DEBUG	1	values.length=1
2017_10_17_1146.16.494	DEBUG	1	valLabels.length=1
2017_10_17_1146.16.494	DEBUG	1	elementLabel=OU - Roswell Park
2017_10_17_1146.16.494	DEBUG	1	groupLabel=OU - Roswell Park
2017_10_17_1146.16.494	DEBUG	1	groupId=1
2017_10_17_1146.16.494	DEBUG	1	=====
2017_10_17_1146.16.494	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - before inside loop			
2017_10_17_1146.16.494	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - after inside loop			
2017_10_17_1146.16.494	DEBUG	1	=====
2017_10_17_1146.16.494	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.494	DEBUG	1	=====
2017_10_17_1146.16.494	DEBUG	1	batchTypeIndex=3
2017_10_17_1146.16.494	DEBUG	1	values.length=2
2017_10_17_1146.16.494	DEBUG	1	valLabels.length=2
2017_10_17_1146.16.494	DEBUG	1	elementLabel=P6 - Translational Genomics
Research Institute			
2017_10_17_1146.16.494	DEBUG	1	groupLabel=P6 - Translational Genomics
Research Institute			
2017_10_17_1146.16.495	DEBUG	1	groupId=2
2017_10_17_1146.16.495	DEBUG	1	=====
2017_10_17_1146.16.495	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - before inside loop			
2017_10_17_1146.16.495	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - after inside loop			
2017_10_17_1146.16.495	DEBUG	1	=====
2017_10_17_1146.16.495	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.495	DEBUG	1	=====
2017_10_17_1146.16.495	DEBUG	1	batchTypeIndex=3
2017_10_17_1146.16.495	DEBUG	1	values.length=1
2017_10_17_1146.16.495	DEBUG	1	valLabels.length=1
2017_10_17_1146.16.495	DEBUG	1	elementLabel=PA - University of Minnesota
2017_10_17_1146.16.495	DEBUG	1	groupLabel=PA - University of Minnesota
2017_10_17_1146.16.495	DEBUG	1	groupId=3
2017_10_17_1146.16.495	DEBUG	1	=====
2017_10_17_1146.16.495	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - before inside loop			
2017_10_17_1146.16.496	DEBUG	1	Boxplot_GroupFunction::processInternal -
iterate through batches - after inside loop			
2017_10_17_1146.16.496	DEBUG	1	=====
2017_10_17_1146.16.496	DEBUG	1	Boxplot_GroupFunction
2017_10_17_1146.16.496	DEBUG	1	=====
2017_10_17_1146.16.496	DEBUG	1	batchTypeIndex=3
2017_10_17_1146.16.496	DEBUG	1	values.length=4
2017_10_17_1146.16.496	DEBUG	1	valLabels.length=4
2017_10_17_1146.16.499	DEBUG	1	elementLabel=PK - University Health Network
2017_10_17_1146.16.499	DEBUG	1	groupLabel=PK - University Health Network
2017_10_17_1146.16.499	DEBUG	1	groupId=4
2017_10_17_1146.16.499	DEBUG	1	=====

```

2017_10_17_1146.16.499    DEBUG      1      Boxplot_GroupFunction::processInternal - after
iterate through batches
2017_10_17_1146.16.499    DEBUG      1      writeBoxplotFiles - boxplotPng
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng theElements.size()=5
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng
thePNGFile=/bea_testing/output/Boxplot_Group_Structures/Group-MEAN/BoxPlot_Group-
MEAN_Diagram-TSS.png
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng theDataLabel=values
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng theSampleLabel=TSS
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng theTitle=Test Group
2017_10_17_1146.16.500    DEBUG      1      BoxplotImpl::boxplotPng theGroup=TSS
LegendJava 2013_05_03_0823
writeLegendWithSymbols theTitle = Test Group - TSS
writeLegendWithSymbols theVersion =
writeLegendWithSymbols theFilenamePath = /bea_testing/output/Boxplot_Group_Structures/Group-
MEAN/BoxPlot_Group-MEAN_Legend-TSS.png
Colors is non-null
writeLegendWithSymbols write
writeLegendWithSymbols done
2017_10_17_1146.16.689    DEBUG      1      writeBoxplotFiles - boxplotAnnotations
2017_10_17_1146.16.690    DEBUG      1      writeBoxplotFiles - boxplotBox
2017_10_17_1146.16.694    DEBUG      1      writeBoxplotFiles - boxplotCat
2017_10_17_1146.16.697    DEBUG      1      writeBoxplotFiles - done
2017_10_17_1146.16.697    DEBUG      1      Boxplot_GroupFunction::processInternal - after
files
2017_10_17_1146.16.697    DEBUG      1      Boxplot_GroupFunction::processInternal -
finished
2017_10_17_1146.16.697    DEBUG      1      After Boxplot_GroupFunction
2017 10 17 11:46:16.698 DEBUG MachineName after groupFunction call
[1] TRUE

```

6.2 Example File Output

The above code creates the following output files. Files are named using the following naming convention:

BoxPlot_Group-MEAN_Diagram-<BatchType>.png

BoxPlot_Group-MEAN_Legend-<BatchType>.png

The diagram file contains a Boxplot for all batch types (the columns from the batches.tsv file). The legends give the list of batches within the given batch type, and the colors used for each batch.

The annotation TSV files are used internally and contain the total number of data points and the number of non-NA points..

```
linux@MachineName:/bea_testing/output/Boxplot_Group_Structures/Group-MEAN$ ls -l
total 188
-rw-r--r-- 1 linux linux    54 Oct 17 11:46 BoxPlot_Group-MEAN_Annotations-BatchId.tsv
-rw-r--r-- 1 linux linux    53 Oct 17 11:46 BoxPlot_Group-MEAN_Annotations-PlateId.tsv
-rw-r--r-- 1 linux linux    59 Oct 17 11:46 BoxPlot_Group-MEAN_Annotations-ShipDate.tsv
-rw-r--r-- 1 linux linux   265 Oct 17 11:46 BoxPlot_Group-MEAN_Annotations-TSS.tsv
-rw-r--r-- 1 linux linux   283 Oct 17 11:46 BoxPlot_Group-MEAN_BoxData-BatchId.tsv
-rw-r--r-- 1 linux linux   282 Oct 17 11:46 BoxPlot_Group-MEAN_BoxData-PlateId.tsv
-rw-r--r-- 1 linux linux   288 Oct 17 11:46 BoxPlot_Group-MEAN_BoxData-ShipDate.tsv
-rw-r--r-- 1 linux linux  1013 Oct 17 11:46 BoxPlot_Group-MEAN_BoxData-TSS.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-BatchId-00304.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-PlateId-A29J.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-ShipDate-2013-05-08.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-TSS-OR - University of
Michigan.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-TSS-OU - Roswell Park.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-TSS-P6 - Translational
Genomics Research Institute.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-TSS-PA - University of
Minnesota.tsv
-rw-r--r-- 1 linux linux     9 Oct 17 11:46 BoxPlot_Group-MEAN_CatData-TSS-PK - University Health
Network.tsv
-rw-r--r-- 1 linux linux  23062 Oct 17 11:46 BoxPlot_Group-MEAN_Diagram-BatchId.png
-rw-r--r-- 1 linux linux  22846 Oct 17 11:46 BoxPlot_Group-MEAN_Diagram-PlateId.png
-rw-r--r-- 1 linux linux  23394 Oct 17 11:46 BoxPlot_Group-MEAN_Diagram-ShipDate.png
-rw-r--r-- 1 linux linux  24699 Oct 17 11:46 BoxPlot_Group-MEAN_Diagram-TSS.png
-rw-r--r-- 1 linux linux   2108 Oct 17 11:46 BoxPlot_Group-MEAN_Legend-BatchId.png
-rw-r--r-- 1 linux linux   2018 Oct 17 11:46 BoxPlot_Group-MEAN_Legend-PlateId.png
-rw-r--r-- 1 linux linux   2636 Oct 17 11:46 BoxPlot_Group-MEAN_Legend-ShipDate.png
-rw-r--r-- 1 linux linux  11139 Oct 17 11:46 BoxPlot_Group-MEAN_Legend-TSS.png
linux@MachineName:/bea_testing/output/Boxplot_Group_Structures/Group-MEAN$
```