# Using MBatch Corrections: MP\_ByBatch

Tod Casasent 2018-06-21

#### 1 Introduction

These instructions are aimed at people familiar with R and familiar with TCGA/GDC platforms and data types. They are intended to introduce the reader to producing the given assessment. These instructions will only rarely, if ever, touch on the appropriateness of the assessment algorithm or interpretation of output. See MBatch\_01\_InstallLinux for instructions on downloading test data.

### 2 Algorithm

MP Overall performs a Median Polish Overall correction taking a BEA\_DATA object (with data matrix and batch dataframe) and returning either a corrected matrix or a string containing the path to where the data file was written.

## 3 Output

The primary output method for MBatch is to view results in the Batch Effects Website. Correction algorithms generally do not create graphical output and instead create TSV output files.

# 4 Usage

 $\label{eq:mp_bybatch} \mbox{MP\_ByBatch} (\mbox{theBeaData}, \mbox{theBatchType}, \mbox{thePath} = \mbox{NULL}, \mbox{theWriteToFile} = \mbox{FALSE})$ 

# 5 Arguments

#### 5.1 theBeaData

BEA\_DATA objects can be created by calls of the form new("BEA\_DATA", theData, theBatches, theCovariates). If you have no covariate data, use an empty data.frame created with data.frame()

mData: Object of class "matrix" A matrix where the colnames are sample ids and the rownames are gene equivalents. All names should be strings, not factors.

mBatches: Object of class "data.frame" A data.frame where the column "names" are batch types. The first batch "type" is "Sample". All names and values should be strings, not factors or numeric.

mCovariates: Object of class "data.frame" A data.frame where the column "names" are covariate types. The first covariate "type" is "Sample". All names and values should be strings, not factors or numeric.

### 5.2 theBatchType

A string identifying the batch type to correct.

#### 5.3 thePath

Output path for any files.

#### 5.4 theWriteToFile

TRUE to write the corrected data to file and return the file pathname instead of the corrected matrix.

### 6 Example Call

The following code is adapted from the tests/MP\_ByBatch.R file. Data used is from the testing data as per the MBatch\_01\_InstallLinux document. In the future, we plan to make the output from MBatch more user friendly, but currently, this produces the following output at the command line.

```
library(MBatch)
  # set the paths
  invariantFile="/bea_testing/MATRIX_DATA/rbn-pseudo-iset.tsv"
  variantFile="/bea testing/MATRIX DATA/rbn-pseudo-vset.tsv"
  theOutputDir="/bea_testing/output/RBN_Pseudoreplicates"
  theRandomSeed=314
  theGeneFile="/bea_testing/MATRIX_DATA/matrix_data-Tumor.tsv"
  theBatchFile="/bea testing/MATRIX DATA/batches-Tumor.tsv"
  theOutputDir="/bea_testing/output/MP_ByBatch"
  theRandomSeed=314
  theBatchType="TSS"
  # make sure the output dir exists and is empty
  unlink(theOutputDir, recursive=TRUE)
  dir.create(theOutputDir, showWarnings=FALSE, recursive=TRUE)
  myData <- mbatchLoadFiles(theGeneFile, theBatchFile)
  myData@mData <- mbatchTrimData(myData@mData, 100000)</pre>
  outputFile <- MP_ByBatch(theBeaData=myData,
                           theBatchType=theBatchType,
                           thePath=theOutputDir,
                           theWriteToFile=TRUE)
  correctedMatrix <- readAsGenericMatrix(outputFile)</pre>
  print(correctedMatrix[1:4, 1:4])
## 2018 06 21 10:34:56.867 DEBUG megazone23 Changing LC_COLLATE to C for duration of run
```

```
## 2018 06 21 10:35:06.287 INFO megazone23 Finishing mbatchLoadFiles
## 2018 06 21 10:35:06.287 INFO megazone23
## 2018 06 21 10:35:06.287 DEBUG megazone23 Changing LC_COLLATE to C for duration of run
## 2018 06 21 10:35:06.288 INFO megazone23 \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/ \/
## 2018 06 21 10:35:06.288 INFO megazone23 mbatchTrimData Starting
## 2018 06 21 10:35:06.288 INFO megazone23 MBatch Version: 2017-09-19-1530
## 2018 06 21 10:35:13.850 INFO megazone23 mbatchTrimData Finishing
## 2018 06 21 10:35:13.850 INFO megazone23 ^
## 2018 06 21 10:35:13.850 INFO megazone23 MP_Internal - starting
## 2018 06 21 10:35:13.851 DEBUG megazone23 checkCreateDir: /bea_testing/output/MP_ByBatch
## 2018 06 21 10:35:14.079 DEBUG megazone23 starting BeaMP
## 2018 06 21 10:35:14.079 DEBUG megazone23 starting MP
## 2018 06 21 10:35:14.079 DEBUG megazone23 MP batch
## 2018 06 21 10:35:14.080 DEBUG megazone23 convertDataFrameToSi start
## 2018 06 21 10:35:14.080 DEBUG megazone23 convertDataFrameToSi asmatrixWithIssues
## 2018 06 21 10:35:14.083 DEBUG megazone23 convertDataFrameToSi rownames
## 2018 06 21 10:35:14.083 DEBUG megazone23 convertDataFrameToSi colnames
## 2018 06 21 10:35:14.084 DEBUG megazone23 convertDataFrameToSi done
## 2018 06 21 10:35:15.586 DEBUG megazone23 finishing BeaMP
## 2018 06 21 10:35:15.587 TIMING megazone23
                                                1.49600000000009
                                                                    1.5080000000163
                                                                                        MPByBatch
## 2018 06 21 10:35:15.587 DEBUG megazone23 Write to file /bea_testing/output/MP_ByBatch/ANY_Correction
## 2018 06 21 10:35:15.718 DEBUG megazone23 Finished write to file /bea_testing/output/MP_ByBatch/ANY_
## 2018 06 21 10:35:15.718 INFO megazone23 MP_Internal - completed
                             TCGA-OR-A5J1-01A-11D-A29J-05
## ABR-cg06968724-17-1012579
                                               -0.3519358
## ABR-cg23568341-17-1011974
                                               -0.3830771
## ABR-cg24479027-17-1012576
                                               -0.3482694
## ACOT7-cg16034168-1-6336711
                                                0.4385622
                             TCGA-OR-A5J2-01A-11D-A29J-05
##
## ABR-cg06968724-17-1012579
                                                0.4393437
## ABR-cg23568341-17-1011974
                                                0.4134640
## ABR-cg24479027-17-1012576
                                                0.4451167
## ACOT7-cg16034168-1-6336711
                                                0.3473410
##
                             TCGA-OR-A5J3-01A-11D-A29J-05
## ABR-cg06968724-17-1012579
                                               0.97342630
## ABR-cg23568341-17-1011974
                                               0.87449504
## ABR-cg24479027-17-1012576
                                               0.98826342
## ACOT7-cg16034168-1-6336711
                                               0.01531205
                             TCGA-OR-A5J4-01A-11D-A29J-05
##
## ABR-cg06968724-17-1012579
                                                0.5599403
## ABR-cg23568341-17-1011974
                                                0.5152550
## ABR-cg24479027-17-1012576
                                                0.5571905
## ACOT7-cg16034168-1-6336711
                                                0.4181180
```

# 7 Example File Output

The above code creates the following output file. File is named using the following naming convention: ANY\_Corrections-MPByBatch.tsv The TSV file with the corrected dataset is written by the MBatch package. The end of the output shows a snippet from the corrected matrix.