

(a) DESI DR2 BAO Angle-Averaged Distance Ratios Relative to Planck 2018 ΛCDM
$(D_V/r_d)/(D_V/r_d)_{\text{Planck }\Lambda\text{CDM}}$
BGS
LRG1
LRG2
LRG3+ELG1
ELG2
QSO
Lya QSO
Planck 2018 ΛCDM Reference ($H_0 = 67.36,\ \Omega_m = 0.3153$)
DESI DR2 + CMB Flat ΛCDM ($\Omega_m = 0.3027$)
DESI DR2 + CMB + Pantheon+ w_0w_aCDM ($w_0 = -0.838,\ w_a = -0.62$)
DESI DR2 + CMB w_0w_aCDM ($w_0 = -0.42,\ w_a = -1.75$)
DESI DR2 Observed $(D_V/r_d)/(D_V/r_d)_{\text{Planck}}$
(b) Pantheon+ Type Ia Supernova Hubble Diagram Residuals ($0.015 \le z \le 1.95$)
$\Delta\mu(z) = \mu_{\text{obs}} - \mu_{\Lambda\text{CDM}}$ [mag]
Pantheon+ Best-Fit Flat ΛCDM ($\Omega_m = 0.334,\ H_0 = 73.04$)
w_0w_aCDM Shape Evolution ($w_0 = -0.838,\ w_a = -0.62$)
Pantheon+ Binned SNe Ia Residuals (1701 light curves)
Redshift z