

## **Application Layer Protocols (HTTP,SMTP/POP)**

### **Examination Lab**

#### **Objectives:**

Capture traffic and observe the PDUS for HTTP, SMTP, POP.

#### **Task 1: Observe HTTP traffic exchange between a client and server.**

##### **Step 1 – Run the simulation and capture the traffic.**

- Enter Simulation mode.
- Click on the PC1. Open the Web Browser from the Desktop.
- Enter www.bracu.ac.bd into the browser. Clicking on Go will initiate a web server request. Minimize the Web Client configuration window.
- Two packets appear in the Event List, a DNS request needed to resolve the URL to the IP address of the web server and an ARP request needed to resolve the IP address of the server to its hardware MAC address.
- Click the Auto Capture / Play button to run the simulation and capture events.
- Sit tight and observe the packets flowing through the network.



- When the above message appears Click “View Previous Events”.
- Click on PC1. The web browser displays a web page appears.

##### **Step 2 – Examine the following captured traffic.**

Our objective in this lab is only to observe HTTP traffic.

	Last Device	At Device	Type
1.	PC1	Switch 0	HTTP
2..	Local Web Server	Switch 1	HTTP

- Find the following packets given in the table above in the Event List, and click on the colored square in the Info column.

(sec)	Last Device	At Device	Type	Info
--	PC1	DNS		
--	PC1	ARP		
PC1	Switch0	ARP		
Switch0	PC0	ARP		
Switch0	Switch1	ARP		

- When you click on the Info square for a packet in the event list the PDU Information window opens. If you click on these layers, the algorithm used by the device (in this case, the PC) is displayed. View what is going on at each layer.
- Examine the PDU information for the remaining events in the exchange.

**For packet 1::**

**What kind of HTTP packet is packet no. 1?**

**Packet no. 1 is HTTP Request packet**

---

**Click onto “Inbound PDU details” tab. Scroll down at the end, what do you see?**

**HTTP Data: Accept-Language: en-us Accept: \*/\* Connection: close Host: www.bracu.ac.bd**

**We can find the Request URL**

---

**For packet 2:**

**Click onto “Inbound PDU details” tab. Scroll down at the end, what do you see?  
What kind of HTTP packet is this?**

**We can see**

**HTTP RESPONSE**

**HTTP Data:Connection: close Content-Length: 151 Content-Type: text/html Server: PT-Server/5.2**

**This is a HTTP Response packet**

---



---




---


**Task 2: Observe email traffic exchange between a client and email server using SMTP and POP3.**

**Step 1 – Run the simulation and capture the traffic.**


- On the Event List window click “Reset Simulation” button. All previous packets will disappear.
- At the bottom of the Event List window, there is a filter which filters the protocols that we want to see. Click Edit filters. Another window appears showing different protocols, unclick HTTP and click SMTP and POP3.



- Click a space anywhere outside the popup window, then it will disappear.
- Your Event List Filter should be as shown below:



- Now click on the PC1. Close the web browser window. Open the **Email** from the **Desktop**. A mail browser window will open. Click “compose”, another window appears.



- Fill the window as shown and press send.
- Minimize the client window .
- Click the **Auto Capture / Play** button to run the simulation and capture events.
- Sit tight and observe the packets flowing through the network.
- This interaction is between the sender client and its email server.

## Step 2 – Examine the following captured traffic.

Our objective in this lab is only to observe SMTP traffic.

	Last Device	At Device	Type
3.	PC1	Switch 0	DNS
4.	PC1	Switch 0	SMTP
5.	Bracu Email Server	Switch 1	SMTP

- Find the following packets given in the table above in the **Event List**, and click on the colored square in the **Info** column.
- Examine the PDU information.

### For packet 4::

What is the purpose of this DNS packet?

To identify the mail servers IP address or receiver’s domain address

**For packet 5& 6::**

Explain why SMTP packet was sent to the email server and the server replied with an SMTP packet?

**The SMTP packet was sent to the email server with the mail and the server responded with a SMTP packet with acknowledgment of receiving the mail packet successfully**

---

**Step 3 – Run the simulation and capture the traffic for POP.**

- On the Event List window click “Reset Simulation” button. All previous packets will disappear.
- Now click on the PC0. Open the **Email** from the **Desktop**. A mail browser window will open. Click “**receive**”, minimize the window.
- Click the **Auto Capture / Play** button to run the simulation and capture events.
- Sit tight and observe the packets flowing through the network.
- This interaction is between the sender client and its email server.

**Step 2 – Examine the following captured traffic.**

Our objective in this lab is only to observe POP traffic.

	Last Device	At Device	Type
6.	PC1	Switch 0	DNS
7.	PC1	Switch 0	POP3
8.	Bracu Email Server	Switch 1	POP3

- Find the following packets given in the table above in the **Event List**, and click on the colored square in the **Info** column.
- Examine the PDU information.

**For packet 6::**

What is the purpose of this DNS packet?

**To Identify the mail servers IP/Domain Address**

---

**For packet 7&8::**

Explain why POP packet was sent to the email server and the server replied with a POP packet?

The POP packet was sent to the mail server with a pull request to pull the mail and the server responded with a POP packet which had the requested mail in it.

---

---

•