

Troubleshooting

1. Windows: 3D viewer slow or buggy.
2. Windows: qtpy.QtBindingsNotFoundError




1. Windows 3D viewer slow or buggy

- If the 3D view is being slow or buggy, it may be due to your graphics card. We've seen slowdowns on windows with Arc graphics cards.
- It might help if you change which graphics card windows uses for mdanse.




1. Windows 3D viewer slow or buggy

- Search graphics in the windows search.




1. Windows 3D viewer slow or buggy


- Search graphics in the windows search.
- Select add desktop app.



1. Windows 3D viewer slow or buggy


- Search graphics in the windows search.
- Select add desktop app.
- Add your pythonw.exe inside your mdanse conda env. Use `where python` while in you conda env to figure it out the location.





1. Windows 3D viewer slow or buggy

- Search graphics in the windows search.
- Select add desktop app.
- Add your pythonw.exe inside your mdanse conda env. Use `where python` while in you conda env to figure it out the location.
- Change the graphics preference of `pythonw.exe` to your high performance GPU.
- You may also need to do this with `python.exe`.



2. Windows: qtpy.QtBindingsNotFoundError

- Error when starting MDANSE GUI:

```
(MDANSE) C:\Users\...\PycharmProjects\MDANSE>mdanse_gui
Traceback (most recent call last):
  File "<frozen runpy>", line 198, in _run_module_as_main
  File "<frozen runpy>", line 88, in _run_code
  File "C:\Users\...\AppData\Local\miniconda3\envs\MDANSE\Scripts\mdanse_gui.exe\__main__.py", line 5, in <module>
  File "C:\Users\...\PycharmProjects\MDANSE\MDANSE_GUI\Src\MDANSE_GUI\Scripts\mdanse_gui.py", line 22, in main
    from MDANSE_GUI.main import startGUI
  File "C:\Users\...\PycharmProjects\MDANSE\MDANSE_GUI\Src\MDANSE_GUI\main.py", line 26, in <module>
    from qtpy.QtCore import QLocale, QSettings, Qt, QTimer
  File "C:\Users\...\AppData\Local\miniconda3\envs\MDANSE\Lib\site-packages\qtpy\__init__.py", line 293, in <module>
    raise QtBindingsNotFoundError from None
qtpy.QtBindingsNotFoundError: No Qt bindings could be found
```

- Try reinstall PyQt6 with an older version e.g.

```
python -m pip install --force-reinstall "PyQt6==6.8.1"
```