Future Path Comprehensive Test Cases

Learner workflow • staff access • reference maintenance • reports • database • display scaling

Coverage	Included
Numbered acceptance cases	206
Exact supplied learner scenarios	10 complete input sheets, expected scores and alternatives
Display configurations	Windows 10 and Windows 11 × 100%, 125%, 150%, 175%, 200%
Recording sheets	Result/evidence space for every case; defect and retest log

Applies to FuturePath_Project_Only.zip, application edition 2.0. Prepared 18 October 2026.

This is a test plan, not a record of successful execution. Every test starts as Not run. Expected results describe what to verify; record a defect when the application behaves differently. A finite plan cannot cover every possible input or environment.

Test run details

Tester / date	_____
Windows version / VM or physical	_____
Resolution / display scale	_____
Test database name	_____
Build or ZIP version	_____

Before testing and recommended order

Use fictional records and a separate acceptance database for edits, account lockout, failure injection and restore. Keep an existing database/backup intact. Do the exact seed-count report checks before saving extra sessions or editing reference data.

Create an isolated database

1. Extract the whole project-only ZIP and open FuturePath.sln. Stop debugging before changing launch settings.

2. In src/FuturePath.Desktop/Properties/launchSettings.json, set the existing FuturePath profile's commandLineArgs to the value below. Use your own unused acceptance name if needed. Keep the rest of the JSON unchanged.

```
"commandLineArgs": "--database FuturePathAcceptance_20261018"
```

3. Press F5. Click Prepare demonstration database. This creates the named test database on (localdb)\MSSQLLocalDB using your Windows account. Check the selected catalog in SQL Server Object Explorer before running queries.

4. Leave this test name set while completing destructive/failure cases. When finished, stop debugging and restore commandLineArgs to an empty string to return to the default database. Do not delete a live database to obtain a clean seed.

Fictional demo accounts

Username	Password	Role
advisor_test	FuturePathAdvisor2026!	Career Advisor
admin_test	FuturePathAdmin2026!	Administrator

These seed credentials apply to a newly prepared demo database. Earlier password changes remain in an existing database. Change/lock out only a separate QA account when a case requests it.

Recommended test order

First: ST01–ST05 and the untouched-seed report checks RP01–RP03, RP09–RP12 and RP14. Next: profile/marks/interests/degree cases and SS01–SS10. Then saving/follow-ups, staff permissions, administration, export/print and display. Last: optional advanced database failure/restore cases. New sample runs create additional sessions; do not keep expecting a total of ten afterwards.

P1 = normal/critical acceptance checks. P2 = extended or failure/robustness checks. Advanced = requires SQL tools or configuration changes in the isolated database. If a prerequisite is unavailable, record Blocked with the reason. Cases are designed to find defects, not to justify changing the expected result to fit an error.

Contents

Section headings are clickable in supported PDF readers. Cases include their own prerequisites, steps/data, expected result and result/evidence space.

Before testing and recommended order 2

Contents 3

Base data and question reference 4

1. Installation and startup 5

2. Learner profile and contact validation 9

3. Subjects and marks 14

4. Interest questionnaire 18

5. Faculty and degree selection 22

6. Eligibility rules and recommendation ranking 25

7. Funding guidance 33

8. Navigation, saving, persistence and follow-ups 37

9. Staff authentication, roles and passwords 42

10. Administrator maintenance 47

11. Saved-session search and the three reports 55

12. Export, file handling and printing 61

13. Database integrity, backup and failure recovery 65

14. Display scaling, keyboard access and endurance 68

Appendix A. Exact supplied learner scenarios 72

Appendix B. Expected alternative ranking 83

Appendix C. Controlled setup and SQL verification 86

Appendix D. Display test matrix 88

Appendix E. Defect and retest record 89

Appendix F. Test completion summary 90

Base data and question reference

Base B1 means the complete SS01 Gadija input sheet in Appendix A. For quick manual tests use a new fictional alias, School=QA School, Province=Western Cape and Grade=12; keep the same academic inputs. Unless a case says otherwise, confirm the complete subject list and answer every active question.

B1 field	Value
Faculty / degree	Commerce / BCom Information Systems
Subjects / marks	English 72; Mathematics 70; Accounting 74; Business Studies 79; Economics 70; Life Orientation 80
Answers in original question order	Q1=4, Q2=3, Q3=5, Q4=2, Q5=3, Q6=5, Q7=3, Q8=2
Expected result	Strong Match; interest 93.75%; overall 98.44%

Original eight-question reference

ID	Question	Category
1	I enjoy solving problems using numbers or data.	Numeracy
2	I enjoy helping people and communities.	Helping People
3	I enjoy working with technology.	Technology
4	I enjoy science experiments and research.	Science and Research
5	I enjoy reading, writing and analysing ideas.	Reading, Writing and Analysis
6	I enjoy business, entrepreneurship and finance.	Business and Finance
7	I enjoy designing or building practical solutions.	Design Thinking
8	I enjoy understanding society, law or politics.	Society and Politics

Radio responses: 1 Strongly disagree; 2 Disagree; 3 Neutral; 4 Agree; 5 Strongly agree. Values convert to 0/25/50/75/100% before category averaging. If questions were edited or added, restore the original test seed for exact sample-score comparisons.

1. Installation and startup

Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

12 cases • IDs ST01–ST12

ST01 | Open, restore and build

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Open FuturePath.sln. Allow package restore to finish. Build with Ctrl+Shift+B.

Expected: All three application projects load and build. No missing source, project or embedded SQL resource errors.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST02 | Launch the GUI

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Select FuturePath.Desktop as startup project if necessary. Press F5.

Expected: The Future Path Windows application opens; a test console is not the startup program.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST03 | Prepare a new demonstration database

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Using the isolated database setup on page 2, start with a new database name. Click Prepare demonstration database.

Expected: The local database, schema, fictional sample data and staff accounts are prepared. The overview opens without a PowerShell script.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST04 | Retry after LocalDB becomes available

P2 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: On a separate installation where LocalDB is initially unavailable, start the app. Install/start LocalDB, then use Retry connection or Prepare demonstration database.

Expected: A readable setup error appears first. Retrying connects successfully after the prerequisite is available; no unrelated database is reset.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST05 | Restart preserves data

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Record initial session and learner counts. Close the app, reopen it twice and compare counts.

Expected: Ordinary startup does not reseed, duplicate or delete rows. Existing credentials and saved assessments remain available.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST06 | Repeat explicit setup safely

P1 • Advanced • disposable database

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Use the same isolated demonstration database. Run Database/01, 02 and 03 again in order, or repeat explicit setup using the full edition helper if available.

Expected: Schema creation is repeatable; the seed skips a nonempty database and preserves edited data/passwords.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST07 | Refuse an unrelated database

P2 • Advanced • disposable database

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Create a separate empty database with only dbo.SetupGuardProbe(Id INT). Point the test launch at it and attempt Prepare demonstration database.

Expected: Setup refuses unversioned user tables. SetupGuardProbe remains and no application schema is added. Do not perform this test on a real database.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST08 | Single instance for the same database

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Leave one app open. Launch a second executable for the same database name.

Expected: The second launch reports that Future Path is already open. It does not create another workspace.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST09 | Independent named databases

P2 • Advanced • disposable database

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Launch two copies using two distinct disposable database names. Prepare them separately and save a test session in one.

Expected: Separate catalog names can have separate instances/data; the session does not appear in the other database.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST10 | Offline after installation

P1 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: After packages and prerequisites are installed, disconnect internet and run a complete advisory session and export.

Expected: Local advising, database access and export work without runtime internet access. Initial NuGet restore still requires its package source.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST11 | Close during startup

P2 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Close the window while the first database connection is still being checked. Reopen the app normally.

Expected: No delayed orphan window or unhandled exception appears after closing. A later normal launch still works.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

ST12 | Designer files load

P2 • Manual application test

Before: Windows with Visual Studio 2026, .NET desktop development, .NET 10 SDK and SQL Server Express LocalDB. Work from a fully extracted copy.

Steps / data: Build, then open View Designer for the learner forms, login, reports and administration editors.

Expected: The editable controls load. Merely opening a Designer does not require a database connection.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

2. Learner profile and contact validation

Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

17 cases • IDs PR01–PR17

PR01 | Required school

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Leave School empty; repeat using spaces only, with Province selected. Leave the field.

Expected: Next remains disabled and school validation is shown. Spaces do not satisfy a required school.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR02 | Required province

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Supply a school but leave Province unselected.

Expected: Next is disabled until a valid province is selected.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR03 | Only Grade 11 or Grade 12

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Inspect the grade list and try to type Grade 10 or 13. Select 11, then 12.

Expected: Only 11 and 12 are selectable. Both valid grades can continue when other required fields are valid.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR04 | Anonymous learner

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Enter School=QA School, Province=Western Cape, Grade=12; leave name, email and phone blank.

Expected: The profile can continue without a learner account or personal/contact information.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR05 | All provinces

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Repeat valid profile capture with each of the nine provinces listed in the application.

Expected: All nine supported provinces are selectable and accepted; arbitrary typed provinces cannot be chosen.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR06 | Trim outer spaces

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Enter name=" QA Learner " and school=" QA School ". Continue, save and inspect the summary.

Expected: Outer spaces are trimmed; internal spaces remain. The saved profile has QA Learner and QA School.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR07 | Name length boundary

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Paste 120 characters into Name, then attempt a 121st character.

Expected: The input permits at most 120 characters. A valid 120-character optional name can be saved.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR08 | School length boundary

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Use a 120-character school, then attempt a 121st character.

Expected: The input is limited to 120 characters. A nonblank value within the limit is accepted.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR09 | Valid email

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Enter learner@example.com; complete the other required profile fields.

Expected: The valid optional email does not block Next and is preserved in the saved summary.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR10 | Invalid email

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Try "x@", "bad email" and "learner example.com", leaving the field after each.

Expected: Invalid email is rejected or Next is disabled; a field message is visible. Correcting or clearing it allows progress.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR11 | Email length limit

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Attempt to paste more than 150 characters into Email. Then replace it with a valid short address.

Expected: The field does not store more than 150 characters. Normal valid input still works afterwards.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR12 | Valid contact formatting

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Use +27 71 123 4567 and repeat with (021) 123-4567.

Expected: These allowed digits, spaces, plus, parentheses and hyphens are accepted and retained.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR13 | Invalid phone characters and short input

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Try abc1234, 123_4567 and 123456.

Expected: Letters/underscore and a nonblank value shorter than seven characters are rejected.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR14 | Phone length boundaries

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Try seven digits; then twenty permitted characters; then a 21st character.

Expected: Valid nonblank values of length 7–20 are accepted. The input is limited to 20 characters.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR15 | Correct an error without losing other fields

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Enter a valid school/province/name and invalid email. Correct only the email.

Expected: Other profile fields remain present and Next becomes usable once the profile is valid.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR16 | Apostrophe and Unicode text

P2 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Use name="QA O’Neil" and a fictional school with an accented character. Save and retrieve the summary.

Expected: Supported text is stored/displayed correctly, without SQL syntax errors or damaged characters.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PR17 | Profile retained by Back

P1 • Manual application test

Before: Start a new advisory session. Use fictional information only. Profile tests concern new capture unless explicitly marked as follow-up.

Steps / data: Enter a valid profile, go to Subjects and return with Back.

Expected: All entered values and the chosen grade/province remain present.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

3. Subjects and marks

Use base profile B1. Work on the Subjects step; use active school subjects from the list.

15 cases • IDs MK01–MK15

MK01 | No captured subjects

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Do not add a row, or remove all existing rows.

Expected: Next is disabled until at least one valid subject/mark is captured.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK02 | Add one subject

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Select English, enter 72 and click Add / update subject.

Expected: Exactly one row appears with the chosen subject and mark.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK03 | Add several subjects

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Capture all six subjects/marks in B1.

Expected: All six appear with the correct marks; no previous row is lost.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK04 | Update rather than duplicate

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Add Mathematics 70, then add Mathematics 75 again.

Expected: There is still one Mathematics row and its mark is updated to 75.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK05 | Select a row for editing

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Select a captured row in the ListView.

Expected: The subject selector and mark input display that row’s values.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK06 | Remove selected row

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Select one of several rows and click Remove selected subject.

Expected: Only the selected row is removed; the remaining subject/mark pairs stay correct.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK07 | Remove with no selection

P2 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Click Remove selected subject without selecting a row.

Expected: No unrelated row is removed and the application does not crash.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK08 | Zero mark

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Add an active subject with 0.

Expected: Zero is accepted and retained as a real supplied mark, not treated as an absent subject.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK09 | One hundred percent

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Add an active subject with 100.

Expected: 100 is accepted and saves without a decimal-overflow error.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK10 | Decimal mark

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Enter 72.35, save and retrieve the assessment.

Expected: The mark remains 72.35, not rounded to a whole number or swapped with another subject.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK11 | Out-of-range mark entry

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Try typing or pasting -1 and 101 into the numeric mark input; attempt to leave it.

Expected: The control/validation prevents saving marks outside 0–100 and does not crash.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK12 | Text in numeric mark

P2 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Try letters or a nonnumeric pasted string in the mark control.

Expected: No invalid mark reaches the captured list; the input recovers to a valid numeric state.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK13 | Unconfirmed subject list

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Capture B1 but do not tick the complete-list confirmation. Complete the remaining steps.

Expected: The result is More Information Needed and asks to confirm capture; missing subjects are not asserted as confirmed omissions.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK14 | Confirm completeness changes interpretation

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: For SS02, compare the result with complete-list confirmation off, then on.

Expected: Unconfirmed gives More Information Needed; confirmed produces Not Currently Eligible for the missing required Mathematics.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

MK15 | Back preserves list and checkbox

P1 • Manual application test

Before: Use base profile B1. Work on the Subjects step; use active school subjects from the list.

Steps / data: Capture several subjects and tick completeness. Go forward, Back, then forward again.

Expected: Rows, decimal marks and the confirmation choice remain present.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

4. Interest questionnaire

Use B1 profile and marks. Reach the Interests step.

12 cases • IDs IN01–IN12

IN01 | Question text and count

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Read all questionnaire prompts and scroll to the bottom.

Expected: All active questions are shown; the original seed has eight themes matching the question reference table.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN02 | One answer per question

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Select response 1 for a question, then response 5 for the same question.

Expected: Only response 5 remains selected for that question; other questions retain their own answers.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN03 | Missing answer prevents ordinary Next

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Answer seven questions, leaving one blank, without selecting incomplete continuation.

Expected: Next remains disabled until the missing answer is supplied or incomplete continuation is explicitly selected.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN04 | All eight valid answers

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Supply the eight B1 responses and leave incomplete continuation off.

Expected: Next becomes available and every response is retained when navigating back.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN05 | Deliberate incomplete questionnaire

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Leave one answer blank and select Continue with an incomplete questionnaire. Complete assessment.

Expected: Progress is permitted but the outcome is More Information Needed; the unanswered count is explained.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN06 | No answers, deliberate incomplete

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Choose no radio answers but explicitly select incomplete continuation.

Expected: The program does not invent scores or produce a Strong Match; it returns More Information Needed.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN07 | All responses at 1

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Use B1 marks, complete the subject list, and answer every question 1.

Expected: Each answered category score is 0%; selected degree interest is 0%; outcome is Possible Match rather than Strong Match.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN08 | All responses at 3

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Use B1 marks and answer every question 3.

Expected: Category scores and selected-degree interest are 50%; BCom Information Systems is Possible Match with total 87.50%.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN09 | All responses at 5

P1 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Use B1 marks and answer every question 5.

Expected: Category/degree interest is 100%; BCom Information Systems is Strong Match with total 100.00%.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN10 | New active question appears

P2 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: In the disposable database, add an active question to an existing category. Start a new session.

Expected: The new question is displayed and is required for ordinary completion. Do not expect existing in-progress controls to reload dynamically.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN11 | Inactive question excluded

P2 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Deactivate a disposable extra question while another active question covers its category. Start a new session.

Expected: The inactive question is not displayed or counted as an unanswered active question.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

IN12 | Two questions in one category

P2 • Manual application test

Before: Use B1 profile and marks. Reach the Interests step.

Steps / data: Use two active questions in one test category; answer them 1 and 5. Complete all other active questions.

Expected: That category averages to 50%, not 0% or 100%; degree mappings use the category average.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

5. Faculty and degree selection

Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

8 cases • IDs DG01–DG08

DG01 | Faculty filters degrees

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Select Commerce, inspect the degree choices, then select Science.

Expected: Only active degrees belonging to the chosen faculty are offered; a stale Commerce selection is not submitted under Science.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG02 | Requirement text matches selection

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Select two different degrees and compare their description, minimum average and subject rules.

Expected: The displayed stored requirements update for each degree; old degree details are not left on screen.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG03 | No active programme choice

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Use a disposable faculty with no active degree and select it.

Expected: Next is unavailable when no degree can be selected; no arbitrary degree ID is submitted.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG04 | Inactive degree omitted

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Deactivate a disposable degree and start a new advisory session.

Expected: The inactive degree is absent from learner choices; old saved assessments remain retrievable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG05 | Inactive faculty omitted

P2 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Deactivate an unused disposable faculty and start a new advisory session.

Expected: The inactive faculty and its degree options are not offered to a new learner.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG06 | Back retains degree selection

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Choose a faculty and degree, advance to Results, then go Back.

Expected: The faculty/degree selection is retained and remains consistent with the displayed requirements.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG07 | Selection preview is calculated

P1 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Select a different degree and advance to Results.

Expected: The programme, faculty, outcome and reasons correspond to the newly selected degree, not a cached previous result.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DG08 | Reference changes are read on assessment

P2 • Manual application test

Before: Use a complete valid draft. Reach the Degree step. Administration changes are made only in the disposable database.

Steps / data: Change an allowed mark threshold in the disposable database, then perform a new assessment.

Expected: New results use the stored rules available at assessment time; old saved scores/reasons are not recalculated.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

6. Eligibility rules and recommendation ranking

Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

24 cases • IDs RL01–RL24

RL01 | Required learner: Gadija Jacobs

P1 • Manual application test

Before: Exact input sheet SS01.

Steps / data: Enter the exact SS01 sample inputs, select the named faculty/degree, and preview/save.

Expected: Strong Match; component scores, explanation and total match SS01. Names themselves must not select an outcome.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL02 | Required learner: Aadiel-Raboo Magwa

P1 • Manual application test

Before: Exact input sheet SS02.

Steps / data: Enter the exact SS02 sample inputs, select the named faculty/degree, and preview/save.

Expected: Not Currently Eligible; component scores, explanation and total match SS02. Names themselves must not select an outcome.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL03 | Required learner: Labeeqah Rademeyer

P1 • Manual application test

Before: Exact input sheet SS03.

Steps / data: Enter the exact SS03 sample inputs, select the named faculty/degree, and preview/save.

Expected: Possible Match; component scores, explanation and total match SS03. Names themselves must not select an outcome.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL04 | Required learner: Siyabonga Dickson

P1 • Manual application test

Before: Exact input sheet SS04.

Steps / data: Enter the exact SS04 sample inputs, select the named faculty/degree, and preview/save.

Expected: Strong Match; component scores, explanation and total match SS04. Names themselves must not select an outcome.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL05 | Required learner: Derek Vin Diesel

P1 • Manual application test

Before: Exact input sheet SS05.

Steps / data: Enter the exact SS05 sample inputs, select the named faculty/degree, and preview/save.

Expected: Not Currently Eligible; component scores, explanation and total match SS05. Names themselves must not select an outcome.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL06 | All additional supplied scenarios

P2 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Repeat exact input sheets SS06–SS10, respecting incomplete flags.

Expected: Outcomes/scores match the five additional sample sheets; all four result categories are exercised.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL07 | Mathematics boundary 60

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Change only B1 Mathematics to 60; keep the complete subject list and B1 responses.

Expected: Strong Match. The explanation reports the Mathematics threshold of 60 and the 0-point shortfall when positive.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL08 | Mathematics boundary 59.99

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Change only B1 Mathematics to 59.99; keep the complete subject list and B1 responses.

Expected: Possible Match. The explanation reports the Mathematics threshold of 60 and the 0.01-point shortfall when positive.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL09 | Mathematics boundary 55

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Change only B1 Mathematics to 55; keep the complete subject list and B1 responses.

Expected: Possible Match. The explanation reports the Mathematics threshold of 60 and the 5-point shortfall when positive.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL10 | Mathematics boundary 54.99

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Change only B1 Mathematics to 54.99; keep the complete subject list and B1 responses.

Expected: Not Currently Eligible. The explanation reports the Mathematics threshold of 60 and the 5.01-point shortfall when positive.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL11 | Missing mandatory subject

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Remove B1 Mathematics, confirm the remaining list complete, and assess.

Expected: Not Currently Eligible; the missing mandatory Mathematics is named. A high interest score does not override it.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL12 | Missing information takes precedence

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Use SS02 but omit one questionnaire answer with deliberate incomplete continuation.

Expected: More Information Needed takes precedence over the confirmed mandatory-subject omission; both captured facts remain available in the explanation.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL13 | Optional subject is not a hard requirement

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Use B1 without its helpful optional subject and assess; then add that subject.

Expected: A helpful-not-compulsory note may appear when absent. Its absence alone does not make the learner Not Currently Eligible.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL14 | Explicit OR accepts a supported alternative

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Use SS08 (Mathematical Literacy) and its named Law-related programme.

Expected: The explicit Mathematics/Mathematical Literacy OR requirement can be satisfied; both alternatives are not treated as independent mandatory subjects.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL15 | Interest threshold exactly 60

P2 • Manual application test

Before: QA Boundary Degree preset; controlled mapping test in the disposable database.

Steps / data: Using QA Boundary Degree, set Numeracy weight 2 and Helping People weight 3. Answer Q1=4, Q2=3, all other questions valid. Assess with English=80/Mathematics=80.

Expected: Interest is exactly 60.00%; with every hard rule met the outcome is Strong Match.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL16 | Interest just below 60

P2 • Manual application test

Before: QA Boundary Degree preset, as in RL15.

Steps / data: In the preceding controlled mapping, change weights to Numeracy=1.99 and Helping People=3.01.

Expected: Interest is 59.95%; outcome is Possible Match although marks and subjects pass.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL17 | Overall average at threshold

P2 • Manual application test

Before: QA Boundary Degree preset with original Numeracy-only mapping.

Steps / data: Use QA Boundary Degree with English=80/Mathematics=80, complete list, all answers 5, MinimumAverage=80.

Expected: Average is 80%; the average rule passes and the result is Strong Match.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL18 | Overall average near and hard gaps

P2 • Manual application test

Before: QA Boundary Degree preset; keep marks/answers constant.

Steps / data: Repeat the preceding case with MinimumAverage=85, then 85.01.

Expected: At 85 the 5-point gap is Possible Match; at 85.01 the 5.01-point gap is Not Currently Eligible. All captured subjects count in the mean.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL19 | Incomplete rule configuration

P2 • Advanced • disposable database

Before: Advanced configuration-failure test; isolated QA Boundary Degree only.

Steps / data: In the isolated database, temporarily make the QA degree active with no active interest mapping using SQL, then assess it. Restore the mapping afterwards.

Expected: The engine returns More Information Needed for incomplete rules, not a misleading Strong Match. Normal administration should prevent such activation.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL20 | Alternative list eligibility

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Assess SS02 and inspect every alternative and its reasons.

Expected: At most five alternatives; selected degree is excluded; each offered result is Strong Match or Possible Match; no inactive or Not Currently Eligible programme is included.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL21 | Alternative order and repeatability

P2 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Assess the same unchanged inputs twice, comparing alternative order and scores.

Expected: Strong matches precede possible matches; within each category scores descend. Exact score ties use ordinal programme name then ID; order is stable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL22 | Incomplete input does not assert eligible alternatives

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Use SS09 or an unconfirmed subject list with otherwise high marks.

Expected: No alternative is presented as a confirmed Strong/Possible match while the same required information is missing.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL23 | Zero minimum mark

P2 • Manual application test

Before: QA Boundary Degree in the disposable database.

Steps / data: In the QA degree set a mandatory supplied subject minimum to 0, enter 0 for it and otherwise pass all rules.

Expected: The supplied zero mark meets the zero minimum; no division-by-zero or crash occurs.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RL24 | Score formula and range

P1 • Manual application test

Before: Use B1 unless another sample or QA Boundary Degree is named. Confirm subjects and answer every active question unless the case deliberately removes information.

Steps / data: Inspect SS01 component scores and total; repeat using all-5 answers.

Expected: 35% subject + 35% mark + 25% interest + 5% preference gives 98.44% for SS01 and 100% for its all-5 variant. Components/totals remain 0–100%.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

7. Funding guidance

Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

12 cases • IDs FU01–FU12

FU01 | Opt out

P1 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Leave funding guidance unselected and save.

Expected: The summary states funding information was not requested and does not include a fabricated funding list.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU02 | Opt in

P1 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Select funding guidance and inspect the list before saving.

Expected: Only relevant currently open active opportunities appear, with name, type, eligibility, documents, closing date and contact information.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU03 | Toggle without losing draft

P1 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Toggle funding on, off and on; go Back and return.

Expected: The choice/list updates, earlier academic inputs remain unchanged, and no assessment is saved merely by toggling.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU04 | Expired opportunity

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Set a linked QA opportunity’s closing date to D−1. Return through a refreshed funding step/new session.

Expected: The expired opportunity is excluded.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU05 | Deadline today inclusive

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Set the QA opportunity’s closing date to D.

Expected: It remains eligible for display through that local date.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU06 | Future opportunity

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Set the QA closing date to D+1.

Expected: An otherwise active relevant opportunity is displayed.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU07 | Inactive opportunity

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Deactivate the linked QA opportunity and refresh the funding step.

Expected: It is excluded without deleting its historical references.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU08 | Faculty-wide link

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Link the QA opportunity to the selected faculty and give it no active programme-specific links.

Expected: The option is offered to relevant active degrees in that faculty.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU09 | Programme-specific restriction

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Give the QA opportunity an active programme link to a different degree within the same faculty.

Expected: It is excluded for the unlinked degree; a broad faculty link does not override active programme restrictions.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU10 | Same award linked more than once

P2 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Link one QA opportunity through both a relevant faculty and programme.

Expected: The funding list does not duplicate the same opportunity.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU11 | No linked open funding

P1 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Use a QA degree with no open relevant opportunities and request guidance.

Expected: A clear no-currently-open-linked-records message appears. It does not claim official funding ineligibility.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

FU12 | Persist the funding choice

P1 • Manual application test

Before: Use a completed preview for a degree with linked funding. Let D be the computer’s local date. Use disposable funding records for date/link edits.

Steps / data: Save an opt-in assessment, restart, sign in as advisor and retrieve it.

Expected: The stored funding-request flag is retained. Current funding details may differ after date/reference changes.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

8. Navigation, saving, persistence and follow-ups

Use B1 in the isolated test database; note the row/session counts before cases that save data.

16 cases • IDs PS01–PS16

PS01 | Exactly one visible learner step

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Advance and go Back repeatedly through the flow, observing the taskbar and parent window.

Expected: There is one application parent window, one visible learner step and a correct Step n of 7 indicator.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS02 | Back retains input across multiple steps

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Change profile, marks and questionnaire answers. Advance to Results and go Back through them.

Expected: The existing controls/values are retained, not replaced by blank forms.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS03 | Preview does not write

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Record session count, advance to Results, change degree and preview again without using Save and view summary.

Expected: No learner/session/result rows are committed by previews. Draft input remains editable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS04 | One final save

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: From Funding click Save and view summary once; retrieve the saved session.

Expected: One new assessment is committed with its marks, responses, category scores, selected result, alternatives, funding flag and audit entry.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS05 | Summary is read-only

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: On Summary try to go Back or alter report text; inspect buttons.

Expected: Back is disabled, summary text is read-only, and the saved assessment is not silently overwritten.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS06 | Finish returns home

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Finish a saved summary and start another advisory.

Expected: The overview opens, the next draft starts clean and the previous saved assessment remains in the database.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS07 | Cancel ending a draft

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Enter data, click End session and answer No.

Expected: The draft and current screen remain available.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS08 | Confirm ending a draft

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Repeat End session and answer Yes. Start a new advisory.

Expected: The draft is discarded, the overview returns and the new draft contains no previous learner data.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS09 | Close warning

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: With an unsaved draft close the main window; test No, then Yes.

Expected: No preserves the draft/window; Yes closes without saving a partial assessment.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS10 | Persistence after restart

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Save B1 with mark 72.35 for a test subject, close the app and retrieve it as advisor.

Expected: Values and associations survive restart, including decimals, responses, reasons and alternatives.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS11 | Staff follow-up

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: As advisor retrieve an existing session, create a follow-up, change marks and save.

Expected: A new session ID is created for the same learner. The original session/results remain unchanged.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS12 | Follow-up identity protection

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Inspect personal/contact fields on a staff follow-up; change only grade or academic inputs.

Expected: Identity/contact fields are preserved/read-only; allowed academic/grade changes belong to the new session.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS13 | Two learners remain separate

P1 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Save two new profiles with visibly different schools, marks and answers; retrieve each by session ID.

Expected: No marks/responses/funding flag from one learner/session appear in the other.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS14 | Snapshot after a reference-rule edit

P2 • Manual application test

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Save a QA assessment. Edit its programme thresholds or weights, then retrieve the original and create a new follow-up.

Expected: Original stored score, rule version and explanation remain unchanged. New assessments use current rules; displayed reference labels/current funding may update.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS15 | Database failure during final save

P2 • Advanced • disposable database

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Use the optional failure-injection procedure in Appendix C only in the isolated database. Attempt final save, then inspect counts.

Expected: An error is shown; no success summary appears; no partial learner/session/marks/responses/results/audit transaction remains. SQL identity numbers may have gaps.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

PS16 | Retry after a save failure

P2 • Advanced • disposable database

Before: Use B1 in the isolated test database; note the row/session counts before cases that save data.

Steps / data: Remove the disposable failure trigger/restore the connection and retry the same draft once.

Expected: The draft is retained and one complete assessment is saved. A failed transaction did not assign a persisted learner identity.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

9. Staff authentication, roles and passwords

Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

16 cases • IDs LG01–LG16

LG01 | Advisor login

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Sign in as advisor_test with FuturePathAdvisor2026!.

Expected: Advisor identity/role appears. Saved sessions, reports and password change are available; administration is unavailable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG02 | Administrator login

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Sign in as admin_test with FuturePathAdmin2026!.

Expected: Administrator functions are available in addition to session/report tasks.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG03 | Invalid credentials

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Try a nonexistent username and a wrong password for an active account, once each.

Expected: Generic sign-in failure; no role is granted and the screen does not expose whether the username exists.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG04 | Blank credentials

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Submit blank username/password, then a valid username with blank password.

Expected: No successful sign-in or crash. A readable failure appears.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG05 | Trim username, not password

P2 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Try spaces around advisor_test with its exact password; separately add a space to the password.

Expected: Outer username spaces are trimmed; adding a password character does not produce a valid login.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG06 | Password masking

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Type a password in login, change-password and staff-account editors.

Expected: Password fields mask characters; saved account lists do not reveal plaintext passwords or hashes.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG07 | Temporary lockout

P2 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: On a QA staff account make five consecutive wrong-password attempts. Try its correct password immediately afterwards.

Expected: The account is locked for approximately five minutes; the correct password cannot bypass active lockout.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG08 | Lockout expiry and reset

P2 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Wait until the QA lockout expires, then log in with the correct password. Inspect failure count if using the read-only query.

Expected: Successful login is possible after expiry and the failed-attempt count/lockout reset.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG09 | Inactive account denied

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: As admin deactivate a separate QA advisor; attempt to sign in as it.

Expected: The inactive account is denied even with the correct password.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG10 | Sign out clears workspace

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Sign in, retrieve a learner, close staff dialogs and sign out.

Expected: Staff identity/navigation and guest-owned session access are cleared; the welcome learner workspace is shown.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG11 | Change password succeeds

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Change a QA staff password using its correct current password and a matching new value CourseTestPass2026!. Sign out and retry old/new values once.

Expected: New password succeeds and old password fails; no plaintext password is stored.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG12 | Incorrect current password

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Attempt a password change using a wrong current password.

Expected: Change is rejected and the existing password remains valid.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG13 | New password confirmation mismatch

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: Use two different new-password/confirmation values.

Expected: Mismatch is reported and no password is changed.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG14 | Password length/content boundaries

P2 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: On a QA account test fewer than 12 characters, letters only, digits only, a valid 12-character letter+digit value and a valid 128-character value.

Expected: Weak/short values are rejected. Valid 12–128-character values are accepted; UI prevents more than 128 characters.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG15 | Guest and advisor privileges

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: As guest look for session search/reports/admin; as advisor look for administration and account editing.

Expected: Guest has no staff functions; advisor cannot maintain references/accounts. Backend authorization must also deny direct calls; UI hiding alone is not sufficient.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

LG16 | Protect the signed-in admin

P1 • Manual application test

Before: Use fictional seeded staff accounts on the isolated database. Make account/password/lockout changes only there.

Steps / data: As admin_test try to deactivate or demote that same account in staff maintenance.

Expected: Operation is rejected; the signed-in administrator cannot disable or demote itself.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

10. Administrator maintenance

Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

22 cases • IDs AD01–AD22

AD01 | Create reference records

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Add a unique QA faculty, subject and interest category with valid names.

Expected: Each saves and can be selected in the relevant reference editor. No duplicate or placeholder action occurs.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD02 | Required and duplicate names

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try an empty/whitespace name and a duplicate existing reference name (including a case-only variant).

Expected: Required/unique validation rejects invalid or duplicate names without corrupting existing rows.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD03 | Reference field limits

P2 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Test a 150-character reference name and an attempted 151st character. Try blank required descriptive text.

Expected: Maximum lengths are enforced and required descriptions cannot be blank.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD04 | Cancel unsaved editor changes

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Edit a reference field then close its editor without saving. Test No and Yes at the discard confirmation.

Expected: No keeps the editor/changes; Yes discards changes; persisted data remains unchanged.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD05 | New degree starts inactive

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Create QA Boundary Degree with description/faculty but no rules/mappings; try to activate immediately.

Expected: It can be saved inactive; activation is refused until at least one mandatory requirement and an interest mapping are configured.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD06 | Complete and activate a degree

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Add the QA degree’s mandatory English/Mathematics requirements and Numeracy interest mapping; activate it.

Expected: The complete degree saves as active and appears for new learners under its faculty.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD07 | Mandatory rule and threshold

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Maintain a QA subject requirement with a valid subject, mandatory flag and mark threshold; assess just above/below it.

Expected: The stored threshold and compulsory status affect new results correctly.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD08 | OR group validation and behavior

P2 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Assign two accepted alternatives to the same positive OR group; keep independent requirements at group 0. Test only one alternative supplied.

Expected: A positive group is treated as one alternative requirement, not two mandatory requirements. Group value is limited to whole numbers 0–99.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD09 | Rule and average numeric limits

P2 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try -1/101 for a minimum mark or overall average. Use valid 0 and 100 endpoints.

Expected: Out-of-range inputs cannot be saved; valid bounds are accepted where the degree configuration is otherwise complete.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD10 | Interest weight limits

P2 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try weights below 0.01 or above 10; save valid 0.01, 1 and 10 for a QA mapping.

Expected: Weights are limited to 0.01–10 and persist with their supported decimal precision.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD11 | Question text and category

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Create a QA question with an active category, then attempt blank text and text beyond 400 characters.

Expected: Valid question saves and appears in a new questionnaire; blank text is rejected and the field is limited to 400 characters.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD12 | Protect the last mapped question

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try to deactivate or move a category’s last active question while an active degree maps to it.

Expected: The change is refused until affected degree configurations are made inactive or another active category question is provided.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD13 | Protect subject/category dependencies

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try to deactivate a subject or category referenced by an active degree.

Expected: The application refuses the change and identifies that the affected degree must be deactivated first.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD14 | Protect active rule structure

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try to deactivate/move a QA degree’s active mandatory requirement or mapping while its degree stays active.

Expected: The operation is rejected where it would remove/move active structural requirements. Deactivate the degree before this maintenance.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD15 | Funding record fields

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Add a QA funding option with every required field and a valid type/date. Edit it and reopen the editor.

Expected: Name, type, eligibility, documents, closing date, contact, sample and active state persist correctly.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD16 | Funding type choices

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Inspect the type choices and attempt free typing.

Expected: Only Scholarship, Bursary, Financial aid, External funding and Merit award are selectable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD17 | Funding link maintenance

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Create a faculty link and a programme link; try a duplicate pair; deactivate a link and refresh guidance.

Expected: Valid links persist, duplicate pairs are rejected, and inactive links no longer control new funding guidance.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD18 | Create staff account

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Create QA_advisor01 as an active Advisor with a valid new password, then log in as it.

Expected: A usable advisor account is created with a hashed password and the stored role.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD19 | Invalid/duplicate staff username

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Try a username shorter than three characters, one containing a space/apostrophe, and an existing username.

Expected: Invalid or duplicate usernames are rejected. Existing accounts are not overwritten.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD20 | Existing password retained when blank

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Edit an existing QA staff account’s allowed fields; leave new password blank. Sign out and log in with its old password.

Expected: Blank means retain the current password for an existing account, not set an empty password.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD21 | New account needs a password

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Attempt to create a new QA staff account without a password.

Expected: Creation is rejected; a password is required for a new account.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

AD22 | Audit review is read-only

P1 • Manual application test

Before: Sign in as administrator in the isolated database. Use QA-prefixed records. Refresh/start a new learner flow after reference changes.

Steps / data: Open AuditEvent after reference/account/login/export actions. Inspect controls.

Expected: Recent actions identify the actor, action, detail and timestamp. Audit rows are displayed without add/edit controls.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

11. Saved-session search and the three reports

Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

20 cases • IDs RP01–RP20

RP01 | Initial report totals

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: As advisor generate Degree Interest and Eligibility Report for 1–30 September 2026, all filters.

Expected: 10 sessions; 10 distinct learners; Strong 3, Possible 4, Not Currently Eligible 2, More Information Needed 1; funding requested 4.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP02 | Initial faculty counts

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Inspect the preceding report’s faculty section.

Expected: Science 4, Commerce 2, Humanities 2, Engineering 1, Health Sciences 1 sessions; count order descends, with tied names ordered consistently.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP03 | Exception report membership

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Generate the exception report for the same seeded September period.

Expected: Exactly 3 sessions: Aadiel-Raboo Magwa, Derek Vin Diesel and Yusuf Patel. Strong/Possible matches are excluded.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP04 | Summary includes all sections

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Retrieve SS01’s Learner Advisory Summary and inspect profile, marks, interests, result, alternatives and funding.

Expected: The report includes selected faculty/degree, grade, captured inputs, stored outcome/components/reasons, alternatives, optional funding, rule version/dates and preliminary-guidance notice.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP05 | Search by learner

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: In Learners and saved sessions search for Gadija, then a partial name.

Expected: Matching learner sessions are shown; unrelated rows are excluded.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP06 | Search by programme and session ID

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Search the exact BSc Computer Science programme text, then a known session ID.

Expected: Matching programme sessions or that session ID can be retrieved; selecting a row opens its correct summary.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP07 | No search matches

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Search an absent QA-only string in a clean seed database.

Expected: No unrelated records are returned; empty results are handled without a crash.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP08 | Action without selected session

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: With no row selected use View selected summary or Create follow-up assessment.

Expected: A select-a-saved-session message appears; the action does not operate on an arbitrary record.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP09 | Faculty filter

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Filter activity report to Science for September 2026.

Expected: Exactly 4 seeded sessions appear: Aadiel-Raboo, Labeeqah, Stef and Yusuf.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP10 | Degree filter

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Filter September activity to BSc Computer Science.

Expected: Exactly 2 seeded sessions appear: Aadiel-Raboo and Stef; other degrees are excluded.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP11 | Outcome filter

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Filter September activity to Strong Match.

Expected: Exactly 3 seeded sessions appear: Gadija, Siyabonga and Paxton.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP12 | Combined filters

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Use Science + BSc Computer Science + Not Currently Eligible for September.

Expected: Exactly Aadiel-Raboo’s seeded session remains; the header identifies all active filters.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP13 | Reset filters

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Return all filters to All and clear search.

Expected: The original full selected-period result set and totals return.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP14 | Inclusive date boundaries

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Filter from 15 September 2026 to 15 September 2026. Then use 24 September for both endpoints.

Expected: Each boundary-date seed is included on its own day; equal start/end is valid. Report date filters use UTC session dates.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP15 | Reverse and empty periods

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Set From later than To. Then choose a valid period containing no sessions.

Expected: Reversed dates show a readable validation error. A valid empty period generates a no-matching-sessions report.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP16 | Exception and outcome filter intersection

P2 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Choose exception report plus Strong Match outcome filter.

Expected: No sessions match; Strong Match is not included merely because the report also has an outcome filter.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP17 | Common gaps use saved reasons

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Inspect common subject/mark gaps and individual explanations for SS02, SS03 and SS05.

Expected: Missing Mathematics/Physical Sciences and the Mathematics mark gap are represented. Gaps are based on saved selected-result reasons, not recalculated using today’s rules.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP18 | Funding category totals are defined

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Inspect FUNDING REQUESTS BY LINKED CATEGORY. Compare requests and current linked open award types.

Expected: A requested session counts once per currently open linked type; categories can overlap and totals may exceed request count. The report explains that this is current guidance, not individual applications or awards.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP19 | Sessions versus distinct learners

P1 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Save a staff follow-up for one seeded learner and report a period containing both sessions.

Expected: Session total increases by one; distinct learner count does not increase for the same learner. Faculty/degree counts describe selections/sessions, not unique learners.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

RP20 | Inactive historical programme filter

P2 • Manual application test

Before: Run exact seeded-count cases BEFORE new saves or QA reference edits, or use a fresh seeded test database. Seed session dates are 15–24 September 2026 UTC.

Steps / data: Deactivate a disposable degree after saving a session for it; reopen staff report filters.

Expected: The historical programme remains available to staff filters and its old assessment remains reportable even though new learners cannot select it.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

12. Export, file handling and printing

Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

12 cases • IDs EX01–EX12

EX01 | HTML export

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Save a summary as HTML and open it in a browser.

Expected: A readable HTML report is written with correct content, title and wrapped text. The export is recorded only after the file write succeeds.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX02 | Text export

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Save the same summary as text and open it in a text editor.

Expected: Readable text includes the same required data, with no raw HTML tags.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX03 | Staff report export

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Export the activity and exception reports with active filters.

Expected: The file retains the report title, date/filter details, corresponding rows/totals and privacy/preliminary notice.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX04 | Cancel Save dialog

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Open Save report, then cancel without choosing a path.

Expected: No new report file or successful-export metadata is created.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX05 | Special text is escaped in HTML

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: On a QA profile use alias <script>alert(1)</script>, then save and export HTML.

Expected: The alias appears as text/encoded markup; it is not executed as script when the report is opened.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX06 | Overwrite a report deliberately

P2 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Export, then choose the same output filename; test cancel and confirmed overwrite separately.

Expected: Cancel preserves the original. A successful confirmed overwrite produces a complete report, not a truncated/partially written file.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX07 | Unwritable or locked target

P2 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Choose a destination you cannot write, or lock an existing target in a test editor before replacing it.

Expected: A clear error is shown; existing report content is preserved and no successful-export metadata is added for the failed write.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX08 | Path with spaces and apostrophe

P2 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Export to a writable test folder/file whose path contains spaces and an apostrophe.

Expected: The file is saved to that exact path without a SQL/path quoting error.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX09 | Print to PDF

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Use Print / Save as PDF for summary and staff report; choose Microsoft Print to PDF.

Expected: A valid readable PDF is produced; report text is not cut off horizontally and page numbers are present.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX10 | Multipage pagination

P2 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Use a long activity report and sufficiently long QA descriptions; print to PDF. Inspect every page.

Expected: No skipped/repeated body text or missing final page; content and page numbers continue correctly.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX11 | Cancel printing

P1 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Open Print dialog and cancel.

Expected: No printer job or success claim is made. Returning to the report retains its content.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

EX12 | Printer error handling

P2 • Manual application test

Before: Use a saved learner summary and a generated staff report. Work in a writable test folder; compare ExportReport counts before failure/cancellation tests.

Steps / data: Use an unavailable test printer or an unusable print area in a controlled environment.

Expected: The application reports a printing problem without crashing. Native Print to PDF can still be used afterwards.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

13. Database integrity, backup and failure recovery

Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

8 cases • IDs DB01–DB08

DB01 | Keys and constraints

P1 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Run the read-only integrity queries in Appendix C after normal saves.

Expected: No orphan child rows, duplicate subject/question responses, marks outside 0–100 or assessments without a selected rank-0 result.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB02 | Backup succeeds

P1 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: As admin choose a NEW writable filename ending .bak and run Create verified database backup.

Expected: A .bak file is created using COPY_ONLY/CHECKSUM and verification succeeds; the action is audited.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB03 | Existing backup protected

P1 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Try using the filename of a .bak file already present.

Expected: The application refuses to overwrite the existing backup.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB04 | Backup extension and path failures

P1 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Try a non-.bak filename, then an unwritable destination.

Expected: Invalid extension/path is rejected with a clear message; no false backup-success claim.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB05 | Restore into a different destination

P2 • Advanced • disposable database

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Using SQL Server tools, restore the test backup into a NEW disposable destination with reviewed file paths. Connect a separate test launch to it.

Expected: Saved test profiles, assessments, reference data and staff accounts can be read from the restored copy. Never restore over the live application database.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB06 | SQL injection-shaped profile/search

P2 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Use a fictional alias containing an apostrophe/SQL-looking text and search for ' OR 1=1--.

Expected: Input is treated as data, not SQL code. No authentication bypass, unrelated data dump or schema change occurs.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB07 | Historical data survives deactivation

P1 • Manual application test

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: Deactivate a QA reference record after a successful saved assessment that uses it, following dependency rules. Retrieve the old assessment.

Expected: Historical linked records remain retrievable; there is no destructive cascading deletion.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

DB08 | Save/export connection loss

P2 • Advanced • disposable database

Before: Advanced cases use only the isolated named acceptance database and fictional data. Back up before deliberate configuration/failure tests.

Steps / data: In a controlled environment interrupt the disposable DB connection during final save or after a report preview. Restore access afterwards.

Expected: No silent save success. Database saves remain atomic. Export file write and metadata are separate: inspect both if metadata fails after the file was written; record the exact error.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

14. Display scaling, keyboard access and endurance

Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

12 cases • IDs UI01–UI12

UI01 | 100 percent reference layout

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: At 100% scale complete all learner steps and open staff editors/reports.

Expected: No overlap, unreadable labels or inaccessible actions; layout has a usable reference state.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI02 | 125 and 150 percent

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Repeat profile, subjects, questionnaire, results, summary, report filters and a funding editor at 125% and 150%.

Expected: Controls scale consistently, long content scrolls and essential buttons remain reachable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI03 | 175 and 200 percent

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Repeat the same screens at 175% and 200% on both Windows versions.

Expected: Text is readable, questionnaire responses wrap, no narrow brand/sidebar clipping occurs, and Back/Next remain visible or reliably reachable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI04 | Resize and maximise

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Restore the main window, resize it smaller, maximise it, then restore again.

Expected: The content responds without overlap; body scrollbars allow access to off-screen content while navigation remains usable.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI05 | Staff dialog on a small desktop

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Open the largest funding/reference editor and reports at high DPI on the laptop screen.

Expected: The dialog fits the working area; all fields and Save/Close are reachable by scrolling; it does not extend irretrievably off-screen.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI06 | Switch monitors or scale

P2 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: If available, move the window between displays with different scaling; otherwise relaunch after changing scale.

Expected: Layout remains readable and no controls disappear. Record monitor resolution and scale with any defect.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI07 | Keyboard-only learner flow

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Use Tab/Shift+Tab, arrow keys, Space and Enter to complete the learner flow.

Expected: Input and action focus is visible and logical; radio/ComboBox/list selections work without a mouse.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI08 | Error correction accessibility

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Trigger a profile validation error, move focus, scroll and correct it without mouse-only actions.

Expected: The message is understandable; focus is not permanently trapped and the corrected form can continue.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI09 | Outcome is not colour-only

P1 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Inspect one example of each of the four outcomes.

Expected: Text explicitly names the outcome and reasons; colour is supporting information rather than the only meaning.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI10 | Long content wraps/scrolls

P2 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Use long allowed QA descriptions, names and funding details. Inspect UI, preview and printed report.

Expected: Content is readable through wrapping/scrolling or pagination; it does not cover controls or silently hide essential text.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI11 | Repeated use and clean new drafts

P2 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Complete ten advisory sessions, repeatedly preview/reopen reports, Finish and start new drafts.

Expected: The app remains responsive, no stack of duplicate full-size learner windows builds up, and previous learners' fields are not reused accidentally.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

UI12 | Longer data lists

P2 • Manual application test

Before: Use Windows 10 and Windows 11 where available. Complete the separate 10-row display matrix. The originally reported display scale was 200%.

Steps / data: Add enough QA reference/session records in the disposable database to require scrolling. Search, select and edit items near the bottom.

Expected: Lists and filters remain usable; the selected item corresponds to the opened record and actions do not apply to a different row.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

Appendix A. Exact supplied learner scenarios

SS01–SS05 are the five required case-study scenarios; SS06–SS10 provide further coverage. Enter every listed subject/mark and answer, select the exact faculty/degree and use the supplied completeness/funding flags. For a new capture the application generates new learner/session IDs: sample IDs below identify the reference data, not IDs to type into the app.

Sheet / learner	Degree	Outcome	Score
SS01 / Gadija Jacobs	BCom Information Systems	Strong Match	98.44%
SS02 / Aadiel-Raboo Magwa	BSc Computer Science	Not Currently Eligible	61.35%
SS03 / Labeeqah Rademeyer	BSc Biological Sciences	Possible Match	95.10%
SS04 / Siyabonga Dickson	BSc Engineering (Mechanical Engineering)	Strong Match	96.88%
SS05 / Derek Vin Diesel	Bachelor of Health Sciences	Not Currently Eligible	57.05%
SS06 / Thandi Nkosi	BCom Accounting	Possible Match	99.03%
SS07 / Stef Van Wyk	BSc Computer Science	Possible Match	81.25%
SS08 / Paxton Kgomo	Law-related qualification	Strong Match	100.00%
SS09 / Yusuf Patel	BSc Biological Sciences	More Information Needed	22.50%
SS10 / Zama Zulu	BA Humanities	Possible Match	98.06%

Reference assessments were recorded 15–24 September 2026 UTC. Funding is intentionally date-sensitive: compare currently open links against the computer’s local date, not a permanently fixed list of historical awards.

SS01 — Gadija Jacobs

Profile	Exact input
Grade / school / province	12 / Kuilsriver High School / Western Cape
Name and contact	Gadija Jacobs; email (blank); phone (blank)
Faculty / programme	Commerce / BCom Information Systems
Subject list / funding	Confirmed complete: Yes; funding requested: Yes

Subject	Mark (%)
English	72
Mathematics	70
Accounting	74
Business Studies	79
Economics	70
Life Orientation	80

Interest answers: Q1=4; Q2=3; Q3=5; Q4=2; Q5=3; Q6=5; Q7=3; Q8=2

Expected outcome	Subject	Mark	Interest	Preference	Overall
Strong Match	100.00%	100.00%	93.75%	100.00%	98.44%

Expected explanation:
Met: English 72% (minimum 60%).
Met: Mathematics 70% (minimum 60%).
Interest alignment: 93.75%. Your interests align with this study area.
Helpful, not compulsory: Computer Applications Technology at 50%. Sample requirement. Verify official entry criteria.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS02 — Aadiel-Raboo Magwa

Profile	Exact input
Grade / school / province	12 / Tsomo High School / Eastern Cape
Name and contact	Aadiel-Raboo Magwa; email (blank); phone (blank)
Faculty / programme	Science / BSc Computer Science
Subject list / funding	Confirmed complete: Yes; funding requested: No

Subject	Mark (%)
English	65
Mathematical Literacy	78
Business Studies	71
History	69
Tourism	75
Life Orientation	82

Interest answers: Q1=4; Q2=2; Q3=5; Q4=1; Q5=3; Q6=3; Q7=4; Q8=2

Expected outcome	Subject	Mark	Interest	Preference	Overall
Not Currently Eligible	50.00%	50.00%	85.42%	100.00%	61.35%

Expected explanation:
Met: English 65% (minimum 60%).
Required: Mathematics at 70%. No mark was supplied. This required subject is missing from your confirmed subject list.
Interest alignment: 85.42%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS03 — Labeeqah Rademeyer

Profile	Exact input
Grade / school / province	11 / Paarl High School / Western Cape
Name and contact	Labeeqah Rademeyer; email (blank); phone (blank)
Faculty / programme	Science / BSc Biological Sciences
Subject list / funding	Confirmed complete: Yes; funding requested: No

Subject	Mark (%)
English	80
Mathematics	58
Physical Sciences	62
Life Sciences	70
Geography	66
Life Orientation	85

Interest answers: Q1=3; Q2=4; Q3=2; Q4=5; Q5=4; Q6=1; Q7=2; Q8=3

Expected outcome	Subject	Mark	Interest	Preference	Overall
Possible Match	100.00%	99.17%	81.58%	100.00%	95.10%

Expected explanation:
Met: English 80% (minimum 60%).
Improve Mathematics: 58% entered; 60% required (gap 2 percentage points).
Met: Physical Sciences 62% (minimum 60%).
Met: Life Sciences 70% (minimum 60%).
Interest alignment: 81.58%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS04 — Siyabonga Dickson

Profile	Exact input
Grade / school / province	12 / Pretoria Boys High School / Gauteng
Name and contact	Siyabonga Dickson; email (blank); phone (blank)
Faculty / programme	Engineering / BSc Engineering (Mechanical Engineering)
Subject list / funding	Confirmed complete: Yes; funding requested: Yes

Subject	Mark (%)
English	70
Mathematics	75
Physical Sciences	78
Engineering Graphics and Design	73
Life Orientation	80

Interest answers: Q1=5; Q2=2; Q3=3; Q4=4; Q5=2; Q6=2; Q7=5; Q8=1

Expected outcome	Subject	Mark	Interest	Preference	Overall
Strong Match	100.00%	100.00%	87.50%	100.00%	96.88%

Expected explanation:
Met: English 70% (minimum 60%).
Met: Mathematics 75% (minimum 70%).
Met: Physical Sciences 78% (minimum 70%).
Interest alignment: 87.5%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS05 — Derek Vin Diesel

Profile	Exact input
Grade / school / province	12 / Hilton College / KwaZulu-Natal
Name and contact	Derek Vin Diesel; email (blank); phone (blank)
Faculty / programme	Health Sciences / Bachelor of Health Sciences
Subject list / funding	Confirmed complete: Yes; funding requested: No

Subject	Mark (%)
English	82
Mathematical Literacy	76
History	79
Life Sciences	68
Visual Arts	85
Life Orientation	90

Interest answers: Q1=2; Q2=5; Q3=1; Q4=3; Q5=4; Q6=2; Q7=3; Q8=3

Expected outcome	Subject	Mark	Interest	Preference	Overall
Not Currently Eligible	50.00%	50.00%	68.18%	100.00%	57.05%

Expected explanation:
Met: English 82% (minimum 60%).
Required: Mathematics at 60%. No mark was supplied. This required subject is missing from your confirmed subject list.
Required: Physical Sciences at 60%. No mark was supplied. This required subject is missing from your confirmed subject list.
Met: Life Sciences 68% (minimum 60%).
Interest alignment: 68.18%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS06 — Thandi Nkosi

Profile	Exact input
Grade / school / province	12 / St Marys DSG / Gauteng
Name and contact	Thandi Nkosi; email (blank); phone (blank)
Faculty / programme	Commerce / BCom Accounting
Subject list / funding	Confirmed complete: Yes; funding requested: Yes

Subject	Mark (%)
English	68
Mathematics	62
Accounting	55
Business Studies	70
Economics	64
Life Orientation	75

Interest answers: Q1=5; Q2=3; Q3=2; Q4=1; Q5=3; Q6=5; Q7=2; Q8=2

Expected outcome	Subject	Mark	Interest	Preference	Overall
Possible Match	100.00%	97.22%	100.00%	100.00%	99.03%

Expected explanation:
Met: English 68% (minimum 60%).
Met: Mathematics 62% (minimum 60%).
Improve Accounting: 55% entered; 60% required (gap 5 percentage points).
Interest alignment: 100%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS07 — Stef Van Wyk

Profile	Exact input
Grade / school / province	12 / St Andrews School / Free State
Name and contact	Stef Van Wyk; email (blank); phone (blank)
Faculty / programme	Science / BSc Computer Science
Subject list / funding	Confirmed complete: Yes; funding requested: No

Subject	Mark (%)
English	66
Afrikaans	64
Mathematics	72
Physical Sciences	68
Computer Applications Technology	75
Life Orientation	78

Interest answers: Q1=2; Q2=5; Q3=2; Q4=3; Q5=3; Q6=1; Q7=2; Q8=3

Expected outcome	Subject	Mark	Interest	Preference	Overall
Possible Match	100.00%	100.00%	25.00%	100.00%	81.25%

Expected explanation:
Met: English 66% (minimum 60%).
Met: Mathematics 72% (minimum 70%).
Interest alignment: 25%. Consider alternatives that align more closely with your interests.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS08 — Paxton Kgomo

Profile	Exact input
Grade / school / province	12 / Turf High / Limpopo
Name and contact	Paxton Kgomo; email (blank); phone (blank)
Faculty / programme	Humanities / Law-related qualification
Subject list / funding	Confirmed complete: Yes; funding requested: Yes

Subject	Mark (%)
English	74
Mathematical Literacy	72
History	68
Geography	65
Life Sciences	60
Life Orientation	80

Interest answers: Q1=2; Q2=4; Q3=1; Q4=2; Q5=5; Q6=2; Q7=2; Q8=5

Expected outcome	Subject	Mark	Interest	Preference	Overall
Strong Match	100.00%	100.00%	100.00%	100.00%	100.00%

Expected explanation:
Met: English 74% (minimum 65%).
Met: Mathematical Literacy 72% (minimum 60%).
Interest alignment: 100%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS09 — Yusuf Patel

Profile	Exact input
Grade / school / province	11 / /
Name and contact	Yusuf Patel; email (blank); phone (blank)
Faculty / programme	Science / BSc Biological Sciences
Subject list / funding	Confirmed complete: No; funding requested: No

Subject	Mark (%)
English	63
Life Orientation	70

Interest answers: No answers captured. Tick deliberate incomplete continuation to reach the result.

Unanswered original questions: 1, 2, 3, 4, 5, 6, 7, 8. Continue deliberately incomplete; do not silently fill invented answers.

Expected outcome	Subject	Mark	Interest	Preference	Overall
More Information Needed	25.00%	25.00%	0.00%	100.00%	22.50%

Expected explanation:
Met: English 63% (minimum 60%).
Required: Mathematics at 60%. No mark was supplied. Complete your subject list to confirm this requirement.
Required: Physical Sciences at 60%. No mark was supplied. Complete your subject list to confirm this requirement.
Required: Life Sciences at 60%. No mark was supplied. Complete your subject list to confirm this requirement.
Confirm that all current subjects and marks have been captured.
Complete the interest questionnaire (8 unanswered active questions).
Interest alignment: 0%. Consider alternatives that align more closely with your interests.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

SS10 — Zama Zulu

Profile	Exact input
Grade / school / province	11 / Hazyview Combined High School / Mpumalanga
Name and contact	Zama Zulu; email (blank); phone (blank)
Faculty / programme	Humanities / BA Humanities
Subject list / funding	Confirmed complete: Yes; funding requested: No

Subject	Mark (%)
English	58
Mathematical Literacy	65
History	72
Geography	66
Life Orientation	77

Interest answers: Q1=2; Q2=4; Q3=1; Q4=2; Q5=5; Q6=2; Q7=2; Q8=5

Expected outcome	Subject	Mark	Interest	Preference	Overall
Possible Match	100.00%	98.33%	94.57%	100.00%	98.06%

Expected explanation:
Improve English: 58% entered; 60% required (gap 2 percentage points).
Met: Mathematical Literacy 65% (minimum 60%).
Interest alignment: 94.57%. Your interests align with this study area.

Result: ☐ Not run ☐ Pass ☐ Fail ☐ Blocked

Actual / evidence: _____

Appendix B. Expected alternative ranking

These rankings apply to the original unchanged reference data and exact sample inputs, before administration edits. Compare programme, outcome, score and order. Empty means no eligible/near-match alternative can be confirmed from that input.

SS01 — Gadija Jacobs

Rank	Programme	Outcome	Score
1	BCom Accounting	Strong Match	97.04%
2	BCom General	Strong Match	95.72%
3	BSc Computer Science	Strong Match	90.05%
4	BA Humanities	Possible Match	80.33%
5	BSocSci	Possible Match	80.00%

SS02 — Aadiel-Raboo Magwa

Rank	Programme	Outcome	Score
1	BCom General	Possible Match	84.14%
2	Law-related qualification	Possible Match	79.21%
3	BA Humanities	Possible Match	78.97%
4	BSocSci	Possible Match	78.00%

SS03 — Labeeqah Rademeyer

Rank	Programme	Outcome	Score
1	BA Humanities	Strong Match	86.58%
2	BSocSci	Strong Match	86.25%
3	Law-related qualification	Strong Match	85.46%
4	Bachelor of Health Sciences	Possible Match	89.59%
5	BCom General	Possible Match	77.24%

SS04 — Siyabonga Dickson

Rank	Programme	Outcome	Score
1	BSc Computer Science	Strong Match	89.79%
2	BCom Information Systems	Possible Match	83.54%
3	BCom General	Possible Match	81.18%
4	BA Humanities	Possible Match	74.08%
5	BSocSci	Possible Match	73.75%

SS05 — Derek Vin Diesel

Rank	Programme	Outcome	Score
1	BSocSci	Strong Match	88.25%
2	BA Humanities	Strong Match	87.93%
3	Law-related qualification	Strong Match	85.46%
4	BCom General	Possible Match	78.88%

SS06 — Thandi Nkosi

Rank	Programme	Outcome	Score
1	BCom General	Strong Match	97.37%
2	BCom Information Systems	Strong Match	92.19%
3	BA Humanities	Possible Match	80.33%
4	BSocSci	Possible Match	80.00%
5	Law-related qualification	Possible Match	79.21%

SS07 — Stef Van Wyk

Rank	Programme	Outcome	Score
1	BSocSci	Strong Match	86.50%
2	BA Humanities	Strong Match	85.22%
3	Law-related qualification	Possible Match	82.50%
4	BSc Engineering (Mechanical Engineering)	Possible Match	77.26%
5	BCom General	Possible Match	74.28%

SS08 — Paxton Kgomo

Rank	Programme	Outcome	Score
1	BA Humanities	Strong Match	98.64%
2	BSocSci	Strong Match	98.00%
3	BCom General	Possible Match	80.20%

SS09 — Yusuf Patel

No Strong/Possible alternatives.

SS10 — Zama Zulu

Rank	Programme	Outcome	Score
1	BSocSci	Possible Match	97.42%
2	BCom General	Possible Match	80.20%

Appendix C. Controlled setup and SQL verification

Use SQL Server Object Explorer → (localdb)\MSSQLLocalDB → your acceptance database → New Query. Verify DB_NAME() before each procedure. Run each GO-separated batch as a complete batch. The first queries below inspect data; the failure trigger later deliberately interrupts saves and must be confined to the disposable acceptance database.

Current database and fresh-seed counts

```
SELECT DB_NAME() AS CurrentDatabase;
SELECT 'Learner' AS Entity, COUNT(*) AS Rows FROM dbo.Learner
UNION ALL SELECT 'Subject', COUNT(*) FROM dbo.Subject
UNION ALL SELECT 'Faculty', COUNT(*) FROM dbo.Faculty
UNION ALL SELECT 'DegreeProgramme', COUNT(*) FROM dbo.DegreeProgramme
UNION ALL SELECT 'InterestCategory', COUNT(*) FROM dbo.InterestCategory
UNION ALL SELECT 'InterestQuestion', COUNT(*) FROM dbo.InterestQuestion
UNION ALL SELECT 'FundingOption', COUNT(*) FROM dbo.FundingOption
UNION ALL SELECT 'AdvisorySession', COUNT(*) FROM dbo.AdvisorySession;
```

Fresh seed: learners 10, subjects 18, faculties 5, degrees 10, categories 8, questions 8, funding options 10, sessions 10. Added test records legitimately increase these counts.

Input ranges, uniqueness and selected-result integrity

```
SELECT * FROM dbo.LearnerSubject WHERE Mark < 0 OR Mark > 100;
SELECT SessionId, SubjectId, COUNT(*) AS Copies
FROM dbo.LearnerSubject GROUP BY SessionId, SubjectId
HAVING COUNT(*) > 1;
SELECT SessionId, QuestionId, COUNT(*) AS Copies
FROM dbo.LearnerInterestResponse GROUP BY SessionId, QuestionId
HAVING COUNT(*) > 1;
SELECT s.Id FROM dbo.AdvisorySession s
LEFT JOIN dbo.RecommendationResult r
  ON r.SessionId = s.Id AND r.[Rank] = 0
WHERE r.SessionId IS NULL;
DBCC CHECKCONSTRAINTS WITH ALL_CONSTRAINTS;
```

Expected: no invalid/duplicate rows, no assessment lacking its selected result, and no reported constraint violations. Numeric identity gaps alone are not a defect: failed/rolled-back inserts can consume identity numbers.

Counts before and after a controlled save failure

```
SELECT 'Learner' AS Entity, COUNT(*) AS Rows FROM dbo.Learner
UNION ALL SELECT 'AdvisorySession', COUNT(*) FROM dbo.AdvisorySession
UNION ALL SELECT 'LearnerSubject', COUNT(*) FROM dbo.LearnerSubject
UNION ALL SELECT 'LearnerInterestResponse', COUNT(*)
  FROM dbo.LearnerInterestResponse
UNION ALL SELECT 'RecommendationResult', COUNT(*)
  FROM dbo.RecommendationResult
UNION ALL SELECT 'SessionInterestScore', COUNT(*)
  FROM dbo.SessionInterestScore
UNION ALL SELECT 'AuditEvent', COUNT(*) FROM dbo.AuditEvent;
```

Optional failure injection for PS15–PS16

Prepare and seed the disposable acceptance database first. Run the following only after confirming it is the acceptance catalog. Record the counts above, attempt one new final assessment save, and compare counts again. Do not perform unrelated login/reference actions while comparing AuditEvent counts.

```
USE [FuturePathAcceptance_20261018];
GO
CREATE TRIGGER dbo.QA_BlockRecommendationSave
ON dbo.RecommendationResult
AFTER INSERT
AS
BEGIN
    THROW 51001, 'QA save failure for rollback test.', 1;
END;
GO
```

Expected: a save error, no successful saved-summary transition and no net new rows from that failed assessment transaction. Remove the test trigger before retrying the saved draft:

```
USE [FuturePathAcceptance_20261018];
GO
DROP TRIGGER IF EXISTS dbo.QA_BlockRecommendationSave;
GO
```

A healthy retry saves one complete assessment. If the database name differs, substitute your verified disposable name in both batches. Keep the production/default database out of this procedure.

QA Boundary Degree preset

As administrator, create QA Boundary Degree under Commerce with a nonblank description and MinimumAverage=0. Save it INACTIVE. Add mandatory English minimum 50 and Mathematics minimum 60, each in OR group 0. Add Numeracy interest weight 1. Activate the degree only after those rows exist. For its ordinary boundary run capture just English=80 and Mathematics=80, complete list, all active answers=5. Expected: Strong Match and overall 100%.

For RL15–RL16, replace its mapping configuration with Numeracy and Helping People weights as specified; deactivate the QA degree before removing/moving mappings, then reactivate it. Q1 is Numeracy and Q2 is Helping People in the original seed. For RL17–RL18 restore Numeracy-only weight 1 and edit the degree’s minimum average. Use only this QA configuration, never rewrite the supplied academic rules to make a sample pass.

Appendix D. Display test matrix

Record resolution in physical pixels and the Windows scale. Test profile, mark list, questionnaire, result/funding/summary, reports and the largest staff editor at each available configuration. Scrollable content is acceptable; permanently inaccessible buttons, overlapping fields or unreadable text are failures. A Windows VM on a Mac is still a Windows test environment—record the VM/display settings.

OS	Scale	Resolution	Learner screens	Staff / reports	Result
Windows 10	100%	_____	_____ _____	_____ _____	Not run
Windows 10	125%	_____	_____ _____	_____ _____	Not run
Windows 10	150%	_____	_____ _____	_____ _____	Not run
Windows 10	175%	_____	_____ _____	_____ _____	Not run
Windows 10	200%	_____	_____ _____	_____ _____	Not run
Windows 11	100%	_____	_____ _____	_____ _____	Not run
Windows 11	125%	_____	_____ _____	_____ _____	Not run
Windows 11	150%	_____	_____ _____	_____ _____	Not run
Windows 11	175%	_____	_____ _____	_____ _____	Not run
Windows 11	200%	_____	_____ _____	_____ _____	Not run

Additional monitor/resize check

Record normal/maximised size, monitor switch and relaunch behavior. Check title/step indicator, Back/Next, last questionnaire row, final funding fields, final report page and editor Save action. Capture a screenshot with resolution/scale and the case ID whenever layout fails.

Appendix E. Defect and retest record

Defect record 1

Field	Record
Defect ID / test case	_____
Environment / data	_____
Reproduction steps	_____ _____
Expected / actual	_____ _____
Screenshot / file / query evidence	_____
Fix version / retest date / result	_____

Defect record 2

Field	Record
Defect ID / test case	_____
Environment / data	_____
Reproduction steps	_____ _____
Expected / actual	_____ _____
Screenshot / file / query evidence	_____
Fix version / retest date / result	_____

Defect record 3

Field	Record
Defect ID / test case	_____
Environment / data	_____
Reproduction steps	_____ _____
Expected / actual	_____ _____
Screenshot / file / query evidence	_____
Fix version / retest date / result	_____

Appendix F. Test completion summary

Count only checks you actually executed. A build, a screenshot or a successful single sample does not mark every case Pass. Retest affected cases after a fix and keep the earlier failure evidence.

Area	Pass	Fail	Blocked	Not run
ST — Installation and startup	____	____	____	____
PR — Learner profile and contact validation	____	____	____	____
MK — Subjects and marks	____	____	____	____
IN — Interest questionnaire	____	____	____	____
DG — Faculty and degree selection	____	____	____	____
RL — Eligibility rules and recommendation ranking	____	____	____	____
FU — Funding guidance	____	____	____	____
PS — Navigation, saving, persistence and follow-ups	____	____	____	____
LG — Staff authentication, roles and passwords	____	____	____	____
AD — Administrator maintenance	____	____	____	____
RP — Saved-session search and the three reports	____	____	____	____
EX — Export, file handling and printing	____	____	____	____
DB — Database integrity, backup and failure recovery	____	____	____	____
UI — Display scaling, keyboard access and endurance	____	____	____	____

Summary	Record
Open defects / blocked prerequisites	_____ _____
Exact application package tested	_____
Tester / completion date	_____
Retest or presentation readiness decision	_____ _____