Validate Power: d2.2

April 08, 2022

Design: Cluster RCT, with 2 levels, and randomization done at level 2 (school level).

Models: random treatment effects.

 d_m codes: $d2.2_m2rc$

Default parameters:


- M = 3
- J = 60
- rho: $\rho = 0.5$
- MDES = 0.125, 0.125, 0.125
- R2: $R_1^2 = 0.1, 0.1, 0.1, R_2^2 = 0.1, 0.1, 0.1$ ICC: ICC₂ = 0.1, 0.1, 0.1


Assumptions

- Two-level design: ICC₃ = 0, ω_3 = 0, K = 1
- Constant treatment effects: $\omega_2 = 0$

Power Validation


Base case






Varying school size


 $\bar{n} = 100$







Varying R2

 $R_1^2 = 0.6, \, 0.6, \, 0.6$






$$R_1^2 = 0, 0, 0 R_2^2 = 0, 0, 0$$




Varying rho

 $\rho = 0.2$




 $\rho = 0.8$




Varying true positives

MDES = 0.125, 0, 0




Varying ICC

 $ICC_2 = 0.7, 0.7, 0.7$



 $ICC_2 = 0, 0, 0$



MDES validation

Target value: 0.1	Target	value:	0.125
-------------------	--------	--------	-------

## ## ##	+	-	-	·+
		Adjusted MDES		
##	BF	0.125	0.164	0.125
##	BH	0.125	0.209	0.125
##	HO	0.121	0.183	0.125
##		'	'	•

Table: d2.2_m2rc

Sample size validation

Target values:

```
• J = 60
```

•
$$K = 1$$

•
$$nbar = 50$$

```
##
##
## +----+
## | MTP | Sample.type | Sample.size | D1indiv.power |
## +====+======+
## | BF | J | 60
## | BH | J | 60 | 0.206
 +----+
## | HO |
      J |
             62
               0.199
## Table: d2.2_m2rc
##
## +----+
## | MTP | Sample.type | Sample.size | D1indiv.power |
## +====+======+
## | BF | nbar | 48.18 |
## +----+
               0.215
          l 60
## | BH |
      nbar
## +----+
## | HO | nbar | 55 | 0.199
## Table: d2.2_m2rc
```

Note: particularly flat power curves results in discrepancy for nbar.

