

IMPLEMENTATION ROADMAP

mediShop

Online Pharmacy & Digital Healthcare Platform

Complete Phase-by-Phase Specification

(Responsive Rules • Typography • Color Palette • Animations • Auth Details)

Project	mediShop
Document Type	Implementation Roadmap (No Code)
Version	1.0
Date	28 July 2026
Framework	Next.js 16 (App Router) + TypeScript
UI Library	shadcn/ui (only)
State	TanStack Query v5 + Redux Toolkit
Styling	Tailwind CSS v4
Theme	Blue (#1D4ED8)
Typography	Inter (body) + Roboto Slab (titles)
Goal	LLM / Cursor can implement without guessing

This document is the single source of truth for frontend implementation.

Table of Contents

1. Design System (Color, Typography, Spacing, Responsive Breakpoints)
2. Global Layout Rules (Header / Navbar / Footer)
3. Phase Overview Table
4. Phase 0 – Project Scaffolding
5. Phase 1 – Design System & Layout Shell
6. Phase 2 – Homepage Core (Hero, Sidebar, Products, Trust)
7. Phase 3 – Authentication Modal (Full Spec)
8. Phase 4 – Product Listing + Filters + Sorting
9. Phase 5 – Cart System (Icon, Drawer, Page)
10. Phase 6 – Checkout & Mock Payment
11. Phase 7 – Polish, States, SEO, Floating Buttons
12. Responsive Behavior Matrix (Every Component)
13. Animation Specifications
14. Recommended Implementation Order

1. Design System

1.1 Color Palette (Exact Hex)

Token	Hex	Usage
primary	#1D4ED8	Buttons, links, active states, header accent
primary-dark	#1E3A8A	Hover on primary, titles
primary-light	#3B82F6	Focus rings, light accents
accent	#F59E0B	Discount badges, important CTAs, warnings
background	#FFFFFF	Page background
foreground	#0F172A	Main text
muted	#F1F5F9	Secondary backgrounds, skeletons
muted-foreground	#64748B	Secondary text, placeholders
border	#E2E8F0	Borders, dividers
destructive	#DC2626	Errors, remove actions
success	#059669	Success toasts, in-stock

1.2 Typography Scale (Exact)

Body font: Inter (loaded via next/font). Title/Header font: Roboto Slab (Serif).

Element	Font	Size (Mobile)	Size (Desktop)	Weight	Line Height
Page Title (H1)	Roboto Slab	24px	32px	700	1.25
Section Title (H2)	Roboto Slab	20px	24px	600	1.3
Card / Subsection (H3)	Inter	16px	18px	600	1.35
Body text	Inter	14px	15px	400	1.55
Small / Caption	Inter	12px	13px	400	1.4
Button text	Inter	14px	14px	500	1
Navbar logo	Roboto Slab	18px	20px	700	1
Price (current)	Inter	16px	18px	700	1.2
Price (MRP)	Inter	13px	14px	400	1.2
Badge text	Inter	11px	12px	600	1

1.3 Spacing Scale (Tailwind)

Use only Tailwind spacing tokens: 1 (4px), 2 (8px), 3 (12px), 4 (16px), 5 (20px), 6 (24px), 8 (32px), 10 (40px), 12 (48px), 16 (64px). Section vertical padding: mobile py-8, desktop py-12 or py-16.

1.4 Breakpoints (Responsive)

Name	Min Width	Typical Devices	Columns (Product Grid)
mobile (default)	0px	Phones 360–430px	2 columns
sm	640px	Large phones / small tablets	2 columns
md	768px	Tablets	3 columns
lg	1024px	Laptops	4 columns
xl	1280px	Desktops	4 columns
2xl	1536px	Large screens	4–5 columns

2. Global Layout Rules (Header / Navbar / Footer)

2.1 Navbar Specification

Position: sticky top-0, z-50, background white/95 backdrop-blur, border-b border-border, height 64px (mobile) / 72px (desktop).

Left zone: Logo text "mediShop" (Roboto Slab Bold, primary color) or logo image. Click → /

Center zone: Search input. Desktop: max-width 520px, centered. Mobile: icon that expands to full-width overlay search.

Right zone (gap-3):

1. Cart icon (Lucide ShoppingCart, size 22) + Badge (absolute, top-right, primary bg, white text, min-w-5 h-5 text-xs). Badge shows total quantity from Redux.
2. Guest → Button variant outline or default "Login" / " " → opens Auth Modal.
3. Logged-in → Avatar (shadcn Avatar) + DropdownMenu (Profile, My Orders, Logout).

2.2 Footer Specification

4-column grid on desktop (About, Categories, Support, Contact). Mobile: stacked accordion or simple stacked links. Background muted, padding py-12. Bottom copyright bar with "© 2026 mediShop".

2.3 Page Container

Max-width: 1280px (xl) or 1400px, mx-auto, horizontal padding px-4 (mobile) → px-6 (md) → px-8 (lg).

3. Phase Overview

Phase	Name	Main Goal	Client Visible?
0	Project Scaffolding	Create Next.js 16 project + all deps + shadcn	No
1	Design System & Layout Shell	Colors, fonts, Navbar, Footer, Providers	Partial
2	Homepage Core	Hero, Category Sidebar, Products, Trust, CTA	Yes – Demo
3	Authentication Modal	Sign-up, Sign-in, OTP, Forgot Password	Yes
4	Product Listing + Filters	All listing pages + sidebar filters + sort	Yes
5	Cart System	Icon, Badge, Drawer, Cart page	Yes
6	Checkout & Mock Payment	Address, delivery, payment UI, success	Yes
7	Polish & Production	Skeletons, empty/error, SEO, floating buttons	Yes

4. Phase 0 – Project Scaffolding

Create the project with the exact commands below. Use latest versions of every package. Next.js 16 App Router, TypeScript strict, Tailwind v4, shadcn/ui as the only component library.

Required packages (latest at install time):

- next@latest, react@latest, react-dom@latest
- @tanstack/react-query, @reduxjs/toolkit, react-redux
- react-hook-form, @hookform/resolvers, zod
- framer-motion, lucide-react, sonner
- clsx, tailwind-merge, class-variance-authority
- All @radix-ui packages that shadcn needs (dialog, sheet, dropdown-menu, etc.)

After create-next-app and shadcn init, add components: button, input, label, dialog, sheet, dropdown-menu, card, badge, separator, avatar, tabs, checkbox, slider, select, scroll-area, skeleton, sonner.

5. Phase 1 – Design System & Layout Shell

5.1 Providers (must wrap the whole app)

- QueryClientProvider (TanStack Query) with default options (staleTime 60s recommended)
- Redux Provider (store with auth + cart slices)
- Sonner Toaster (position top-right or bottom-center on mobile)

5.2 Root Layout Requirements

Load Inter and Roboto Slab via next/font/google. Apply Inter to body, Roboto Slab available as CSS variable for headings. Set lang="bn" or support both. Include metadata base title "mediShop".

5.3 Navbar (exact behavior)

See Section 2.1. On scroll remains sticky. Cart badge updates live from Redux cart total quantity.

5.4 Footer

See Section 2.2. Links can be placeholder # for Phase 1.

6. Phase 2 – Homepage Core

6.1 Overall Homepage Structure (Desktop)

Navbar (sticky)

- Category Sidebar (sticky, 240px)
- Hero Slider (full content width)
- Trust Badges row
- Featured Categories (icon grid)
- Product Section: Exclusive Deals
- Product Section: Popular
- Prescription Upload CTA Banner
- How it Works + Doctor CTA
- More Product Sections...

Footer

6.2 Hero Slider – Exact Specification

- Number of slides: 5 (hardcoded mock data first)
- Auto-play interval: 5000 ms
- Transition: Framer Motion – x from 100% → 0 → -100%, opacity 0→1→0
- Easing: cubic-bezier(0.32, 0.72, 0, 1)
- Duration: 0.6 seconds
- Controls: Left/Right arrow buttons (circular, white/80) + bottom dots
- Active dot: primary color + width 24px; inactive dots width 8px
- Height: mobile 55–60vh, desktop 65–70vh
- Each slide content: background image (next/image fill priority), dark gradient overlay, Serif title, body subtitle, primary Button CTA
- Pause auto-play on hover (desktop)

6.3 Category Sidebar

Desktop: left column, width 220–240px, sticky top-20, max-height calc(100vh-5rem), overflow-y auto. Each item: icon (Lucide 18px) + name. Active item: bg-primary/10 + border-l-4 border-primary. Mobile: replace with horizontal scrollable chip list under the hero or a “Categories” button that opens a Sheet.

6.4 Product Card (exact)

- Image: aspect-square, object-cover, rounded-t-lg
- Discount badge: absolute top-2 left-2, accent background, white text, text-xs font-semibold
- Brand: text-muted-foreground text-xs
- Name: line-clamp-2, text-sm font-medium
- Price row: current price (font-bold text-primary) + MRP (line-through text-muted)
- Add to Cart button: full width, size sm, onClick → Redux addToCart + Sonner toast
- Hover: subtle shadow-md transition

6.5 Trust Badges

Horizontal row (grid 2 cols mobile / 3–6 cols desktop). Each badge: icon + short title + one-line description. Examples: DGDA Licensed, 100% Authentic, Same-day Dhaka, Secure Payment, 24/7 Support.

6.6 Prescription CTA Banner

Full-width primary or soft-primary background. Title + 4 numbered steps + large "Upload Prescription" button. Mobile: stacked steps; desktop: horizontal steps.

7. Phase 3 – Authentication Modal (Full Spec)

Component: AuthModal using shadcn Dialog. Controlled by Redux (isAuthModalOpen + authModalView). Views: signin | signup | forgot | otp.

7.1 Sign Up Form – Exact Fields (in order)

1. Full Name – required, min 2 characters
 2. Dual identifier: Toggle “Email” / “Phone”. Only one visible input at a time.
 - Email: valid email format
 - Phone: Bangladesh format (01XXXXXXXX), 11 digits
 3. Password – min 8 characters, show/hide eye icon
 4. Confirm Password – must match
 5. Checkbox: “I agree to Terms & Privacy Policy” – required
- Submit button: “Create Account” / “ ”

7.2 After Sign Up – Automatic OTP Verification

On successful form submit (mock success): switch view to “otp”. Show message “We sent a 6-digit code to {email/phone}”. 6 individual digit inputs (or one input with maxLength 6). Auto-focus next. “Verify” button. “Resend code” link disabled for 60 seconds with countdown. Mock correct OTP: “123456” or any 6 digits for demo. On success: close modal, set user in Redux, toast “Account created successfully”.

7.3 Sign In Form

- Email or Phone (same dual toggle or single field that accepts both)
- Password + show/hide
- “Forgot Password?” link → switches to forgot view
- “Don’t have an account? Sign Up” link

7.4 Forgot Password

Single Email/Phone field + “Send Reset Link” button. On submit show success message “If an account exists, you will receive a reset link”. No real email in Phase 1.

7.5 Validation

React Hook Form + Zod. All error messages must be available in both English and Bangla. Show errors under each field (text-sm text-destructive).

7.6 Redux Auth State (exact shape)

```
{
  user: { id, name, email?, phone? } | null;
  isAuthenticated: boolean;
  isAuthModalOpen: boolean;
  authModalView: "signin" | "signup" | "forgot" | "otp";
}
```

8. Phase 4 – Product Listing + Filters + Sorting

Pages: /products , /category/[slug] , /search?q=...

8.1 Layout

Desktop: left Filter Sidebar (width 260px, sticky) + right content. Mobile: no sidebar by default; “Filters” button opens Sheet (bottom or full).

8.2 Filter Sidebar – Exact Filters (top to bottom)

1. Category – checkbox list (or accordion if nested)
 2. Brand – searchable input + checkbox list
 3. Price Range – shadcn Slider (dual thumb) + Min/Max number inputs
 4. Discount – radio or checkbox: 10%+, 20%+, 30%+, 50%+
 5. Availability – “In Stock only” checkbox
 6. Prescription – All / Required / OTC (radio)
- Top of sidebar: “Clear All Filters” text button
- Above product grid: active filter chips (removable)

8.3 Sorting Dropdown – Exact Options

Popularity (default) • Price: Low to High • Price: High to Low • Discount: High to Low • Newest First • Name A–Z

8.4 Product Grid Responsive

grid-cols-2 (mobile) → md:grid-cols-3 → lg:grid-cols-4. Gap-4. Skeleton cards while loading.

9. Phase 5 – Cart System

9.1 Redux Cart Item Shape

```
{
  id: string;
  name: string;
  price: number;
  mrp: number;
  image: string;
  quantity: number;
}
```

Actions: addToCart, removeFromCart, updateQuantity, clearCart

9.2 Cart Icon + Badge

In Navbar right zone. Badge shows sum of all quantities. Click opens Cart Drawer (does not navigate).

9.3 Cart Drawer (shadcn Sheet, side="right")

- Width: 100% mobile, max-w-md desktop
- Header: "Your Cart (X items)" + close button
- Body: scrollable list of CartItem rows (image 64px, name, price, qty stepper +/-, remove icon)
- Free delivery progress: "Add X more for free delivery" with progress bar (threshold 1000)
- Footer sticky: Subtotal + "View Cart" (outline) + "Checkout" (primary)
- Empty state: illustration + "Your cart is empty" + "Continue Shopping" button

9.4 Cart Page (/cart)

Full-page version. Same items + quantity controls. Optional coupon input (UI only, no real discount logic). Desktop: 2-column (items left, sticky summary right). Mobile: stacked.

10. Phase 6 – Checkout & Mock Payment

Route: /checkout. If user not authenticated → open Auth Modal first (do not proceed).

10.1 Sections (single scrollable page)

1. Delivery Address

Radio list of saved addresses (if any). "Add New Address" expands a form: Full Name, Phone, Area/Thana, District (select), Full Address (textarea). One address can be marked default.

2. Delivery Options

Radio cards: Same-day (Dhaka only) – charge 60 • Standard (2–3 days) – 30 or Free above 1000.

3. Order Summary

Line items, delivery charge, discount (if any), Grand Total. Sticky on desktop.

4. Payment Method

Radio cards with icons: bKash, Nagad, Rocket, Card, Cash on Delivery. When bKash/Nagad/Rocket selected → show phone number input field.

5. Place Order button

10.2 Mock Payment Flow (exact)

Click "Place Order" → button loading state (spinner) for 1.5–2 seconds → 90% chance Success → redirect to /order-success?id=MOCK-XXXX. 10% chance Failure → Sonner error toast, stay on page. No real gateway.

11. Phase 7 – Polish & Production Readiness

- Skeleton loaders for every data section (ProductCard skeleton, Hero skeleton, etc.)
- Empty states for cart, search results, filtered products (illustration + message + CTA)
- Error boundaries and friendly error messages in Bangla + English
- Custom 404 page
- SEO: metadata on every page (title, description, openGraph)
- Floating action buttons (mobile only): Call + WhatsApp, bottom-right, gap-3, z-40
- next/image everywhere, priority only on LCP images
- Lighthouse Performance target ≥ 90 (mobile)
- Bangla as default visible language; English toggle optional

12. Responsive Behavior Matrix

How every major piece behaves across breakpoints:

Component	Mobile (<768px)	Tablet (768–1023)	Desktop (≥1024)
Navbar height	64px	64px	72px
Search	Icon → expands overlay	Visible, narrower	Centered, max 520px
Category Sidebar	Hidden; chips or Sheet	Optional chips	Sticky left 240px
Hero height	55–60vh	60vh	65–70vh
Product grid	2 columns	3 columns	4 columns
Filter Sidebar	Sheet (bottom/full)	Sheet or collapsible	Sticky left 260px
Cart Drawer width	100vw	max-w-md	max-w-md
Checkout layout	Single column stack	Single column	2-col (form + summary)
Footer	Stacked links	2-col	4-col grid
Floating Call/WA	Visible bottom-right	Visible	Hidden or subtle
Font size body	14px	14–15px	15px
Section padding Y	32px (py-8)	40–48px	48–64px

13. Animation Specifications

Element	Library	Exact Behavior
Hero slide change	Framer Motion	x: 100%→0→-100%, opacity 0→1→0, duration 0.6s, ease [0.32,0.72,0,1]
Hero auto-play	setInterval / Motion	Every 5000ms, pause on hover
Auth Modal open/close	shadcn Dialog	Default Radix scale + fade
Cart Drawer	shadcn Sheet	Slide in from right, duration ~300ms
Add to Cart toast	Sonner	Slide in top-right / bottom-center mobile
Filter Sheet (mobile)	shadcn Sheet	Slide from bottom or full screen
Button press	Tailwind	active:scale-95 transition
Product card hover	Tailwind	hover:shadow-md transition-shadow duration-200
Page transitions	Optional	Simple fade if using template; not mandatory Phase 1

14. Recommended Implementation Order

Follow this exact sequence so each phase has the dependencies it needs and the client can see progress early:

1. Phase 0 – Scaffold project, install everything, init shadcn
2. Phase 1 – Design tokens, fonts, Providers, Navbar, Footer
3. Phase 2 – Homepage (Hero → Sidebar → Trust → Product sections → CTA). Biggest visual impact.
4. Phase 5 – Cart slice + Cart icon/badge + Drawer (so “Add to Cart” on homepage works)
5. Phase 3 – Auth Modal (needed before checkout)
6. Phase 4 – Product Listing pages with filters & sorting
7. Phase 6 – Checkout + mock payment + success page
8. Phase 7 – Skeletons, empty/error states, floating buttons, SEO, final polish

End of Implementation Roadmap — mediShop v1.0

Blue Theme • Inter + Roboto Slab • Next.js 16 • shadcn/ui

This document is sufficient for LLM / Cursor / Claude to implement without prediction.