







Refdes	Qty	UOM	Part Number	Rev	Description	
					CABLE-MULTICONDUCTOR-IMP, COPPER, 300V, 16 AWG, 19/29, 2	
	1	4 EA	E-0000209		0 CONDUCTOR, PAIRS, 0.189 IN OD, FEP-TEFLON, WHITE, F/FTP	
					CONNECTOR-MIL, DTL-26482-SERIES 1, PLUG-CABLE, BAYONET COUPLING,	
					CRIMP, GROMMET + STRAIN RELIEF CLAMP, SIZE 16, 16-26, PIN, NO KEY,	
		1 EA	E-0000253		0 CADMIUM-OLIVE DRAB, 1000VAC	
					CONNECTOR-MIL, DTL-26482-SERIES 1, PLUG-CABLE, BAYONET COUPLING,	
					CRIMP, GROMMET + EXT SR CLAMP, SIZE 16, 16-26, SOCKET, NO KEY,	
		1 EA	E-0000232		0 CADMIUM-OLIVE DRAB, 1000 V-AC	
					CABLE-MULTICONDUCTOR-MET, COPPER, 300V, 0.52 MM2, 7 X 28, 12	
		2 EA	E-0000056		0 PAIRS CONDUCTOR, PAIRS, NA, PVC, BLACK, F/FTP	
					CABLE-DATA, DSUB TO DSUB, DB25M/F MOLDED D-SUB CABLE, 5, PVC,	
		2 EA	E-0000062		0 GREY, FOIL-AL-100	
					CONNECTOR-MIL, DTL-26482-SERIES 1, PLUG-CABLE, BAYONET COUPLING,	
					CRIMP, GROMMET + STRAIN RELIEF CLAMP, SIZE 14, 14-19, PIN, NO KEY,	
		1 EA	E-0000276		0 CADMIUM-OLIVE DRAB, 1000VAC	
					CONNECTOR-MIL, DTL-26482-SERIES 1, PLUG-CABLE, BAYONET COUPLING,	
					CRIMP, GROMMET + STRAIN RELIEF CLAMP, SIZE 14, 14-12, SOCKET, NO	
		1 EA	E-0000275		0 KEY, CADMIUM-OLIVE DRAB, 1000VAC	
					CONNECTOR-MIL, DTL-26482-SERIES 1, PLUG-CABLE, BAYONET COUPLING,	
					CRIMP, GROMMET + STRAIN RELEIF CLAMP, SIZE 14, 14-19, SOCKET, NO	
		2 EA	E-0000274		0 KEY, CADMIUM-OLIVE DRAB, 850DC, 600RMS	
					ASSEMBLY-CABLE, THROTTLE ACTUATOR POWER, UECU-500 MARK II,	
		1 EA	A-0000327		0 ACTUATOR POWER, 45.6438, 25000	
					ASSEMBLY-CABLE, THROTTLE ACTUATOR FEEDBACK, UECU-500 MARK II,	
		1 EA	A-0000301		0 ACTUATOR FEEDBACK, 45.6438, 25000	
					ASSEMBLY-CABLE, THROTTLE ACTUATOR CHASSIS TO CONTROLLER,	
		1 EA	A-0000329		0 THROTTLE ACTUATOR CHASSIS TO CONTROLLER, 45.6438, 25000	
					TUBING-IMP, LOW PRESSURE, FLEXIBLE, CROSS REFERENCE SS-FM6 AS4	
		2 EA	H-0013857		0 TA6-XXX, 0.64, 0.01, 1675, SS-316, SILVER	
LENGTH	·					
AS						
REQUIR	E				CABLE-MULTICONDUCTOR-IMP, COPPER, 300V, 20 AWG, 7/28, 2 COND,	
D		3 EA	E-000067		O INDIVIDUAL, 0.14 IN ODIA, PVC, WHITE, F	