

Syntax

Child: >

```
nav>ul>li
  <nav>
    <ul>
      <li></li>
    </ul>
  </nav>
```

Sibling: +

```
div+p+bq
  <div></div>
  <p></p>
  <blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
    <blockquote></blockquote>
  </div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
  <div>
    <header>
      <ul>
        <li><a href=""></a></li>
        <li><a href=""></a></li>
      </ul>
    </header>
    <footer>
      <p></p>
    </footer>
  </div>
```

Multiplication: *

```
ul>li*5
  <ul>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
    <li></li>
  </ul>
```

Item numbering: \$

```
div+div>p>span+em^^bq
  <div></div>
  <div>
    <p><span></span><em></em></p>
  </div>
  <blockquote></blockquote>
```

```
(div>d1>(dt+dd)*3)+footer>p
  <div>
    <d1>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </d1>
  </div>
  <footer>
    <p></p>
  </footer>
```

```
ul>li.item$*5
  <ul>
    <li class="item1"></li>
    <li class="item2"></li>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
  </ul>
```

```
ul>li.item$@-*5
  <ul>
    <li class="item5"></li>
    <li class="item4"></li>
    <li class="item3"></li>
    <li class="item2"></li>
    <li class="item1"></li>
  </ul>
```

ID and CLASS attributes

```
#header
  <div id="header"></div>

p.class1.class2.class3
  <p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
  <p title="Hello world"></p>
```

Text: {}

```
a{Click me}
  <a href="">Click me</a>
```

Implicit tag names

```
.class
  <div class="class"></div>
```

```
table>.row>.col
  <table>
    <tr class="row">
      <td class="col"></td>
    </tr>
  </table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. `foo` → `<foo></foo>`.

```
h${title=item${Header $}}*3
  <h1 title="item1">Header 1</h1>
  <h2 title="item2">Header 2</h2>
  <h3 title="item3">Header 3</h3>
```

```
ul>li.item$@3*5
  <ul>
    <li class="item3"></li>
    <li class="item4"></li>
    <li class="item5"></li>
    <li class="item6"></li>
    <li class="item7"></li>
  </ul>
```

```
.title
  <div class="title"></div>
```

```
td[rowspan=2 colspan=3 title]
  <td rowspan="2" colspan="3" title=""></td>
```

```
p>{Click }+a{here}+{ to continue}
  <p>Click <a href="">here</a> to continue</p>
```

```
em>.class
  <em><span class="class"></span></em>
```

```
ul>li.item$$$*5
  <ul>
    <li class="item001"></li>
    <li class="item002"></li>
    <li class="item003"></li>
    <li class="item004"></li>
    <li class="item005"></li>
  </ul>
```

```
form#search.wide
  <form id="search" class="wide"></form>
```

```
[a='value1' b="value2"]
  <div a="value1" b="value2"></div>
```

```
ul>.class
  <ul>
    <li class="class"></li>
  </ul>
```

!

Alias of html:5

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

bdo:l

```
<bdo dir="ltr">|</bdo>
```

link:css

```
<link rel="stylesheet" href="style.css" />
```

link:touch

```
<link rel="apple-touch-icon" href="favicon.png" />
```

link:import, link:im

```
<link rel="import" href="component.html" />
```

meta:win

```
<meta http-equiv="Content-Type"
content="text/html; charset=windows-1251" />
```

script

```
<script>|</script>
```

img:srcset, img:s

```

```

source, src

```
<source />
```

source:media, src:m

```
<source media="(min-width:)" srcset="|" />
```

source:media:sizes, src:mz

```
<source media="(min-width:)" sizes="|" srcset="|
|" />
```

a

```
<a href="|">|</a>
```

a:mail

```
<a href="mailto:|">|</a>
```

acronym, acr

```
<acronym title="|">|</acronym>
```

basefont

```
<basefont />
```

frame

```
<frame />
```

bdo

```
<bdo dir="|">|</bdo>
```

col

```
<col />
```

link:print

```
<link rel="stylesheet" href="print.css"
media="print" />
```

link:rss

```
<link rel="alternate" type="application/rss+xml"
title="RSS" href="rss.xml" />
```

meta

```
<meta />
```

meta:vp

```
<meta name="viewport" content="width=
device-width, user-scalable=no, initial-scale=
1.0, maximum-scale=1.0, minimum-scale=1.0"
/>
```

script:src

```
<script src="|">|</script>
```

img:sizes, img:z

```

```

source:src, src:sc

```
<source src="|" type="|" />
```

source:type, src:t

```
<source srcset="|" type="image/" />
```

source:sizes:type, src:zt

```
<source sizes="|" srcset="|" type="image/" />
```

a:link

```
<a href="http://|">|</a>
```

abbr

```
<abbr title="|">|</abbr>
```

base

```
<base href="|" />
```

br

```
<br />
```

hr

```
<hr />
```

bdo:r

```
<bdo dir="rtl">|</bdo>
```

link

```
<link rel="stylesheet" href="|" />
```

link:favicon

```
<link rel="shortcut icon" type="image/x-icon"
href="favicon.ico" />
```

link:atom

```
<link rel="alternate" type="application/atom+xml"
title="Atom" href="atom.xml" />
```

meta:utf

```
<meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
```

meta:compat

```
<meta http-equiv="X-UA-Compatible" content="IE=7"
/>
```

style

```
<style>|</style>
```

img

```

```

picture

```
<picture>|</picture>
```

source:srcset, src:s

```
<source srcset="|" />
```

source:sizes, src:z

```
<source sizes="|" srcset="|" />
```

source:media:type, src:mt

```
<source media="(min-width:)" srcset="|" type="
image/" />
```

iframe

```
<iframe src="|" frameborder="0">|</iframe>
```

```

embed
  <embed src="" type="" />

map
  <map name="" />

area:c
  <area shape="circle" coords="" href="" alt="" />

form:post
  <form action="" method="post"> />

inp
  <input type="text" name="" id="" />

input:search
  Alias of inp[type=search]
  <input type="search" name="" id="" />

input:password, input:p
  Alias of inp[type=password]
  <input type="password" name="" id="" />

input:datetime-local
  Alias of inp[type=datetime-local]
  <input type="datetime-local" name="" id="" />

input:time
  Alias of inp[type=time]
  <input type="time" name="" id="" />

input:color
  Alias of inp[type=color]
  <input type="color" name="" id="" />

input:range
  Alias of inp[type=range]
  <input type="range" name="" id="" />

input:button, input:b
  <input type="button" value="" />

select
  <select name="" id="" />

```

```

object
  <object data="" type="" />

area
  <area shape="" coords="" href="" alt="" />

area:r
  <area shape="rect" coords="" href="" alt="" />

form
  <form action="" />

label
  <label for="" />

input:hidden, input:h
  Alias of input[type=hidden name]
  <input type="hidden" name="" />

input:email
  Alias of inp[type=email]
  <input type="email" name="" id="" />

input:datetime
  Alias of inp[type=datetime]
  <input type="datetime" name="" id="" />

input:month
  Alias of inp[type=month]
  <input type="month" name="" id="" />

input:tel
  Alias of inp[type=tel]
  <input type="tel" name="" id="" />

input:checkbox, input:c
  Alias of inp[type=checkbox]
  <input type="checkbox" name="" id="" />

input:file, input:f
  Alias of inp[type=file]
  <input type="file" name="" id="" />

isindex
  <isindex />

param
  <param name="" value="" />

area:d
  <area shape="default" href="" alt="" />

area:p
  <area shape="poly" coords="" href="" alt="" />

form:get
  <form action="" method="get"> />

input
  <input type="text" />

input:text, input:t
  Alias of inp
  <input type="text" name="" id="" />

input:url
  Alias of inp[type=url]
  <input type="url" name="" id="" />

input:date
  Alias of inp[type=date]
  <input type="date" name="" id="" />

input:week
  Alias of inp[type=week]
  <input type="week" name="" id="" />

input:number
  Alias of inp[type=number]
  <input type="number" name="" id="" />

input:radio, input:r
  Alias of inp[type=radio]
  <input type="radio" name="" id="" />

input:submit, input:s
  <input type="submit" value="" />

input:image, input:i
  <input type="image" src="" alt="" />

input:reset
  Alias of input:button[type=reset]
  <input type="reset" value="" />

```

select:disabled, select:d

Alias of select[disabled.]

```
<select name="" id="" disabled="disabled">
</select>
```

menu:toolbar, menu:t

Alias of menu[type=toolbar]>

```
<menu type="toolbar">
</menu>
```

button:submit, button:s, btn:s

Alias of button[type=submit]

```
<button type="submit">
</button>
```

fieldset:disabled, fieldset:d, fset:d, fst:d

Alias of fieldset[disabled.]

```
<fieldset disabled="disabled">
</fieldset>
```

figc

Alias of figcaption

```
<figcaption>
</figcaption>
```

emb

Alias of embed

```
<embed src="" type="" />
```

colg

Alias of colgroup

```
<colgroup>
</colgroup>
```

optg

Alias of optgroup

```
<optgroup>
</optgroup>
```

art

Alias of article

```
<article>
</article>
```

option, opt

```
<option value="">
</option>
```

marquee

```
<marquee behavior="" direction="">
</marquee>
```

video

```
<video src="">
</video>
```

html:xml

```
<html xmlns="http://www.w3.org/1999/xhtml">
</html>
```

button:reset, button:r, btn:r

Alias of button[type=reset]

```
<button type="reset">
</button>
```

bq

Alias of blockquote

```
<blockquote>
</blockquote>
```

pic

Alias of picture

```
<picture>
</picture>
```

obj

Alias of object

```
<object data="" type="">
</object>
```

fst, fset

Alias of fieldset

```
<fieldset>
</fieldset>
```

tarea

Alias of textarea

```
<textarea name="" id="" cols="30" rows="10">
</textarea>
```

hdr

Alias of header

```
<header>
</header>
```

textarea

```
<textarea name="" id="" cols="30" rows="10">
</textarea>
```

menu:context, menu:c

Alias of menu[type=context]>

```
<menu type="context">
</menu>
```

audio

```
<audio src="">
</audio>
```

keygen

```
<keygen />
```

command

```
<command />
```

button:disabled, button:d, btn:d

Alias of button[disabled.]

```
<button disabled="disabled">
</button>
```

fig

Alias of figure

```
<figure>
</figure>
```

ifr

Alias of iframe

```
<iframe src="" frameborder="0">
</iframe>
```

cap

Alias of caption

```
<caption>
</caption>
```

btn

Alias of button

```
<button>
</button>
```

leg

Alias of legend

```
<legend>
</legend>
```

sect

Alias of section

```
<section>
</section>
```

fttr

Alias of footer

```
<footer>
</footer>
```

adr

Alias of address
`<address>|</address>`

prog

Alias of progress
`<progress>|</progress>`

datag

Alias of datagrid
`<datagrid>|</datagrid>`

det

Alias of details
`<details>|</details>`

doc4

Alias of `<html><head>meta[http-equiv="Content-Type" content="text/html; charset=${charset}"]<title ${1:Document}</title></head><body>|</body></html>`

dlg

Alias of dialog
`<dialog>|</dialog>`

mn

Alias of main
`<main>|</main>`

data1

Alias of datalist
`<datalist>|</datalist>`

cmd

Alias of command
`<command />`

ri:dpr, ri:d

Alias of ``
``

ri:art, ri:a

Alias of `<pic>src:m+img`
`<picture>
 <source media="(min-width:)" srcset="|" />

</picture>`

str

Alias of strong
`|`

tem

Alias of template
`<template>|</template>`

kg

Alias of keygen
`<keygen />`

out

Alias of output
`<output>|</output>`

doc

Alias of `<html>`
`(<head>meta[charset=${charset}]+title{${1:Document}})+body`
`<html>
<head>
 <meta charset="UTF-8" />
 <title>Document</title>
</head>
<body>
|
</body>
</html>`

ri:viewport, ri:v

Alias of `:z`
``

ri:type, ri:t

Alias of `<pic>src:t+img`
`<picture>
 <source srcset="|" type="image/" />

</picture>`

html:4t

Alias of !!!4t+doc4[lang=\${lang}]

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:xs

Alias of

```
!!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:4s

Alias of !!!4s+doc4[lang=\${lang}]

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:xss

Alias of

```
!!!xss+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ul+

Alias of ul>li

```
<ul>
  <li>|</li>
</ul>
```

html:xt

Alias of

```
!!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml
xml:lang=${lang}]

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml"
xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

html:5

Alias of !!!+doc[lang=\${lang}]

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  |
</body>
</html>
```

ol+

Alias of ol>li

```
<ol>
  <li>|</li>
</ol>
```

dl+

Alias of dl>dt+dd

```
<dl>
  <dt>|</dt>
  <dd>|</dd>
</dl>
```

```
map+
Alias of map>area
<map name="">
  <area shape="" coords="" href="" alt="" />
</map>
```

```
select+
Alias of select>option
<select name="" id="">
  <option value=""></option>
</select>
```

```
!!!
<!DOCTYPE html>
```

```
!!!xs
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
strict.dtd">
```

```
cc:ie
<!--[if IE]>
  ${child}
<![endif]-->
```

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. `ov:h == ov-h == ovh == oh`.
If abbreviation wasn't found, it is transformed into property name: `foo-bar → foo-bar: ;`
You can prefix abbreviations with hyphen to produce vendor-prefixed properties: `-foo`

Visual Formatting

```
pos          position: relative;

t            top: ;

r:a          right: auto;
```

```
table+
Alias of table>tr>td
<table>
  <tr>
    <td></td>
  </tr>
</table>
```

```
optgroup+, optg+
Alias of optgroup>option
<optgroup>
  <option value=""></option>
</optgroup>
```

```
!!!4t
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
```

```
!!!xss
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
```

```
cc:noie
<!--[if !IE]><!-->
  ${child}
<!--<![endif]-->
```

```
colgroup+, colg+
Alias of colgroup>col
<colgroup>
  <col />
</colgroup>
```

```
tr+
Alias of tr>td
<tr>
  <td></td>
</tr>
```

```
pic+
Alias of picture>source:srcset+img
<picture>
  <source srcset="" />
  <img src="" alt="" />
</picture>
```

```
!!!4s
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
```

```
!!!xt
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-
transitional.dtd">
```

```
c
<!-- ${child} -->
```

```
cc:ie6
<!--[if lte IE 6]>
  ${child}
<![endif]-->
```

```
pos:s        position:static;

pos:r        position:relative;

t:a          top:auto;

b            bottom: ;
```

```
pos:a        position:absolute;

pos:f        position:fixed;

r            right: ;

b:a          bottom:auto;
```


l	left: l ;	l:a	left:auto;	z	z-index: l ;
z:a	z-index:auto;	fl	float: left ;	fl:n	float:none;
				fl:l	float:left;
fl:r	float:right;	cl	clear: both ;	cl:n	clear:none;
				cl:l	clear:left;
cl:r	clear:right;	cl:b	clear:both;	d	display: block ;
d:n	display:none;	d:b	display:block;	d:f	display:flex;
d:if	display:inline-flex;	d:i	display:inline;	d:ib	display:inline-block;
d:li	display:list-item;	d:ri	display:run-in;	d:cp	display:compact;
d:tb	display:table;	d:itb	display:inline-table;	d:tbc	display:table-caption;
d:tbc	display:table-column;	d:tbc	display:table-column-group;	d:tbhg	display:table-header-group;
d:tbfg	display:table-footer-group;	d:tbr	display:table-row;	d:tbrg	display:table-row-group;
d:tbc	display:table-cell;	d:rb	display:ruby;	d:rbb	display:ruby-base;
d:rbbg	display:ruby-base-group;	d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;
v	visibility: hidden ;	v:v	visibility:visible;	v:h	visibility:hidden;
		v:c	visibility:collapse;	ov	overflow: hidden ;
ov:v	overflow:visible;	ov:h	overflow:hidden;	ov:s	overflow:scroll;
ov:a	overflow:auto;	ovx	overflow-x: hidden ;	ovx:v	overflow-x:visible;
				ovx:h	overflow-x:hidden;
ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;	ovy	overflow-y: hidden ;
ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;	ovy:s	overflow-y:scroll;
ovy:a	overflow-y:auto;	ovs	overflow-style: scrollbar ;	ovs:a	overflow-style:auto;
				ovs:s	overflow-style:scrollbar;
ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;	ovs:mq	overflow-style:marquee;
zoo, zm	zoom:1;	cp	clip: l ;	cp:a	clip:auto;
cp:r	clip:rect(top right bottom left);	rsz	resize: l ;	rsz:n	resize:none;
		rsz:b	resize:both;	rsz:h	resize:horizontal;
rsz:v	resize:vertical;	cur	cursor:\${pointer};	cur:a	cursor:auto;
cur:d	cursor:default;	cur:c	cursor:crosshair;	cur:ha	cursor:hand;
cur:he	cursor:help;	cur:m	cursor:move;	cur:p	cursor:pointer;
cur:t	cursor:text;				

Margin & Padding

m margin: **|**;

mt:a margin-top:auto;

mb margin-bottom: **|**;

ml:a margin-left:auto;

pr padding-right: **|**;

Box Sizing

bxz box-sizing: **border-box**;

bxsh:ra box-shadow: **inset** **h** **v** **blur** **spread** **rgba**(**0**, **0**, **0**, **.5**);

h:a height:auto;

mah max-height: **|**;

mih min-height: **|**;

Font

f font: **|**;

fw:b font-weight:bold;

fs font-style:\${italic};

fs:o font-style:oblique;

fv:sc font-variant:small-caps;

fza:n font-size-adjust:none;

ff:ss font-family:sans-serif;

ff:m font-family:monospace;

ff:v font-family: Verdana, Geneva, sans-serif;

fef:o font-effect:outline;

femp:b font-emphasize-position:before;

fems:n font-emphasize-style:none;

fems:c font-emphasize-style:circle;

fsm:a font-smooth:auto;

fst font-stretch: **|**;

fst:ec font-stretch:extra-condensed;

m:a margin:auto;

mr margin-right: **|**;

mb:a margin-bottom:auto;

p padding: **|**;

pb padding-bottom: **|**;

bxz:cb box-sizing:content-box;

bxsh box-shadow: **inset** **hoff** **voff** **blur** **color**;

bxsh:n box-shadow:none;

w:a width:auto;

maw max-width: **|**;

mah:n max-height:none;

f+ font: **1em** **Arial,sans-serif**;

fw:br font-weight:bolder;

fs:n font-style:normal;

fv font-variant: **|**;

fz font-size: **|**;

ff font-family: **|**;

ff:c font-family:cursive;

ff:a font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;

fef font-effect: **|**;

fef:eg font-effect:engrave;

fem font-emphasize: **|**;

femp:a font-emphasize-position:after;

fems:ac font-emphasize-style:accent;

fems:ds font-emphasize-style:disc;

fsm:n font-smooth:never;

fst:n font-stretch:normal;

fst:c font-stretch:condensed;

mt margin-top: **|**;

mr:a margin-right:auto;

ml margin-left: **|**;

pt padding-top: **|**;

pl padding-left: **|**;

bxz:bb box-sizing:border-box;

bxsh:r box-shadow: **inset** **hoff** **voff** **blur** **spread** **rgb**(**0**, **0**, **0**);

w width: **|**;

h height: **|**;

maw:n max-width:none;

miw min-width: **|**;

fw font-weight: **|**;

fw:n font-weight:normal;

fw:lr font-weight:lighter;

fs:i font-style:italic;

fv:n font-variant:normal;

fza font-size-adjust: **|**;

ff:s font-family:serif;

ff:f font-family:fantasy;

ff:t font-family: "Times New Roman", Times, Baskerville, Georgia, serif;

fef:n font-effect:none;

fef:eb font-effect:emboss;

femp font-emphasize-position: **|**;

fems font-emphasize-style: **|**;

fems:dt font-emphasize-style:dot;

fsm font-smooth: **|**;

fsm:aw font-smooth:always;

fst:uc font-stretch:ultra-condensed;

fst:sc font-stretch:semi-condensed;

`fst:se` `font-stretch:semi-expanded;`

`fst:ue` `font-stretch:ultra-expanded;`

Text

`va` `vertical-align:top;`

`va:bl` `vertical-align:baseline;`

`va:sub` `vertical-align:sub;`

`ta:r` `text-align:right;`

`tal:a` `text-align-last:auto;`

`tal:r` `text-align-last:right;`

`td:o` `text-decoration:overline;`

`te:n` `text-emphasis:none;`

`te:c` `text-emphasis:circle;`

`te:a` `text-emphasis:after;`

`th:f` `text-height:font-size;`

`ti` `text-indent:1;`

`tj:a` `text-justify:auto;`

`tj:ic` `text-justify:inter-cluster;`

`tj:t` `text-justify:tibetan;`

`to:n` `text-outline:none;`

`tt` `text-transform:uppercase;`

`tw` `text-wrap:1;`

`tw:u` `text-wrap:unrestricted;`

`tsh:r` `text-shadow:h v blur rgb(0, 0, 0);`

`lh` `line-height:1;`

`whs` `white-space:1;`

`whs:nw` `white-space:nowrap;`

`whsc` `white-space-collapse:1;`

`fst:e` `font-stretch:expanded;`

`va:sup` `vertical-align:super;`

`va:tt` `vertical-align:text-top;`

`va:b` `vertical-align:bottom;`

`ta` `text-align:left;`

`ta:j` `text-align:justify;`

`tal:l` `text-align-last:left;`

`td` `text-decoration:none;`

`td:l` `text-decoration:line-through;`

`te:ac` `text-emphasis:accent;`

`te:ds` `text-emphasis:disc;`

`th` `text-height:1;`

`th:t` `text-height:text-size;`

`ti:-` `text-indent:-9999px;`

`tj:iw` `text-justify:inter-word;`

`tj:d` `text-justify:distribute;`

`to` `text-outline:1;`

`tr` `text-replace:1;`

`tt:n` `text-transform:none;`

`tt:u` `text-transform:uppercase;`

`tw:n` `text-wrap:normal;`

`tw:s` `text-wrap:suppress;`

`tsh:ra` `text-shadow:h v blur rgba(0, 0, 0, .5);`

`lts` `letter-spacing:1;`

`whs:n` `white-space:normal;`

`whs:pw` `white-space:pre-wrap;`

`whsc:n` `white-space-collapse:normal;`

`fst:ee` `font-stretch:extra-expanded;`

`va:t` `vertical-align:top;`

`va:m` `vertical-align:middle;`

`va:tb` `vertical-align:text-bottom;`

`ta:l` `text-align:left;`

`ta:c` `text-align:center;`

`ta-lst` `text-align-last:1;`

`tal:c` `text-align-last:center;`

`td:n` `text-decoration:none;`

`td:u` `text-decoration:underline;`

`te` `text-emphasis:1;`

`te:dt` `text-emphasis:dot;`

`te:b` `text-emphasis:before;`

`th:a` `text-height:auto;`

`th:m` `text-height:max-size;`

`tj` `text-justify:1;`

`tj:ii` `text-justify:inter-ideograph;`

`tj:k` `text-justify:kashida;`

`to+` `text-outline:0 0 #000;`

`tr:n` `text-replace:none;`

`tt:c` `text-transform:capitalize;`

`tt:l` `text-transform:lowercase;`

`tw:no` `text-wrap:none;`

`tsh` `text-shadow:hoff voff blur #000;`

`tsh+` `text-shadow:0 0 0 #000;`

`tsh:n` `text-shadow:none;`

`lts-n` `letter-spacing:normal;`

`whs:p` `white-space:pre;`

`whs:pl` `white-space:pre-line;`

`whsc:k` `white-space-collapse:keep-all;`

whsc:l white-space-collapse:loose;

wob word-break:l;

wob:ba word-break:break-all;

wow:nm word-wrap:normal;

wow:s word-wrap:suppress;

Background

bg background:#000;

bgt background-color:transparent;

bgr background-repeat:l;

bgr:y background-repeat:repeat-y;

bga background-attachment:l;

bgp background-position:0 0;

bgbk:eb background-break:each-box;

bgcp:bb background-clip:border-box;

bgcp:nc background-clip:no-clip;

bgo:bb background-origin:border-box;

bgsz:a background-size:auto;

Color

c color:#000;

op opacity:l;

Generated content

cnt content:'l';

cnt:noq, ct:noq content:no-open-quote;

cnt:a, ct:a content:attr(l);

ct content:l;

q:ru quotes:'\00AB' '\00BB' '\201E' '\201C';

Outline

ol outline:l;

olw outline-width:l;

olw:tc outline-width:thick;

whsc:bs white-space-collapse:break-strict;

wob:n word-break:normal;

wos word-spacing:l;

wow:n word-wrap:none;

wow:b word-wrap:break-word;

bg+ background:#fff url(l) 0 0 no-repeat;

bgi background-image:url(l);

bgr:n background-repeat:no-repeat;

bgr:sp background-repeat:space;

bga:f background-attachment:fixed;

bgpx background-position-x:l;

bgbk background-break:l;

bgbk:c background-break:continuous;

bgcp:pb background-clip:padding-box;

bgo background-origin:l;

bgo:cb background-origin:content-box;

bgsz:ct background-size:contain;

c:r color:rgb(0, 0, 0);

cnt:n, ct:n content:normal;

cnt:cq, ct:cq content:close-quote;

cnt:c, ct:c content:counter(l);

q quotes:l;

q:en quotes:'\201C' '\201D' '\2018' '\2019';

ol:n outline:none;

olw:tn outline-width:thin;

ols outline-style:l;

whsc:ba white-space-collapse:break-all;

wob:k word-break:keep-all;

wow word-wrap:l;

wow:u word-wrap:unrestricted;

bg:n background:none;

bgc background-color:#fff;

bgi:n background-image:none;

bgr:x background-repeat:repeat-x;

bgr:rd background-repeat:round;

bga:s background-attachment:scroll;

bgpy background-position-y:l;

bgbk:bb background-break:bounding-box;

bgcp background-clip:padding-box;

bgcp:cb background-clip:content-box;

bgo:pb background-origin:padding-box;

bgsz background-size:l;

bgsz:cv background-size:cover;

c:ra color:rgba(0, 0, 0, .5);

cnt:oq, ct:oq content:open-quote;

cnt:ncq, ct:ncq content:no-close-quote;

cnt:cs, ct:cs content:counters(l);

q:n quotes:none;

coi counter-increment:l;

cor counter-reset:l;

olo outline-offset:l;

olw:m outline-width:medium;

ols:n outline-style:none;

ols:dt outline-style:dotted;
 ols:db outline-style:double;
 ols:i outline-style:inset;
 olc:i outline-color:invert;

Tables

tbl table-layout: **l**;
 cps caption-side: **l**;
 ec empty-cells: **l**;

Border

bd border: **l**;

 bdbk:c border-break:close;
 bdc1:s border-collapse:separate;

 bdi:n border-image:none;
 bdri border-right-image:url(**l**);
 bdbi:n border-bottom-image:none;
 bdc1 border-corner-image:url(**l**);
 bdtli border-top-left-image:url(**l**);
 bdtri border-top-right-image:url(**l**);
 bdbri border-bottom-right-image:url(**l**);
 bdbli border-bottom-left-image:url(**l**);
 bdf border-fit: **repeat**;

 bdf:ow border-fit:overwrite;
 bdlen border-length: **l**;
 bds border-style: **l**;
 bds:dt border-style:dotted;
 bds:db border-style:double;
 bds:w border-style:wave;
 bds:i border-style:inset;
 bdt, bt border-top: **l**;

ols:ds outline-style:dashed;
 ols:g outline-style:groove;
 ols:o outline-style:outset;

tbl:a table-layout:auto;
 cps:t caption-side:top;
 ec:s empty-cells:show;

bd+ border: **1px** **solid** **#000**;

 bdc1 border-collapse: **l**;
 bdc border-color: **#000**;

 bdti border-top-image:url(**l**);
 bdri:n border-right-image:none;
 bdli border-left-image:url(**l**);
 bdc1:n border-corner-image:none;
 bdtli:n border-top-left-image:none;
 bdtri:n border-top-right-image:none;
 bdbri:n border-bottom-right-image:none;
 bdbli:n border-bottom-left-image:none;
 bdf:c border-fit:clip;
 bdf:sc border-fit:scale;
 bdf:of border-fit:overflow;
 bdlen:a border-length:auto;
 bds:n border-style:none;
 bds:ds border-style:dashed;
 bds:dt ds border-style:dot-dash;
 bds:g border-style:groove;
 bds:o border-style:outset;
 bdt+ border-top: **1px** **solid** **#000**;

ols:s outline-style:solid;
 ols:r outline-style:ridge;
 olc outline-color: **#000**;

tbl:f table-layout:fixed;
 cps:b caption-side:bottom;
 ec:h empty-cells:hide;

 bd:n border:none;
 bdbk border-break: **close**;
 bdc1:c border-collapse:collapse;
 bdc:t border-color:transparent;
 bdi border-image:url(**l**);
 bdti:n border-top-image:none;
 bdbi border-bottom-image:url(**l**);
 bdli:n border-left-image:none;
 bdc1:c border-corner-image:continue;
 bdtli:c border-top-left-image:continue;
 bdtri:c border-top-right-image:continue;
 bdbri:c border-bottom-right-image:continue;
 bdbli:c border-bottom-left-image:continue;
 bdf:r border-fit:repeat;
 bdf:st border-fit:stretch;
 bdf:sp border-fit:space;
 bdsp border-spacing: **l**;
 bds:h border-style:hidden;
 bds:s border-style:solid;
 bds:dt dtds border-style:dot-dot-dash;
 bds:r border-style:ridge;
 bdw border-width: **l**;
 bdt:n border-top:none;
 bdtw border-top-width: **l**;

bdts	<code>border-top-style: !;</code>	bdts:n	<code>border-top-style:none;</code>	bdtc	<code>border-top-color:# 000;</code>
bdtc:t	<code>border-top-color:transparent;</code>	bdr, br	<code>border-right: !;</code>	bdr+	<code>border-right: 1px solid #000;</code>
bdr:n	<code>border-right:none;</code>	bdrw	<code>border-right-width: !;</code>	bdrst	<code>border-right-style: !;</code>
bdrst:n	<code>border-right-style:none;</code>	bdrcl	<code>border-right-color:# 000;</code>	bdrcl:t	<code>border-right-color:transparent;</code>
bdb+	<code>border-bottom: 1px solid #000;</code>	bdb:n	<code>border-bottom:none;</code>	bdbb, bb	<code>border-bottom: !;</code>
bdbc	<code>border-bottom-color:# 000;</code>	bdbb	<code>border-bottom-style: !;</code>	bdbw	<code>border-bottom-width: !;</code>
bdls	<code>border-left-style: !;</code>	bdbc:t	<code>border-bottom-color:transparent;</code>	bdbb:n	<code>border-bottom-style:none;</code>
bdlc:t	<code>border-left-color:transparent;</code>	bdl+	<code>border-left: 1px solid #000;</code>	bdl, bl	<code>border-left: !;</code>
bdtlrs	<code>border-top-left-radius: !;</code>	bdls:n	<code>border-left-style:none;</code>	bdl:n	<code>border-left:none;</code>
Lists		bdrs	<code>border-radius: !;</code>	bdlw	<code>border-left-width: !;</code>
lis	<code>list-style: !;</code>	bdbrrs	<code>border-bottom-right-radius: !;</code>	bdlc	<code>border-left-color:# 000;</code>
lisp:i	<code>list-style-position:inside;</code>	lis:n	<code>list-style:none;</code>	bdtrrs	<code>border-top-right-radius: !;</code>
list:n	<code>list-style-type:none;</code>	lisp:o	<code>list-style-position:outside;</code>	bdblrs	<code>border-bottom-left-radius: !;</code>
list:s	<code>list-style-type:square;</code>	list:d	<code>list-style-type:disc;</code>	lisp	<code>list-style-position: !;</code>
list:lr	<code>list-style-type:lower-roman;</code>	list:dc	<code>list-style-type:decimal;</code>	list	<code>list-style-type: !;</code>
lisi:n	<code>list-style-image:none;</code>	list:ur	<code>list-style-type:upper-roman;</code>	list:c	<code>list-style-type:circle;</code>
Print				list:dc1z	<code>list-style-type:decimal-leading-zero;</code>
pgbb	<code>page-break-before: !;</code>			lisi	<code>list-style-image: !;</code>
pgbb:l	<code>page-break-before:left;</code>	pgbb:au	<code>page-break-before:auto;</code>	pgbb:a1	<code>page-break-before:always;</code>
pgbi:au	<code>page-break-inside:auto;</code>	pgbb:r	<code>page-break-before:right;</code>	pgbi	<code>page-break-inside: !;</code>
pgba:au	<code>page-break-after:auto;</code>	pgbi:av	<code>page-break-inside:avoid;</code>	pgba	<code>page-break-after: !;</code>
pgba:r	<code>page-break-after:right;</code>	pgba:a1	<code>page-break-after:always;</code>	pgba:l	<code>page-break-after:left;</code>
Others		orp	<code>orphans: !;</code>	wid	<code>widows: !;</code>
!	<code>!important</code>	@f	<code>@font-face { font-family: !; src:url(!); }</code>		

@f+	<pre>@font-face { font-family: 'FontName'; src: url('FileName.eot'); src: url('FileName.eot? #iefix') format('embedded- opentype'), url('FileName.woff') format('woff'), url('FileName.ttf') format('truetype'), url('FileName.svg# FontName') format('svg'); font-style: normal; font-weight: normal; }</pre>	@i, @import	@import url();	@kf	<pre>@-webkit-keyframes identifier { from { } to { } } @-o-keyframes identifier { from { } to { } } @-moz-keyframes identifier { from { } to { } } @keyframes identifier { from { } to { } }</pre>
@m, @media	<pre>@media screen { }</pre>	ac	align-content: ;	ac:c	align-content:center;
ac:sb	align-content:space-between;	ac:fe	align-content:flex-end;	ac:fs	align-content:flex-start;
ai:c	align-items:center;	ac:s	align-content:stretch;	ac:sa	align-content:space-around;
ai:s	align-items:stretch;	ai	align-items: ;	ai:b	align-items:baseline;
		ai:fe	align-items:flex-end;	ai:fs	align-items:flex-start;
		anim	animation: ;	anim-	<pre>animation: name duration timing-function delay iteration-count direction fill-mode;</pre>
animdel	animation-delay: time;	animdir	animation-direction: normal;	animdir:a	animation-direction:alternate;
				animdir:ar	animation-direction:alternate-reverse;
animdir:n	animation-direction:normal;	animdur	animation-duration: 0s;		
animfm	animation-fill-mode: both;	animdir:r	animation-direction:reverse;	animfm:bt, animfm:bh	animation-fill-mode:both;
		animfm:b	animation-fill-mode:backwards;	animic	animation-iteration-count: 1;
animic:i	animation-iteration-count:infinite;	animfm:f	animation-fill-mode:forwards;	animps	animation-play-state: running;
animps:p	animation-play-state:paused;	animn	animation-name: none;	animtf	animation-timing-function: linear;
animtf:cb	animation-timing-function:cubic-bezier(0.1, 0.7, 1.0, 0.1);	animdir:r	animation-play-state:running;	animtf:ei	animation-timing-function:ease-in;
		animtf:e	animation-timing-function:ease;	animtf:eo	animation-timing-function:ease-out;
		animtf:eio	animation-timing-function:ease-in-out;	animtf:l	animation-timing-function:linear;
ap	appearance:\${none};	as	align-self: ;	as:a	align-self:auto;
as:b	align-self:baseline;	as:c	align-self:center;	as:fe	align-self:flex-end;

as:fs	align-self:flex-start;	as:s	align-self:stretch;	bfbv	backface-visibility: !;
bfbv:h	backface-visibility:hidden;	bfbv:v	backface-visibility:visible;	bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src='x.png',sizingMethod='crop');
cm	/* \${child} */	colm	columns: !;	colmc	column-count: !;
colmf	column-fill: !;	colmg	column-gap: !;	colmr	column-rule: !;
colmrc	column-rule-color: !;	colmrs	column-rule-style: !;	colmrw	column-rule-width: !;
colms	column-span: !;	colmw	column-width: !;	d:ib+	display: inline-block; *display: inline; *zoom: 1;
fx	flex: !;	fxb	flex-basis: !;	fxd	flex-direction: !;
fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: !;	fxg	flex-grow: !;
fxsh	flex-shrink: !;	fxw	flex-wrap: !;	fxw:n	flex-wrap:nowrap;
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	justify-content: !;
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	jc:fs	justify-content:flex-start;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: res;
mir	min-resolution: res;	op+	opacity: !; filter: alpha(opacity= !);	op:ie	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
op:ms	-ms- filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';	ord	order: !;	ori	orientation: !;
tove	text-overflow:ellipsis;	ori:l	orientation:landscape;	ori:p	orientation:portrait;
trf:rx	transform: rotateX(angle);	tove	text-overflow:\${ellipsis};	tovc	text-overflow:clip;
trf:sc	transform: scale(x, y);	trf	transform: !;	trf:r	transform: rotate(angle);
trf:scy	transform: scaleY(y);	trf:ry	transform: rotateY(angle);	trf:rz	transform: rotateZ(angle);
trf:sky	transform: skewY(angle);	trf:sc3	transform: scale3d(x, y, z);	trf:scx	transform: scaleX(x);
trf:tx	transform: translateX(x);	trf:scz	transform: scaleZ(z);	trf:skx	transform: skewX(angle);
trfo	transform-origin: !;	trf:t	transform: translate(x, y);	trf:t3	transform: translate3d(tx, ty, tz);
trsde	transition-delay: time;	trf:ty	transform: translateY(y);	trf:tz	transform: translateZ(z);
trstf	transition-timing-function: tfunc;	trfs	transform-style: preserve-3d;	trs	transition: prop time;
wfsm:a	-webkit-font-smoothing:antialiased;	trsdu	transition-duration: time;	trsp	transition-property: prop;
		us	user-select:\${none};	wfsm	-webkit-font-smoothing:\${antialiased};
		wfsm:n	-webkit-font-smoothing:none;	wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-antialiased;

wm writing-mode: `lr-tb`;

wm:rlb writing-mode:rl-bt;

wm:tbr writing-mode:tb-rl;

XSL

tmatch, tm
`<xsl:template match="|" mode="|"></xsl:template>`

ap
`<xsl:apply-templates select="|" mode="|" />`

inc
`<xsl:include href="|" />`

ot
`<xsl:otherwise></xsl:otherwise>`

pare
`<xsl:param name="|" select="|" />`

wp
`<xsl:with-param name="|" select="|" />`

attr
`<xsl:attribute name="|"></xsl:attribute>`

co
`<xsl:copy-of select="|" />`

tex
`<xsl:text></xsl:text>`

fall
`<xsl:fallback></xsl:fallback>`

pres
`<xsl:preserve-space elements="|" />`

sort
`<xsl:sort select="|" order="|" />`

!!!
`<?xml version="1.0" encoding="UTF-8"?>`

Cheat Sheet

wm:bt1 writing-mode:bt-lr;

wm:lr1b writing-mode:lr-bt;

wm:rl1t writing-mode:rl-tb;

tname, tn
`<xsl:template name="|"></xsl:template>`

api
`<xsl:apply-imports />`

ch
`<xsl:choose></xsl:choose>`

if
`<xsl:if test="|"></xsl:if>`

var
`<xsl:variable name="|"></xsl:variable>`

key
`<xsl:key name="|" match="|" use="|" />`

attrs
`<xsl:attribute-set name="|"></xsl:attribute-set>`

val
`<xsl:value-of select="|" />`

com
`<xsl:comment></xsl:comment>`

num
`<xsl:number value="|" />`

strip
`<xsl:strip-space elements="|" />`

choose+
 Alias of `xsl:choose`
`<xsl:choose>`
`<xsl:when test="|"></xsl:when>`
`<xsl:otherwise></xsl:otherwise>`
`</xsl:choose>`

wm:btr writing-mode:bt-rl;

wm:lr1t writing-mode:lr-tb;

wm:tb1 writing-mode:tb-lr;

call
`<xsl:call-template name="|" />`

imp
`<xsl:import href="|" />`

xsl:when, wh
`<xsl:when test="|"></xsl:when>`

par
`<xsl:param name="|"></xsl:param>`

vare
`<xsl:variable name="|" select="|" />`

elem
`<xsl:element name="|"></xsl:element>`

cp
`<xsl:copy select="|" />`

each, for
`<xsl:for-each select="|"></xsl:for-each>`

msg
`<xsl:message terminate="no"></xsl:message>`

nam
`<namespace-alias stylesheet-prefix="|" result-prefix="|" />`

proc
`<xsl:processing-instruction name="|"></xsl:processing-instruction>`

xsl
 Alias of `!!!+xsl:stylesheet[version=1.0 xmlns:xsl=http://www.w3.org/1999/XSL/Transform]>{ | }`
`<?xml version="1.0" encoding="UTF-8"?>`
`<xsl:stylesheet version="1.0"`
`xmlns:xsl="http://www.w3.org/1999/XSL/Transform">`
`</xsl:stylesheet>`