Lab: Generics

Problems for the "C# Advanced" course @ Software University
You can check your solutions in Judge

Part I: Generics

1. Box of T

NOTE: You need a public **StartUp** class with the namespace **BoxOfT**.

Create a class **Box<>** that can store anything. It should have two public methods:

- **void Add(element)** – adds an element on the top of the list.
- **element Remove()** – removes the topmost element.
- **int Count { get; }**

Examples

```
public static void Main(string[] args)
{
    Box<int> box = new Box<int>();
    box.Add(1);
    box.Add(2);
    box.Add(3);
    Console.WriteLine(box.Remove());
    box.Add(4);
    box.Add(5);
    Console.WriteLine(box.Remove());
}
```

Hints

Use the syntax **Box<T>** to create a generic class

2. Generic Array Creator

NOTE: You need a public **StartUp** class with the namespace **GenericArrayCreator**.

Create a class **ArrayCreator** with a method and a single overload to it

- **static T[] Create(int length, T item).**

The method should return an array with the given length and every element should be set to the given default item.

Examples

```
static void Main(string[] args)
{
   string[] strings = ArrayCreator.Create(5, "Pesho");
   int[] integers = ArrayCreator.Create(10, 33);
}
```

Part II: Generic Constraints

3. Generic Scale

NOTE: You need a public **`StartUp`** class with the namespace **`GenericScale`**.

Create a class **`EqualityScale<T>`** that holds two elements – left and right. The scale should receive the elements through its single constructor:

- **`EqualityScale(T left, T right)`**

The scale should have a single method:

- **`bool AreEqual()`**

The greater of the two elements is the heavier. The method should return **`true`**, if the elements are equal.