TESTING DATA FOR TRIAGE SYSTEM

Data Set 1 — KTAS 1

Field	Value
Group	1
Sex	1
Patients number per hour	15
Age	68
Arrival mode	1
Injury	1
Mental	4
Pain	2
NRS_pain	2
SBP	72
DBP	40
HR	28
RR	6
BT	35.2
Saturation	82
Chief_complain	cardiac arrest

Data Set 2 — KTAS 2

Field	Value
Group	1
Sex	2
Patients number per hour	18
Age	55
Arrival mode	2
Injury	2
Mental	1
Pain	2
NRS_pain	9
SBP	88
DBP	55
HR	118
RR	32
BT	37.8
Saturation	87
Chief_complain	chest pain

Data Set 3 — KTAS 3

Field	Value
Group	2
Sex	1
Patients number per hour	22
Age	34
Arrival mode	5
Injury	1
Mental	1
Pain	2
NRS_pain	6
SBP	96
DBP	62
HR	112
RR	24
BT	38.2
Saturation	92
Chief_complain	abdominal pain

Data Set 4 — KTAS 4

Field	Value
Group	2
Sex	2
Patients number per hour	12
Age	29
Arrival mode	5
Injury	2
Mental	1
Pain	2
NRS_pain	3
SBP	120
DBP	78
HR	84
RR	18
BT	37.0
Saturation	97
Chief_complain	ankle sprain

Data Set 5 — KTAS 5

Field	Value
Group	3
Sex	1
Patients number per hour	8
Age	24
Arrival mode	5
Injury	2
Mental	1
Pain	1
NRS_pain	1
SBP	122
DBP	80
HR	72
RR	16
BT	36.8
Saturation	99
Chief_complain mild	runny nose