

grid: table1

Median over recorded trials; cost is negative expected utility. Missing or unsuccessful results: –.

Input	HILP					FullILP				
	Cost	Risk	Time (s)	Vars	$\Delta\text{cost}\%$	Cost	Risk	Time (s)	Vars	$\Delta\text{cost}\%$
expected-duration/grid-5x5-h3-d1-r1-b0.1	8.9323	0.090	0.073	268	0.00	8.9323	0.090	0.418	628	0.00
expected-duration/grid-5x5-h3-d1-r1-b0.2	8.1556	0.144	0.062	160	0.00	8.1556	0.144	0.418	628	0.00
expected-duration/grid-5x5-h3-d1-r1-b0.3	8.1556	0.144	0.062	172	0.00	8.1556	0.144	0.415	628	0.00
expected-duration/grid-5x5-h4-d1-r1-b0.1	9.6227	0.098	0.212	608	0.00	9.6227	0.098	6.882	7256	0.00
expected-duration/grid-5x5-h4-d1-r1-b0.2	8.1586	0.150	0.145	348	0.00	8.1586	0.150	6.439	7256	0.00
expected-duration/grid-5x5-h4-d1-r1-b0.3	8.1586	0.150	0.162	352	0.00	8.1586	0.150	6.605	7256	0.00
expected-duration/grid-5x5-h5-d1-r1-b0.1	10.3094	0.100	1.417	3012	0.00	10.3094	0.100	110.080	82148	0.00
expected-duration/grid-5x5-h5-d1-r1-b0.2	8.2410	0.155	0.223	628	0.00	8.2410	0.155	111.457	82148	0.00
expected-duration/grid-5x5-h5-d1-r1-b0.3	8.2410	0.155	0.294	928	0.00	8.2410	0.155	110.521	82148	0.00
expected-duration/grid-5x5-h6-d1-r1-b0.1	10.7048	0.100	4.097	6172	0.00	–	–	–	–	–
expected-duration/grid-5x5-h6-d1-r1-b0.2	8.2648	0.159	0.724	2196	0.00	–	–	–	–	–
expected-duration/grid-5x5-h6-d1-r1-b0.3	8.2648	0.159	0.854	2496	0.00	–	–	–	–	–
fixed-duration/grid-5x5-h3-d1-r1-b0.1	8.9323	0.090	0.064	268	0.00	8.9323	0.090	0.212	628	0.00
fixed-duration/grid-5x5-h3-d1-r1-b0.2	8.1556	0.144	0.058	160	0.00	8.1556	0.144	0.182	628	0.00
fixed-duration/grid-5x5-h3-d1-r1-b0.3	8.1556	0.144	0.047	172	0.00	8.1556	0.144	0.200	628	0.00
fixed-duration/grid-5x5-h4-d1-r1-b0.1	9.6798	0.099	0.247	1084	0.00	9.6798	0.099	2.489	7540	0.00
fixed-duration/grid-5x5-h4-d1-r1-b0.2	8.2410	0.155	0.133	592	0.00	8.2410	0.155	2.286	7540	0.00
fixed-duration/grid-5x5-h4-d1-r1-b0.3	8.2410	0.155	0.211	892	0.00	8.2410	0.155	2.328	7540	0.00
fixed-duration/grid-5x5-h5-d1-r1-b0.1	10.3580	0.094	2.544	4504	0.00	10.3580	0.094	33.159	90484	0.00
fixed-duration/grid-5x5-h5-d1-r1-b0.2	8.3305	0.156	0.694	3004	0.00	8.3305	0.156	31.872	90484	0.00
fixed-duration/grid-5x5-h5-d1-r1-b0.3	8.3305	0.156	0.867	3880	0.00	8.3305	0.156	31.620	90484	0.00
fixed-duration/grid-5x5-h6-d1-r1-b0.1	10.8564	0.100	10.359	13048	0.00	–	–	–	–	–
fixed-duration/grid-5x5-h6-d1-r1-b0.2	8.5173	0.159	7.295	17608	0.00	–	–	–	–	–
fixed-duration/grid-5x5-h6-d1-r1-b0.3	8.5173	0.159	15.166	31048	0.00	–	–	–	–	–

Bold: cost differs from the unique HILP baseline. Underline: lower time with matching recorded settings and trial/seed pairs. $\Delta\text{cost} = 100(C - C_{HILP})/|C_{HILP}|$; undefined for zero/missing/ambiguous baseline. Historical or mismatched timing is descriptive only; no speedup claim is implied.

HILP: experiments/grid/runs/table1-HILP; 36 rows, 0 unsuccessful.

FullILP: experiments/grid/runs/table1-FullILP; 27 rows, 0 unsuccessful.

grid: table1

Median over recorded trials; cost is negative expected utility. Missing or unsuccessful results: –.

Input	HILP					FullILP				
	Cost	Risk	Time (s)	Vars	$\Delta\text{cost}\%$	Cost	Risk	Time (s)	Vars	$\Delta\text{cost}\%$
stochastic-duration/grid-5x5-h3-d1-r1-b0.1	9.5892	0.098	0.136	404	0.00	9.5892	0.098	5.890	6408	0.00
stochastic-duration/grid-5x5-h3-d1-r1-b0.2	8.1556	0.145	0.086	164	0.00	8.1556	0.145	5.934	6408	0.00
stochastic-duration/grid-5x5-h3-d1-r1-b0.3	8.1556	0.145	0.107	176	0.00	8.1556	0.145	6.074	6408	0.00
stochastic-duration/grid-5x5-h4-d1-r1-b0.1	10.2649	0.099	1.246	2340	0.00	10.2649	0.099	87.767	65552	0.00
stochastic-duration/grid-5x5-h4-d1-r1-b0.2	8.1607	0.154	0.178	400	0.00	8.1607	0.154	89.060	65552	0.00
stochastic-duration/grid-5x5-h4-d1-r1-b0.3	8.1607	0.154	0.159	412	0.00	8.1607	0.154	86.810	65552	0.00
stochastic-duration/grid-5x5-h5-d1-r1-b0.1	10.6280	0.100	3.744	5612	0.00	10.6280	0.100	1264.198	661692	0.00
stochastic-duration/grid-5x5-h5-d1-r1-b0.2	8.2411	0.156	0.350	732	0.00	8.2411	0.156	1230.987	661692	0.00
stochastic-duration/grid-5x5-h5-d1-r1-b0.3	8.2411	0.156	0.379	1032	0.00	8.2411	0.156	1233.203	661692	0.00
stochastic-duration/grid-5x5-h6-d1-r1-b0.1	10.9771	0.100	10.967	12828	0.00	–	–	–	–	–
stochastic-duration/grid-5x5-h6-d1-r1-b0.2	8.2797	0.164	0.853	2592	0.00	–	–	–	–	–
stochastic-duration/grid-5x5-h6-d1-r1-b0.3	8.2797	0.164	1.131	3444	0.00	–	–	–	–	–

Bold: cost differs from the unique HILP baseline. Underline: lower time with matching recorded settings and trial/seed pairs. $\Delta\text{cost} = 100(C - C_{HILP})/|C_{HILP}|$; undefined for zero/missing/ambiguous baseline. Historical or mismatched timing is descriptive only; no speedup claim is implied.

HILP: experiments/grid/runs/table1-HILP; 36 rows, 0 unsuccessful.

FullILP: experiments/grid/runs/table1-FullILP; 27 rows, 0 unsuccessful.