

Mass as Marriage: The Chirality Pairing, the Unit Condensate, and the Klein Anatomy of Mass Matrices

Harald Rønning

Abstract. The road beyond the quantized mediator leads to the archive's one glaring absence: mass. This note maps the station and builds its exactly solvable core, guided by two structural facts the architecture itself enforces. First, **mass cannot be kinematic here**: a single chiral component admits no mass term at all, so mass can only be a bilinear *marriage of the two chiralities* — the ray and its antipodal continuation, the two halves of each axis the assembly paper joined — mediated by a condensate, which is a *state-stratum* structure: mass joins $\hbar$ (Schur-frozen from the algebra), c (scheduled from inclusions), and β (a normalization of flow) in the non-kinematic column, and the archive already carries its signature — the thermal kernel's exponential clustering is a correlation length in a state with no mass in any algebra. Verified here in the marriage mechanism directly: the coupled chiral pair has dispersion exactly $\pm\sqrt{k^2 + m^2}$ (to all computed digits at four momenta), and the equal-time correlator tracks $K_0(m|x|)$ with decay rate 0.686 against $m = 0.7$ — mass as inverse correlation length, a property of the state. Second, **the universal mass-giver is the algebra's unit**: the condensate vertex $V_{CAB} = \langle e_C e_A, e_B \rangle$ at $C = 0$ is *exactly* the identity matrix — diagonal, equal, for every component — because that is the unit's defining axiom: it multiplies everything the same. The intuition that mass is a "burden of unity, the same always" is here literal mathematics. The full Klein anatomy is verified: imaginary-core condensates couple *intra*-generation (layer pairs), charged condensates couple *inter*-generation with exact grade balance, and all imaginary channels are antisymmetric — so the combined mass-squared matrix is $MM^T = m_0^2 1 - K^2$: **the unit sets the common scale, the imaginary condensates split it (in degenerate pairs), and the charged condensates mix the generations**, with every splitting and mixing a choice the state makes, exactly as the generation-grading paper's democracy verdict required. Two hurdles are named with precision: cone compatibility (mass is an infrared modification of a spacetime derived in the ultraviolet — the shape of consistency stated, the precise treatment next), and the *selection principle* — what rigidity, analogous to the KMS-uniqueness that fixed the thermal state, fixes the condensate — now identified as the program's remaining summit.

1. The station, and two intuitions formalized

Everything in this archive is massless: chiral currents, a light cone, a conformal net. Mass is the next station, and the architecture dictates its shape before any model is chosen. Two guiding intuitions — that the mass mechanism is a "burden of unity, the same always," and that mass is "not kinematic, like c and $\hbar$, but algebraic and holistic" — turn out to be formalizable, and to fuse: the first is the unit element's axiom, the second is the state-stratum placement the whole series has assigned to every dimensionful quantity it produced.

2. The mechanism: mass is a marriage

A single chiral field has no mass term to write. The candidate pair exists in the archive already: each axis of the assembly carries *two* chiral halves — a future generator and its past antipodal continuation — and a bilinear coupling between them is the only mass the framework admits:

$$H_m = m \int j_L j_R du \implies \omega_{\pm}(k) = \pm \sqrt{k^2 + m^2},$$

verified per mode to all computed digits at $k = 0.3, 1.0, 2.5, 6.0$. The coupling is bilinear — the exactly solvable class of the measurement-gate machinery — and its mediator is a condensate: an expectation structure of the vacuum, not an element of the kinematics.

3. Mass is a state quantity

The signature that distinguishes a mass from a parameter is correlation decay, and it is a property of *states*. The married pair's equal-time correlator is the Bessel kernel: the mode integral tracks $K_0(m|x|)$ (values 0.248 vs 0.244 at $x = 2$, 0.0476 vs 0.0438 at $x = 4$, the drift the mode integral's ultraviolet cutoff), with measured decay rate 0.686 against $m = 0.7$ — the known K_0 prefactor accounting for the difference. Mass is the inverse correlation length of the vacuum: exactly the kind of quantity the archive has always placed on the state stratum, where the thermal state's exponential clustering had already exhibited the phenomenon — a mass scale in the correlations of a massless algebra.

4. The Klein anatomy of mass matrices

With the marriage established, the condensate's direction in $\mathbb{S}$ dictates the mass matrix through the vertex $V_{CAB} = \langle e_C e_A, e_B \rangle$, and the anatomy is verified entry by entry:

- **The unit, $C = 0$:** $V_0 = 1$ *exactly* — a universal, democratic, diagonal mass, equal for every component of every generation, because the unit multiplies everything the same. "The same always" is the unit's axiom; the burden of unity is the common mass scale m_0 .
- **Imaginary core, $C \in \{4, 8, 12\}$:** couplings pair A with $A \oplus C$ — *intra*-generation, layer-shifted — and are antisymmetric.
- **Charged grades, $\text{gen}(C) \neq 0$:** couplings pair generations i and $i \oplus \text{gen}(C)$ with exact grade balance — *inter*-generation mixing — and are antisymmetric.

Since every imaginary channel is antisymmetric, the combined matrix $M = m_0 1 + K$ (K real antisymmetric) has

$$MM^T = m_0^2 1 - K^2,$$

positive with eigenvalues $m_0^2 + \lambda_i^2$: **the unit sets the common scale; the imaginary condensates split the spectrum, in degenerate pairs; the charged condensates mix the generations.** Every splitting and every mixing is a component of the *condensate* — a

choice made by the state — precisely as the generation-grading paper required: the kinematics is democratic, and hierarchy, if the world has it, is the state's doing.

5. Two hurdles, named with precision

(i) Cone compatibility. The spacetime derivation of this series is ultraviolet and kinematic — the cone identification is a short-distance statement — while mass is an infrared modification of dispersion and clustering. The shape of consistency is therefore available: the massive theory's short-distance structure remains the conformal one that derived the cone, while its long-distance structure carries the state's scale. Making this division precise — the massive interior net over the massless cone — is the station's remaining construction.

(ii) The selection principle. What fixes the condensate? The archive's precedent is exact: the thermal state was not chosen but *forced* — the unique regular KMS state, with its symmetry derived. The analogous question — whether a KMS-like rigidity selects the condensate, fixing m_0 , the splittings, and the mixings — is the program's remaining summit, now sharply posed and honestly open.

6. Scope

Five items. (i) No identification with the Standard-Model Higgs is claimed: the mechanism here is a condensate-mediated chirality pairing; gauge structure is not modeled. (ii) A dynamical (fluctuating) condensate is interacting QFT under the perturbative-algebraic scaffold of the mediator paper. (iii) The mode-integral/ K_0 deviations are ultraviolet-cutoff quadrature, documented. (iv) The degenerate pairing of the antisymmetric channels, and which condensate combinations break it, are model-building material within the verified anatomy. (v) The two hurdles of §5 are the named next steps, the second being the deep one.

References

- Companion papers: *The Assembly: Null Lines Through a Point, the Light-Cone Identification, and Lorentz Symmetry as Output; The Graded Net: Klein-Charged Currents, the Jordan Diagonality of Observables, and the Selection Rule as Scattering; The Generation Grading: The Klein Selection Rule, Democratic Gauge Universality, and the Cyclic Generation Symmetry; Localization on the Scale Line: The Local Current Net, the Thermal Wedge, and the Modular Seed of the Möbius Group; The State Is Unique: Quasi-Free Rigidity, the Closed Zero-Mode Door, and the Infrared Condition's Third Duty; The Quantized Mediator: Tadpole-Freedom from the Grading, First-Order Flavor Amplitudes, and the Exchange Process.*

Created in collaboration with Claude (Anthropic). All conclusions and any errors remain the author's responsibility.