Duration: 1 m 7.063 s Start: Oct 23, 1:16:10.239 am End: Oct 23, 1:17:17.302 am Scenarios **Features** Steps PASSED - 0 PASSED - 1 PASSED - 6 SKIPPED - 0 SKIPPED - 0 SKIPPED - 1 10 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 70 20 20 80 80 80 90 90 10 60 % 25 % 100 100

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Home page functionality	1 m 7.063 s	4	1	3	0	10	6	3	1	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Home page functionality	verify title of page
2		checkout deals section
3		verify cart icon

TAG		Scenario			Feature			
Name	T	P	F	S	T	P	F	S
@sanity	1	0	1	0	1	0	1	0
@adhoc	1	1	0	0	1	0	1	0
@regression	1	0	1	0	1	0	1	0
@functional	1	0	1	0	1	0	1	0


FEATURES SUMMARY

-- 5 --



#	‡ Feat	ture Name	T	P	F	S	Duration
2	Home	e page functionality	4	1	3	0	1 m 7.063 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Home page functionality	verify title of page	2	1	1	0	5.923 s
2		login to application	3	3	0	0	9.195 s
3		checkout deals section	3	1	1	1	1 m 7.057 s
4		verify cart icon	2	1	1	0	10.897 s

DETAILED SECTION -- 7

Home page functionality

FAILED	DURATION - 1 m 7.063 s	Scenarios		Steps	
		Total - 4		Total - 10	
/ 1:16:10.239 am //	/ 1:17:17.302 am /	Pass - 1	4	Pass - 6	10
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 1	


verify title of page



#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	0.276 s
2	Then page title should contains "Shopping"	FAILED	0.652 s
	java.lang.AssertionError: expected [true] but found [false] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertTrue(Assert.java:57) at org.testng.Assert.assertTrue(Assert.java:67) at execution.HomePageSteps.page_title_should_contains(HomePageSteps.java:29) at ?.page title should contains "Shopping"(file:///C:/meghraj/cucumber%20projects/ATT_Morning-19Aug/src/test/resources/execution/HomePage.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - execution.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.318 s
	verify_title_of_page		


#	Step / Hook Details	Status	Duration
	On the transmission parameters are a second or a secon		

login to application



#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	1.221 s
2	When user enters the username as "8176867662"	PASSED	2.287 s
3	And user enters the password as "123456"	PASSED	0.145 s

checkout deals section




#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	1.067 s
2	When user clicks on fashion link	FAILED	1 m 0.026 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath:		

#	Step / Hook Details	Status	Duration
	//*[@class='a-carousel-card']//img[@alt='Amazon fashion']' (tried for 60 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230)		
	at pages.HomePage.carouselNavigation(HomePage.java:81)		
	at execution.HomePageSteps.user_clicks_on_fashion_link(HomePageSteps.java:44)		
	at ?.user clicks on fashion link(file:///C:/meghraj/cucumber%20projects/ATT_Morning-19Aug/src/test/resources/execution/HomePage.		
	feature:15)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	\[\text{\congruence} \con		
	documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-		
	exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.		
	version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9a2c0fb9980805887b703f9087af8a21, findElement {using=xpath, value=//*[@class='a-carousel-card']//img[@alt='Amazon fashion']}] Capabilities {acceptInsecureCerts: false, browserName:		
	chrome, browserVersion: 118.0.5993.89, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir:		
	C:\Users\meghr\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51111},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51111/devtoo,		
	se:cdpVersion: 118.0.5993.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	9a2c0fb9980805887b703f9087af8a21		
	at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:304)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)		

#	Step / Hook Details	Status	Duration
	at pages.HomePage.carouselNavigation(HomePage.java:81)		
	at execution.HomePageSteps.user_clicks_on_fashion_link(HomePageSteps.java:44)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testing.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:80)		
	at org.testng.internal.invokers.TestMethodWithDataProviderMethodWorker.call(TestMethodWithDataProviderMethodWorker.java:17)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:539)		
	at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136)		
	at java.base/java.util.concurrent.ThreadPoolExecutor.futrivorker(ThreadPoolExecutor.java.1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java.635)		
	at java.base/java.lang.Thread.run(Thread.java:833)		
	* Not displayable characters are replaced by '?'.		
_		014155	0.004
3	Then user should redirect to fashion page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - execution.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.713 s
	checkout_deals_section		
	Shop latest smartphones Blackey products Black		

verify cart icon



#	Step / Hook Details	Status	Duration
1	Given user is at the landing page	PASSED	0.973 s
2	Then cart icon should get display	FAILED	5.035 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//* [@id='nav-cart']"} (Session info: chrome=118.0.5993.89) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.14.0', revision: 'e5a96349ce' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [179fe714e21b142c37bb8e1420a41e73, findElement {using=xpath, value=//*[@id='nav-cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 118.0.5993.89, chrome: {chromedriverVersion: 118.0.5993.70 (e52f33f30b91, userDataDir: C:\Users\meghr\AppData\Loca}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51091, networkConnectionEnabled: false, pageLoadStrategy: normal, platformAme: windows, proxy: Proxy(), se:cdp: ws://localhost:51091/devtoo, se:cdp\Version: 118.0.5993.89, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 179fe714e21b142c37bb8e1420a41e73 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy28.isDisplayed(Unknown Source)		
	at pages.HomePage.isCartIconDisplayed(HomePage.java:73)		
	at execution.HomePageSteps.cart_icon_should_get_display(HomePageSteps.java:37)		
	at ?.cart icon should get display(file:///C:/meghraj/cucumber%20projects/ATT_Morning-19Aug/src/test/resources/execution/HomePage.		
	feature:10)		
	* Not displayable characters are replaced by '?'.		
	AFTER - execution.AppHooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.259 s
	verify_cart_icon		
	Amazon () Dente America positione		
	This is assured an interest of the control of the c		
	Through Conference Con		
	Office Application (1997)		