

Day1 HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <!-- For heading 1 to 6=>h$*6 -->
  <h1 id="homepage">For multiple line type at a time.press alt+select by a
cursor that place</h1>
  <h2>For multiple line type at a time.press alt+select by a cursor that
place</h2>
  <h3>For multiple line type at a time.press alt+select by a cursor that
place</h3>
  <h4>For multiple line type at a time.press alt+select by a cursor that
place</h4>
  <h5>For multiple line type at a time.press alt+select by a cursor that
place</h5>
  <h6>For multiple line type at a time.press alt+select by a cursor that
place</h6>
  <!-- For single heading multiple time h1*3--><!-- For a horizontal line
between tag <hr>-->
  <h1>H1 heading for three time h1*3</h1><hr>
  <h1>H1 heading for three time h1*3</h1>
  <h1>H1 heading for three time h1*3</h1>
  <!-- Bold by <b> and <Strong> -->
  <p>P for paragraph
    <b>Bold</b><br>
    <strong>Bold understand by google</strong><br>
  </p>
  <!-- Italic by <i> and <em> -->
  <p>
    <i>Italic</i><br>
    <em>Italic understand by google</em><br>
  </p>
  <!-- Del for delete end ins for insert -->
  <p>
    <del>Delete delete delete</del><br>
```

```

    <ins>Insert inplace of delete</ins><br>
</p>
<!-- underline by u -->
<p>
    <u>Underline</u><br>
</p>
<!-- double quote for google -->
<p>
    <q>Double quote for google</q><br>
</p>
<!-- mark for highlighter -->
<mark>
    <p>Highlight the text</p>
</mark>
<!-- Blockquote To save our self from copyright claim -->
<blockquote cite="https://www.mindsquotes.com/golden-words-quotes-in-
english/">
    <q>Never give up</q>
</blockquote>
<!-- subset and superset -->
H<sub>2</sub><sub>0</sub><br>
X<sup>2</sup>+Y<sup>2</sup><br>
<!-- Symbol from google w3 school -->
<p> &#8594;</p>
<!-- anchor tag for make hyperlink to open website -->
<a href="http://www.google.com">Go to google</a>
<br>
<!-- anchor tag for make hyperlink to open website in another tab -->
<a href="http://www.google.com" target="_blank">Go to google</a>
<br>
<!-- anchor tag for make hyperlink to go to top of page and give id to
starting tag h1 at starting of body-->
<a href="#homepage">Go to Top of page</a>
</body>
</html>

```

OUTPUT

**For multiple line type at a time.press
alt+select by a cursor that place**

**For multiple line type at a time.press alt+select by a cursor
that place**

For multiple line type at a time.press alt+select by a cursor that place

For multiple line type at a time.press alt+select by a cursor that place

For multiple line type at a time.press alt+select by a cursor that place

For multiple line type at a time.press alt+select by a cursor that place

H1 heading for three time h1*3

H1 heading for three time h1*3

H1 heading for three time h1*3

P for paragraph **Bold**
Bold understand by google

Italic
Italic understand by google

Delete delete delete
[Insert inplace of delete](#)

Underline

Double quote for google

Highlight the text

Never give up

H₂O

X²+Y²

→

[Go to google](#)

[Go to google](#)

[Go to Top of page](#)

FORM

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    div {
      background-color: rgb(205, 233, 233);
    }

    label {
      background-color: rgb(243, 247, 244);
      width: 120px;
      display: inline-block; /* To convert inline element to take width
and height make inline block.Block take full line.inline block is between
both of them*/
    }

    form {
      background-color: rgb(136, 40, 56);
      width: 500px;
      margin: 0 auto;
```

```

        /* margin use to make border area and first 0 for upper and
bottom side and auto for left and right side */
        /* margin: 0 50px; */
    }
</style>
</head>
<!-- Value use for server to send selected or typed data and name is for
column in which that data store to server -->
<!-- label with id to focus on that box when click of that label -->
<body>
    <form>
        <fieldset> <!-- For border of form -->
            <legend>Student information</legend> <!-- for heading of form -->
            <div> <!--placeholder for hint -->
                <label for="fn">Full name</label><!--autofocus is use for
when website open that time directly cursor start from full name -->
                <input type="text" id="fn" autofocus placeholder="Enter your
name" size="30" maxlength="50" name="Full name" required value="MEHUL
WAGHELA">
            </div> <!--id is for focus and connect with label -->
            <br><!--Size use for box size of full name and maxlength for
maximum character capacity enter for name -->
            <div> <!-- Required to make that field to fill compulsory -->
                <label for="bd">Birth date</label>
                <input type="date" id="bd">
            </div>
            <br>
            <div>
                <label for="ln">Last name</label>
                <input type="text" id="ln" disabled> <!--Disabled when that
field is not use for that form -->
            </div>
            <div>
                <label for="em">Email</label><!-- @ is compulsory -->
                <input type="email" id="em"
placeholder="mehulwaghela63@gmail.com">
            </div>
            <br>
            <div>
                <label for="we">Website</label><!-- http compulsory in input
-->
                <input type="url" id="we">
            </div>

```

```
<br>
<div>
  <label for="ra">Range</label><!-- We can slide from 10 to 100
in step of 25 -->
  <input type="range" id="ra" max="100" min="0" step="25">
</div>
<br>
<div>
  <label for="no">number</label> <!-- We can write from 10 to
100 in step of 25 -->
  <input type="number" id="no" max="100" min="0" step="25">
</div>
<br>
<div>
  <label for="mn">Mobile no</label>
  <input type="tel" id="mn" pattern="[0-9]{5} [0-9]{5}"
placeholder="Ex-12345 67891">
  <!-- pattern [ only write no 1 to 9] for first 5 digit then
space and then same type 5 digit -->
</div>
<br>
<div>
  <label for="co">My Favourite color</label>
  <input type="color" id="co">
</div>
<br>
<div>
  <label for="pa">Password</label>
  <input type="password" id="pa">
</div>
<br>
<div>
  <label for="ti">Time</label>
  <input type="time" id="ti">
</div>
<br>
<div> <!-- multiple for upload multiple file at a time -->
  <label for="uf">Upload file</label>
  <input type="file" id="uf" multiple>
</div>
<br>
<div>
  <label>Gender</label><br>
```

```

        <!-- At a time any one select from them when use radio type
and in this name should be same for all -->
        <input type="radio" id="M" name="Gender" value="male"><label
for="M">Male</label>
        <input selected type="radio" id="F" name="Gender"
value="female"><label for="F">Female</label>
        <input type="radio" id="O" name="Gender" value="Other"><label
for="O">Other</label>
    </div>
    <br>
    <div>
        <label>Hobby</label><br>
        <!-- Checkbox is same as radio but in this we can select
multiple hobby and if name is not same despite that it work -->
        <input type="checkbox" id="cr" name="Hobby"
value="Cricket"><label for="cr">Cricket</label>
        <input selected type="checkbox" id="fo" name="Hobby"
value="Football"><label for="fo">Football</label>
        <input type="checkbox" id="vo" name="Hobby"
value="Volleyball"><label for="vo">Volleyball</label>
    </div>
    <br>
    <div>
        <label for="te">Technology</label><br>
        <select name="Tech" id="te">
            <option value="HTML">HTML</option>
            <option value="Java">Java</option>
            <option value="Css">Css</option>
            <option selected value="C language">C language</option>
            <!-- Due to selected it is automatically select when
website run -->
        </select>
    </div>
    <br>
    <div>
        <label for="te">Technology</label><br>
        <select name="Tech" id="te" multiple> <!-- For multiple value
select at one time select use -->
            <optgroup label="Front end">
                <option value="HTML">HTML</option>
                <option value="Java">Java</option>
            </optgroup>
            <optgroup label="Back End">

```

```

        <option value="Css">Node js</option>
        <option selected value="C language">Laravel</option>
        <!-- Due to selected it is automatically select when
website run -->
    </optgroup>
</select>
</div>
<br>
<div>
    <label for="ar">Review</label>
    <textarea name="Review" id="ar" cols="30"
        rows="10">very nice service</textarea><!-- cols and rows
is acoording to textbox area -->
</div>
<br>
<div>
    <label for="sa">Search</label>
    <input type="text" id="sa" list="laa">
    <!-- list attri use for connect datalist with this search box
id and list name same-->
    <datalist id="laa">
        <option value="Apple">Apple</option>
        <option value="Bannana">Bannana</option>
        <option value="Grapes">Grapes</option>
        <option value="Watermelon">Watermelon</option>
    </datalist>
</div>
<br>
<div>
    <!-- <input type="submit" value="submit form"> -->
    <input type="image" src="image/submit.jpeg" width="auto"
height="50">
    <input type="reset" value="Reset form">
</div>
<br>
</fieldset>
</form>
</body>
</html>

```


Output

A screenshot of a web browser displaying a form titled "Student information". The form is enclosed in a dark red border and contains the following fields:

- Full name:
- Birth date:
- Last name:
- Email:
- Website:
- Range:
- number:
- Mobile no:
- My Favourite color:
- Password:
- Time:
- Upload file:
- Gender: ☐ Male ☐ Female ☐ Other
- Hobby: ☐ Cricket ☐ Football ☐ Volleyball

The browser's address bar shows "127.0.0.1:5501/form.html". The Windows taskbar at the bottom shows the time as 10:28 PM on 3/8/2023.

A screenshot of a web browser displaying a form with the following sections:

- Hobby:** ☐ Cricket ☐ Football ☐ Volleyball
- Technology:** C language
- Technology:**

Java

Back End

Node js

Laravel
- Review:**

very nice service
- Search:**
- Buttons:**

The browser's address bar shows "127.0.0.1:5501/form.html". The Windows taskbar at the bottom shows the time as 10:29 PM on 3/8/2023.

Solar system.html Page1

```
<!DOCTYPE html>
```

```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>

<body>
  <h1>Solar system</h1>
  
  <h2>
    <ol>
      <li id="return"><a
href="solardescription.html#mercury">Mercury</a></li>
      <li><a href="solardescription.html#venus">Venus</a></li>
      <li><a href="solardescription.html#earth">Earth</a></li>
      <li><a href="solardescription.html#mars">Mars</a></li>
      <li><a href="solardescription.html#jupiter">Jupiter</a></li>
      <li><a href="solardescription.html#saturn">Saturn</a></li>
      <li><a href="solardescription.html#neptune">Neptune</a></li>
      <li><a href="solardescription.html#uranus">uranus</a></li>
    </ol>
  </h2>

```

Solar description page2

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>

<body>
  <h1>Solar system</h1>
  

```

```

<h3>
  <dl>
    <dt id="mercury">Mercury</dt>
    
    <dd>The smallest planet in our solar system and nearest to the
Sun, Mercury is only slightly larger than
      Earth's Moon.

      The Latest
      Full Moon Guide: January - February 2022
      From the surface of Mercury, the Sun would appear more than
three times as large as it does when viewed
      from Earth, and the sunlight would be as much as seven times
brighter. Despite its proximity to the Sun,
      Mercury is not the hottest planet in our solar system - that
title belongs to nearby Venus, thanks to
      its dense atmosphere.</dd>
    <br><a href="solarsystem.html#return">Home page</a>
    <dt id="venus">Venus</dt>
    
    <dd>Venus is the second planet from the Sun and is Earth's
closest planetary neighbor. It's one of the four
      inner, terrestrial (or rocky) planets, and it's often called
Earth's twin because it's similar in size
      and density. These are not identical twins, however - there
are radical differences between the two
      worlds.

      The Latest
      Venus Resources
      Parker Solar Probe Captures its First Images of Venus'
Surface in Visible Light
      Venus has a thick, toxic atmosphere filled with carbon
dioxide and it's perpetually shrouded in thick,
      yellowish clouds of sulfuric acid that trap heat, causing a
runaway greenhouse effect. It's the hottest
      planet in our solar system, even though Mercury is closer to
the Sun. Surface temperatures on Venus are
      about 900 degrees Fahrenheit (475 degrees Celsius) - hot
enough to melt lead. The surface is a rusty
      color and it's peppered with intensely crunched mountains and
thousands of large volcanoes. Scientists
      think it's possible some volcanoes are still active.</dd>

```

```

<br><a href="solarsystem.html#return">Home page</a>
<dt id="earth">Earth</dt>

<dd>Our home planet is the third planet from the Sun, and the
only place we know of so far that's inhabited
    by living things.

    The Latest
    The Next Full Moon is the Wolf or Ice Moon
    Ocean Worlds Resources
    While Earth is only the fifth largest planet in the solar
system, it is the only world in our solar
    system with liquid water on the surface. Just slightly larger
than nearby Venus, Earth is the biggest of
    the four planets closest to the Sun, all of which are made of
rock and metal.

    The name Earth is at least 1,000 years old. All of the
planets, except for Earth, were named after Greek
    and Roman gods and goddesses. However, the name Earth is a
Germanic word, which simply means "the
    ground."</dd>
</dd>
<br><a href="solarsystem.html#return">Home page</a>
<dt id="mars">Mars</dt>

<dd>Mars is the fourth planet from the Sun - a dusty, cold,
desert world with a very thin atmosphere. Mars
    is also a dynamic planet with seasons, polar ice caps,
canyons, extinct volcanoes, and evidence that it
    was even more active in the past.

    The Latest from Mars
    NASA Retires InSight Mars Lander Mission After Years of
Science
    Stunning New Meteoroid Impact on Mars
    Mars is one of the most explored bodies in our solar system,
and it's the only planet where we've sent
    rovers to roam the alien landscape.

    NASA currently has two rovers (Curiosity and Perseverance),
one lander (InSight), and one helicopter
    (Ingenuity) exploring the surface of Mars.

```

Perseverance rover – the largest, most advanced rover NASA has sent to another world – touched down on Mars on Feb. 18, 2021, after a 203-day journey traversing 293 million miles (472 million kilometers).

The Ingenuity helicopter rode to Mars attached to the belly of Perseverance.

Perseverance is one of three spacecraft that arrived at Mars in 2021. The Hope orbiter from the United

Arab Emirates arrived on Feb. 9, 2021. China's Tianwen-1 mission arrived on Feb. 10, 2021, and includes an orbiter, a lander, and a rover. Europe and India also have spacecraft studying Mars from orbit.

In May 2021, China became the second nation to ever land successfully on Mars when its Zhurong Mars rover touched down.

An international fleet of eight orbiters is studying the Red Planet from above including three NASA orbiters: 2001 Mars Odyssey, Mars Reconnaissance Orbiter, and MAVEN.

These robotic explorers have found lots of evidence that Mars was much wetter and warmer, with a thicker atmosphere, billions of years ago.</dd>

Home page

<dt id="jupiter">Jupiter</dt>

<dd>Jupiter has a long history of surprising scientists – all the way back to 1610 when Galileo Galilei

found the first moons beyond Earth. That discovery changed the way we see the universe.

The Latest
40-Year Study Finds Mysterious Patterns in Temperatures at Jupiter

Jupiter Resources
Fifth in line from the Sun, Jupiter is, by far, the largest planet in the solar system – more than twice as massive as all the other planets combined.

Jupiter's familiar stripes and swirls are actually cold, windy clouds of ammonia and water, floating in an atmosphere of hydrogen and helium. Jupiter's iconic Great Red Spot is a giant storm bigger than Earth that has raged for hundreds of years.

One spacecraft - NASA's Juno orbiter - is currently exploring this giant world.

Go farther: Explore Jupiter In Depth >

</dd>
Home page

<dt id="saturn">Saturn</dt>

<dd>Saturn is the sixth planet from the Sun and the second-largest planet in our solar system.

The Latest

10 Things: Why Cassini Mattered

Saturn and Titan Resources

Adorned with thousands of beautiful ringlets, Saturn is unique among the planets. It is not the only planet to have rings - made of chunks of ice and rock - but none are as spectacular or as complicated as Saturn's.

Like fellow gas giant Jupiter, Saturn is a massive ball made mostly of hydrogen and helium.</dd>

Home page

<dt id="neptune">Neptune</dt>

<dd>Dark, cold, and whipped by supersonic winds, ice giant Neptune is the eighth and most distant planet in our solar system.

The Latest

New Study Finds Unexpected Temperature Changes on Neptune

Hubble's Grand Tour of the Outer Solar System

More than 30 times as far from the Sun as Earth, Neptune is the only planet in our solar system not visible to the naked eye and the first predicted by mathematics before its discovery. In 2011 Neptune completed its first 165-year orbit since its discovery in 1846.

```

        NASA's Voyager 2 is the only spacecraft to have visited
Neptune up close. It flew past in 1989 on its
        way out of the solar system.</dd><br><a
href="solarsystem.html#return">Home page</a>
        <dt id="uranus">Uranus</dt>
        
        <dd>Uranus is the seventh planet from the Sun, and has the third-
largest diameter in our solar system. It
        was the first planet found with the aid of a telescope,
Uranus was discovered in 1781 by astronomer
        William Herschel, although he originally thought it was
either a comet or a star.

        The Latest
        Why Uranus and Neptune Are Different Colors
        It was two years later that the object was universally
accepted as a new planet, in part because of
        observations by astronomer Johann Elert Bode. Herschel tried
unsuccessfully to name his discovery
        Georgium Sidus after King George III. Instead, the scientific
community accepted Bode's suggestion to
        name it Uranus, the Greek god of the sky, as suggested by
Bode.</dd>
        <br><a href="solarsystem.html#return">Home page</a>
    </dl>
</h3>
</body>
</html>

```

Table1


```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>

```

```
<body>
  <table border="1">
    <caption>My Secret time table</caption>
    <tr>
      <th>Mon</th>
      <th>Tue</th>
      <th>Wed</th>
      <th>Thu</th>
      <th>Fri</th>
    </tr>
    <tr>
      <td>Science</td>
      <td>Maths</td>
      <td>English</td>
      <td>SS</td>
      <td>EEE</td>
    </tr>
    <tr>
      <td>Science</td>
      <td>Maths</td>
      <td>English</td>
      <td>SS</td>
      <td>EEE</td>
    </tr>
    <tr>
      <td>Science</td>
      <td>Maths</td>
      <td>English</td>
      <td>SS</td>
      <td>EEE</td>
    </tr>
    <tr>
      <td>Science</td>
      <td>Maths</td>
      <td>English</td>
      <td>SS</td>
      <td>EEE</td>
    </tr>
  </table>
</body>
</html>
```


Output



The screenshot shows a web browser window with multiple tabs. The active tab displays a table titled "My Secret time table". The table has 5 columns representing days of the week (Mon, Tue, Wed, Thu, Fri) and 5 rows representing subjects. The subjects are Science, Maths, English, SS, and EEE, which are repeated in each row. The browser's address bar shows the URL "127.0.0.1:5501/table1.html". The Windows taskbar at the bottom shows the search bar, task view button, and several application icons, along with system information like temperature and time.

Mon	Tue	Wed	Thu	Fri
Science	Maths	English	SS	EEE
Science	Maths	English	SS	EEE
Science	Maths	English	SS	EEE
Science	Maths	English	SS	EEE

Table2

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table border="1">
    <caption>My Secret time table</caption>
    <tr>
      <th rowspan="6">Hours</th>
      <th>Mon</th>
      <th>Tue</th>
      <th>Wed</th>
      <th>Thu</th>
```

```

        <th>Fri</th>
    </tr>
    <tr>


        <td>Science</td>
        <td>maths</td>
        <td>Eng</td>
        <td>literatute</td>
        <td>Sport</td>
    </tr>
    <tr>

        <td>Science</td>
        <td>maths</td>
        <td>Eng</td>
        <td>literatute</td>
        <td>Sport</td>
    </tr>
    <tr>
        <td colspan="5">Lunch Break</td>

    </tr>
    <tr>
        <td>Science</td>
        <td>maths</td>
        <td>Eng</td>
        <td>literatute</td>
        <td>Sport</td>
    </tr>
    <tr>
        <td>Science</td>
        <td>maths</td>
        <td>Eng</td>
        <td>literatute</td>
        <td>Sport</td>
    </tr>
</table>
</body>
</html>

```

Output



My Secret time table

Hours	Mon	Tue	Wed	Thu	Fri
	Science	maths	Eng	literatute	Sport
	Science	maths	Eng	literatute	Sport
	Lunch Break				
	Science	maths	Eng	literatute	Sport
	Science	maths	Eng	literatute	Sport

Table3

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <table border="1">
    <caption>Secret time table</caption>
    <tr>
      <th colspan="3">Invoice #12345ABC</th>
      <th>27 January 2023</th>
    </tr>
    <tr>
      <td colspan="2"><b>Pay to:</b><br>The Tech Park <br>123Willow
Street <br>Boulevard, LA-567892</td>
      <td colspan="2"><b>Customer</b><br>John Lark <br>Dummy Department
<br>276 Min Street Boulevard, LA-567892</td>
    </tr>
    <tr>
      <th>Name</th>
      <th>Description</th>
    </tr>
  </table>


```

```

        <td>Qty</td>
        <td>MRP</td>
        <td>Amount</td>
    </tr>
    <tr>
        <td>Biryani</td>
        <td>3</td>
        <td>400</td>
        <td>1200</td>
    </tr>
    <tr>
        <td>Chocolate Shake</td>
        <td>3</td>
        <td>200</td>
        <td>600</td>
    </tr>
    <tr>
        <td colspan="3"><b>Subtotal</b></td>
        <td>1800</td>
    </tr>
    <tr>
        <td colspan="2"><b>Tax</b></td>
        <td>10%</td>
        <td>180</td>
    </tr>
    <tr>
        <td colspan="3"><b>Subtotal</b></td>
        <td>Rs 1620</td>
    </tr>
</table>
</body>
</html>

```

Output



Secret time table

Invoice #12345ABC		27 January 2023	
Pay to: The Tech Park 123 Willow Street Boulevard, LA-567892		Customer John Lark Dummy Department 276 Min Street Boulevard, LA-567892	
Name	Description	Qty	MRP
Biryani		3	400
Chocolate Shake		3	200
Subtotal			1800
Tax		10%	180
Subtotal			Rs 1620



Form1

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <form>
    <fieldset>
      <legend>Log In</legend>
      <div>
        <label for="UN">User Name</label>
        <input type="text" id="UN">
      </div>
      <br>
      <div>
        <label for="PA">Password</label>
        <input type="password" id="PA"><br><br>
        <input type="submit">
      </div>
    </fieldset>
  </form>
</body>
</html>
```

```

        <br>
    </fieldset>
</form>
</body>
</html>

```

Output

The screenshot displays a web browser window with a single tab titled 'Docume'. The address bar shows the URL '127.0.0.1:5501/form1.html'. The main content area features a 'Log In' form with a light gray border. Inside the form, there are two text input fields: one labeled 'User Name' and another labeled 'Password'. Below these fields is a 'Submit' button. The browser's taskbar at the bottom shows the Windows logo, a search bar, and several application icons. The system tray on the right indicates a temperature of 28°C, 'Mostly cloudy' weather, and the time 10:46 PM on 3/8/2023.

Form2

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            background-color: aqua;
        }
        form{

```

```

        background-color: aliceblue;
        width: 400px;
        margin: 0 auto;
    }
    label{
        width: 80px;

        display: inline-block;

    }
</style>
</head>
<body>
    <form>
        <fieldset>
            <legend>SIGN UP</legend>
            <div>
                <label for="UN">Full Name</label>
                <input type="text" id="UN">
            </div>
            <br>
            <div>
                <label for="Em">Email id</label>
                <input type="email" id="Em"><br>
            </div>
            <br>
            <div>
                <label for="PA">Password</label>
                <input type="password" id="PA"><br>
            </div>
            <br>
            <div>
                <label for="PA1">Confirm Password</label>
                <input type="password" id="PA1"><br>
            </div>
            <br>
            <div>
                <label>Gender</label><br>
                <input type="radio" name="Gender" value="Male" id="m"><label
for="m">Male</label>
                <input type="radio" name="Gender" value="Female"
id="f"><label for="f">Female</label>


```

```

        <input type="radio" name="Gender" value="Other" id="o"><label
for="o">Other</label>
    </div><br>
    <div>
        <label for="vw">Security question</label>
        <select name="Security question" id="vw">
            <option value="Whats your First pet name?">Whats your
First pet name?</option>
            <option value="Where is your birth place?">Where is your
birth place?</option>
            <option value="Who is your best friend?">Who is your best
friend?</option>
            <option value="Which is your favourite movie?">Which is
your favourite movie?</option>
        </select>
        <br><br>
    </div>
        <textarea name="Security question answer" cols="30"
rows="10"></textarea>
    </div>
</div>
    <div>
        <input type="checkbox" id="tc" required>
        <label for="tc">I agree to accept terms and
condition</label><br>
    </div>
    <br>
    <input type="submit">
</fieldset>
</form>
</body>
</html>

```

Output



Form3

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    body {
      background-color: aqua;
    }

    form {
      background-color: aliceblue;
      width: 500px;
      margin: 0 auto;
    }

    label {
      width: 80px;
```

```

        display: inline-block;

    }
</style>
</head>

<body>
    <form>
        <!-- name is for backend where column heading is this name and value
        which is send data which user select by different person -->
        <fieldset>
            <legend>Application form</legend>
            <div>
                <label for="Fn">Full Name</label>
                <input type="text" id="Fn" autofocus size="20"
maxlength="100" placeholder="Enter name" required ><!-- placeholder for hint
-->

            </div><!-- required use for compulsory that fill -->
            <br>
            <div>
                <label for="Fn1">Email</label>
                <input type="email" id="Fn1">
            </div>
            <br>
            <div>
                <label>Gender</label><br>
                <input type="radio" id="male" name="Gender"><label
for="male">Male</label>
                <input type="radio" id="female" name="Gender"><label
for="female">Female</label>
                <input type="radio" id="other" name="Gender"><label
for="other">Other</label>
            </div>
            <br>
            <div>
                <label for="na">Nationality</label>
                <select name="nationality" id="na">
                    <option checked value="India">India</option>
                    <option value="Foreign">Foreign</option>
                    <option value="NRI">NRI</option>
                </select>
            </div>
            <br>

```

```

<div>
    <label>Skills</label><br>
    <input type="checkbox" name="Asp.net">Asp.net
    <input type="checkbox" name="jQuery">jQuery
    <input type="checkbox" name="MVC">MVC
    <input type="checkbox" name="SQL server">Sql server
</div>
<br>
<div>
    <label for="po">Post applying for</label><br>
    <input type="radio" name="post" value="Trainee"
id="Trainee"><label for="Trainee">Trainee</label>
    <input type="radio" name="post" value="Software Engineer"
id="So"><label for="So">Software
        Engineer</label>
    <input type="radio" name="post" value="Team Leader"
id="te"><label for="te">Team Leader</label>
    <input type="radio" name="post" value="Project manager"
id="pom"><label for="pom">Project
        manager</label>
</div>
<div>
    <label for="res">Paste your resume</label>
    <textarea name="Resume" id="res" cols="10"
rows="3"></textarea>
</div>
<div>
    <input type="checkbox" id="a">
    <label for="a">Notify me via Email</label>
</div>
<div>
    <input type="radio" id="raa">
    <label for="raa">I accept terms and condition</label>
</div>
<div>
    <input type="submit">
    <input type="reset">
</div>

```

```

        </fieldset>
    </form>
</body>

</html>

```

Output

The screenshot shows a web browser window with the address bar displaying '127.0.0.1:5501/form3.html'. The browser has multiple tabs open. The main content area displays an 'Application form' with the following fields and options:

- Full Name:** A text input field with the placeholder text 'Enter name'.
- Email:** A text input field.
- Gender:** Three radio button options: Male, Female, and Other.
- Nationality:** A dropdown menu currently showing 'India'.
- Skills:** Four checkboxes: Asp.net, jQuery, MVC, and Sql server.
- Post applying for:** Four radio button options: Trainee, Software Engineer, Team Leader, and Project manager.
- Paste your resume:** A text area with a small icon in the bottom right corner.
- Notify me via Email:** A checkbox.
- I accept terms and condition:** A radio button.
- Buttons:** 'Submit' and 'Reset' buttons at the bottom of the form.

The Windows taskbar is visible at the bottom, showing the search bar, task view button, and several application icons. The system tray on the right shows the temperature as 28°C, weather as 'Mostly cloudy', and the time as 10:47 PM on 3/8/2023.

Trip page1

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="trip.css">
</head>

<body>

```

```

<header>
  <section class="b">
    <div>
      <h1><a href="#x">Trips</a><a href="agra.html">About</a><a href="tripform.html">Contacts</a></h1>
    </div><br>
  </section>
  <section>
    <div>
      
    </div>
  </section>

</header>
<main>
  <div>
    <h1 id="x">My travel diary</h1>
  </div>
  <div>
    <table border="1px">
      <tr>
        <th><a href="darjeeling.html"></a><br><label for="">Darjeeling</label></th>
        <th><a href="kerla.html"></a><br><label for="">kerla</label></th>
        <th><a href="goa.html"></a><br><label for="">Goa</label></th>
      </tr>
      <tr>
        <th><a href="jaipur.html"></a><br><label for="">Jaipur</label></th>
        <th><a href="kashmir.html"><a href="mailto:mehulwaghela63@gmail.com"><br><label></label>mehulwaghela63@gmail.com</a></th>
                </div>
            </tr>
        </table>
    </footer>
</body>

</html>

```

Page2

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="tripdiscr.css">
</head>
<body>
    <header>

        <div>
            
        </div>
    </header>
    <main>
        <div>
            <h1>Agra</h1>
        </div>
        <div><p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit.
            Consequuntur illum est aliquid accusantium cumque, quo atque sequi vitae
            corporis itaque, libero enim veniam excepturi reiciendis ex labore! Neque
            tempora exercitationem consectetur ab non, quasi dolorem sequi eum dolor
            voluptates possimus quos cupiditate porro, assumenda repellendus a nobis

```

vitae ad perferendis. Esse saepe facere quae! Aliquid dolor nisi architecto quisquam, libero autem sit ipsa beatae quis molestiae eos reprehenderit iusto laboriosam. Commodi, officia! Sit consecetur voluptates qui totam delectus nam aspernatur quo placeat ipsam saepe nobis minima doloribus ipsum unde modi ex enim, hic, harum quis nulla. Eveniet asperiores eos reiciendis a totam earum maxime cumque, eaque optio architecto numquam libero neque illo? Quaerat, at. Nobis illum nesciunt optio porro molestiae a nostrum beatae rerum esse provident veritatis sunt, omnis consequuntur possimus et laborum nihil quidem officia voluptates quod sapiente cum dolore error quia. Id, quaerat? Aliquam sapiente facere accusamus cum atque odit nihil neque ducimus sunt eligendi nobis ullam quo nisi fugit soluta possimus iure quis optio magni dolor labore quidem vero, commodi expedita! Maiores perspicatis corrupti excepturi cumque amet dolorum nam sed, sequi vero esse aspernatur modi mollitia fugit voluptates saepe nulla expedita impedit. Quasi consecetur dolores atque eveniet inventore! Dolore ratione a excepturi id! Vel amet mollitia, enim, nisi voluptas expedita fuga facere dolorem quo alias accusantium excepturi sed maiores dignissimos. Quae, magnam perferendis consecetur nam quasi animi unde praesentium illum ipsa repellat assumenda quas quos, perspicatis rem odit tenetur eligendi enim doloremque blanditiis aperiam minus facere. Cupiditate in optio itaque consequuntur soluta adipisci reiciendis, culpa quibusdam totam nihil nesciunt ab doloribus animi officiis repellendus minus tempore consequatur dolor veniam inventore praesentium! Harum, ea enim. Reiciendis, odit. Corporis consequuntur dolores illum, vero nam qui recusandae. Fugit soluta assumenda consecetur dignissimos quisquam tempora porro, ratione ea aliquid at accusamus praesentium aperiam a fugiat corrupti, sint ut? Reiciendis quibusdam aliquid iure mollitia distinctio placeat optio maxime exercitationem deserunt. Cumque fugit qui, deleniti totam perspicatis incidunt ducimus non delectus accusantium laboriosam quisquam! Fugiat, veritatis? Cupiditate perferendis suscipit rerum nihil doloribus provident repudiandae, aperiam autem voluptas iure recusandae odit dicta eius aspernatur accusamus saepe dolores quis a. Recusandae velit, temporibus cumque officiis dolorem rerum nostrum laudantium aliquam cum iure at molestiae ducimus natus maiores quisquam in incidunt numquam possimus. Obcaecati eius reprehenderit eaque aspernatur in sequi blanditiis vero recusandae quo molestias exercitationem libero iure dolorem dolor vitae velit, dignissimos explicabo vel cum maiores modi ducimus sint ipsum autem. Ullam quibusdam recusandae aspernatur saepe pariatur consequatur iure. Ad id possimus tenetur necessitatibus, perferendis distinctio nisi, est voluptatum quis quae ratione repellendus reiciendis tempora fuga vel debitis architecto ullam magni dolore alias voluptate cum dolorem nesciunt beatae. Quis pariatur veniam incidunt exercitationem distinctio. Reiciendis totam odit incidunt cumque provident, cum quisquam architecto, ipsam optio reprehenderit aliquid voluptates laudantium adipisci facilis. Harum, cumque excepturi vitae iure ab

officiis quaerat nemo rerum illo dolor adipisci quae perferendis fugit fuga voluptatum repellat sit eos inventore aliquam quidem doloremque eius vel totam dolorem. Eveniet ullam suscipit minus adipisci!

```
</p></div>

</main>
<footer>
  <h1>Contact</h1>
  <table>
    <tr>
      <div class="abc">
        <th><a href="https://goo.gl/maps/94jMrBvfF4R5mL9"><br><label>71,Deepnagar society kim-394110</label></a></th>
      </div>
      <div class="abc">
        <th><a href="tel:6355173787"><br><label>+916355173787</label></a></th>
      </div>
      <div class="abc">
        <th><a href="mailto:mehulwaghela63@gmail.com"><br><label></label>mehulwaghela63@gmail.com</a></th>
      </div>
    </tr>
  </table>
</footer>
</body>
</html>
```