

JavaScript

What Is JavaScript in a Website?

JavaScript is the part of a website that controls how the page behaves. It decides what happens when time passes or when people interact with the page.

- HTML creates the content
- CSS controls the look
- JavaScript controls actions
- JavaScript makes pages respond
- Without it, pages feel inactive

Ways a Page Can Behave

A web page can behave in different ways depending on time and user interaction. JavaScript handles all of them.

- Reacting to clicks
- Reacting to typing
- Reacting to scrolling
- Reacting to time
- Reacting to page load

Time-Based Behavior

JavaScript can make things happen automatically after a certain time

- Show messages later
- Update content
- Control timing

No user action needed

User Interaction Behavior

JavaScript listens to users and reacts when they do something on the page.

- Clicking buttons
- Typing in inputs
- Hovering elements
- Scrolling pages
- Submitting forms

How JavaScript Connects to HTML

JavaScript must be connected to HTML so it can see and control the page. Without this connection, JavaScript cannot work.

If we need a **logic to run before the HTML loads** we put it in the **<head>** .

If The **logic is happening to the HTML elements** , we put it in the **last line of the <body>** tag

- Linked using <script> tag
- HTML loads first
- JavaScript runs after
- Wrong place breaks behavior
- Correct place enables behavior

Why HTML Must Exist First

JavaScript cannot control elements that do not exist yet. The page must be built before JavaScript can interact with it.

- No HTML = no control
- JavaScript needs elements
- Page loads first
- Behavior comes after
- Structure before behavior

Selecting Elements on the Page

JavaScript must point to specific elements before it can change them.
Selecting means choosing one thing on the page.

- Select a button
- Select a title
- Select a message
- One element at a time
- Similar to CSS selectors

What JavaScript Can Change

Once JavaScript selects an element, it can change many visible things on the page.

- Text content
- Images
- Colors
- Visibility
- CSS classes

Visibility Changes

JavaScript often controls whether something is visible or hidden on the page.

- Show messages
- Hide messages
- Toggle visibility
- Change user feedback
- Improve interaction

Fixing Broken Behavior

When behavior stops working, the solution is usually simple and visible in the code or connection.

- Check element selection
- Check script location
- Check spelling
- Check logic flow
- Small fixes matter

Building Pages with JavaScript

JavaScript can create page elements by itself, but this is not always the best starting point for beginners.

- JS can create elements
- JS can remove elements
- JS can rebuild pages
- More complex approach
- Less visual at first

Adding Behavior to Existing Pages

The most common and beginner-friendly approach is to build the page first, then add JavaScript behavior.

- HTML first
- CSS second
- JavaScript last
- Clear separation
- Easier to understand

For any questions please ask on
Discord server technical questions channel

For urgent cases you can send WA on
[+962787875915](tel:+962787875915)