

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	3.39	18.05	82.69	237.57	800.40	1235.03
std::sync::Mutex	1.15	6.60	28.76	72.77	124.98	172.49
std::sync::RwLock	1.21	6.30	32.82	122.80	214.14	271.47
parking_lot::RwLock	1.09	3.04	19.23	105.27	435.35	773.10
spin::RwLock	1.06	4.70	23.25	125.22	365.80	600.71
shared_mutex::SharedMutex	3.41	24.81	118.23	402.46	1123.47	1657.55
pairlock::RwLock	3.82	16.69	63.27	136.81	314.24	347.90
pflock::PFlock	2.30	10.18	70.54	248.64	464.70	1511.44
crossbeam::ShardedLock	9.17	28.72	77.07	222.99	630.73	742.62
tokio::sync::RwLock	1.12	5.89	49.14	178.36	337.42	441.02
bf-sharedmutex::BfVec	2.37	10.89	18.98	44.18	82.42	98.22

Table 1: Timing benchmarks for number of threads in ms, with read percentage 0.0.

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	1.48	5.88	25.17	64.36	165.08	243.48
std::sync::Mutex						
std::sync::RwLock	1.55	8.20	28.15	100.70	222.55	284.53
parking_lot::RwLock	1.60	6.70	18.99	65.19	205.48	280.47
spin::RwLock	1.34	4.97	16.13	83.15	247.92	395.91
shared_mutex::SharedMutex	2.89	20.64	118.24	538.02	1386.41	4033.86
pairlock::RwLock	2.88	8.03	20.31	52.14	130.31	168.67
pflock::PFlock	1.38	6.44	19.65	69.74	121.69	3525.62
crossbeam::ShardedLock	2.61	7.14	19.04	49.52	112.27	163.61
tokio::sync::RwLock	1.17	6.42	68.62	163.99	356.06	456.90
bf-sharedmutex::BfVec	1.34	2.80	4.83	10.46	21.77	26.39

Table 2: Timing benchmarks for number of threads in ms, with read percentage 0.9.

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	1.33	1.86	5.29	16.61	40.57	53.77
std::sync::Mutex						
std::sync::RwLock	1.60	8.21	20.74	79.84	175.45	245.76
parking_lot::RwLock	1.66	6.52	16.02	47.23	120.42	161.31
spin::RwLock	1.39	5.33	12.96	32.74	157.62	221.20
shared_mutex::SharedMutex	2.89	17.93	83.04	275.90	829.99	1193.10
pairlock::RwLock	2.63	7.09	15.61	34.88	56.69	89.32
pflock::PFlock	1.26	4.37	12.87	33.10	89.82	774.41
crossbeam::ShardedLock	1.62	2.28	4.45	10.82	38.46	57.89
tokio::sync::RwLock	1.06	6.28	65.89	151.86	326.56	411.38
bf-sharedmutex::BfVec	1.24	1.45	2.04	3.84	6.93	8.01

Table 3: Timing benchmarks for number of threads in ms, with read percentage 0.99.

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	1.31	1.45	3.10	5.04	12.25	15.14
std::sync::Mutex						
std::sync::RwLock	1.49	8.42	25.12	65.57	171.43	215.00
parking_lot::RwLock	1.57	6.82	15.27	44.22	106.37	135.23
spin::RwLock	1.29	4.31	11.48	33.88	114.71	140.36
shared_mutex::SharedMutex	2.68	17.13	80.73	208.68	451.91	591.16
pairlock::RwLock	2.54	7.00	15.13	32.73	52.67	59.05
pflock::PFlock	1.22	4.65	12.26	27.73	59.25	307.13
crossbeam::ShardedLock	1.50	1.67	2.48	3.80	22.59	37.63
tokio::sync::RwLock	1.12	6.60	64.45	153.45	319.50	406.97
bf-sharedmutex::BfVec	1.23	1.31	1.54	2.61	3.81	4.69

Table 4: Timing benchmarks for number of threads in ms, with read percentage 0.999.

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	1.31	1.41	2.33	3.22	5.37	6.60
std::sync::Mutex						
std::sync::RwLock	1.45	6.99	22.01	63.98	154.53	195.64
parking_lot::RwLock	1.54	6.56	15.55	42.37	98.24	124.25
spin::RwLock	1.28	4.12	11.30	29.41	71.56	124.28
shared_mutex::SharedMutex	2.72	18.08	81.02	204.13	342.52	450.68
pairlock::RwLock	2.51	7.07	15.06	33.69	66.68	79.15
pflock::PFlock	1.23	4.75	11.53	29.37	66.04	123.20
crossbeam::ShardedLock	1.49	1.61	1.84	2.89	16.79	29.97
tokio::sync::RwLock	1.09	6.19	63.81	148.13	321.04	395.93
bf-sharedmutex::BfVec	1.25	1.31	1.47	2.47	3.41	3.99

Table 5: Timing benchmarks for number of threads in ms, with read percentage 0.9999.

name	1	2	4	8	16	20
bf-sharedmutex::BfSharedMutex	1.31	1.91	2.14	3.20	4.45	5.28
std::sync::Mutex						
std::sync::RwLock	1.51	7.07	21.25	62.24	126.64	190.92
parking_lot::RwLock	1.59	6.57	15.48	45.22	101.07	111.20
spin::RwLock	1.29	4.25	10.84	26.21	66.14	98.46
shared_mutex::SharedMutex	2.71	17.72	73.99	198.79	351.62	429.98
pairlock::RwLock	2.51	7.08	15.37	29.86	60.59	59.53
pflock::PFlock	1.23	4.68	12.23	29.00	60.39	81.15
crossbeam::ShardedLock	1.46	1.56	1.80	2.73	16.45	27.43
tokio::sync::RwLock	1.24	6.53	64.85	148.61	320.79	405.75
bf-sharedmutex::BfVec	1.22	1.29	1.47	2.23	3.14	4.00

Table 6: Timing benchmarks for number of threads in ms, with read percentage 0.99999.