

ROADRESQ

Provider Operations & Verification SOP

Standard Operating Procedure • Version 1.0

Purpose: Define how garages, workshops, mechanics, towing operators, battery/tyre providers and other service providers are onboarded, verified, activated, monitored, suspended, rejected, reinstated and offboarded.

REGISTER → VERIFY → ACTIVATE → OPERATE → MONITOR → SUSPEND / REINSTATE /
OFFBOARD

Applies to: Provider Operations • Admin • Verification Team • Trust & Safety • Support • Finance • Product
• Engineering

Document Control

Field	Value
Document	RoadResQ Provider Operations & Verification SOP
Version	1.0
Status	Production operating baseline
Primary users	Provider Operations, Admin, Trust & Safety, Support
Applies to	Garages, mechanics, towing, battery, tyre, fuel and roadside service providers
Related documents	SRS • API Specification • Security & Threat Model • QA Plan • Production Runbook • UX State & Edge-Case Document
Core lifecycle	PENDING → VERIFIED → ACTIVE → SUSPENDED / REJECTED → REINSTATED / OFFBOARDED

1. Purpose & Operating Principles

This SOP establishes a repeatable operational process for determining whether a provider is trustworthy, capable and eligible to receive RoadResQ jobs. Verification is not only a document check; it combines identity, business legitimacy, service capability, operational readiness, geographic coverage and ongoing performance.

- Safety and customer protection take priority over provider growth.
- Verification decisions must be evidence-based and auditable.
- A provider must never receive customer jobs before required verification gates are complete.
- Access should be limited to the minimum operational capability required by the provider's status.
- Suspension should be proportionate to the risk unless immediate safety action is required.
- Providers must have a clear path to correct legitimate verification failures.
- Sensitive documents must be protected and accessed only by authorized staff.
- Every material decision must generate an audit record.

2. Provider Types Covered

Provider type	Typical capabilities
Garage / workshop	General repair, diagnostics, scheduled service, mechanical work
Independent mechanic	Roadside repair, inspection, minor mechanical assistance
Towing provider	Vehicle towing / recovery
Battery provider	Battery jump-start, replacement or related assistance
Tyre provider	Puncture, tyre replacement, inflation and related roadside service
Fuel assistance	Fuel delivery / emergency fuel support where supported
Specialist provider	Electrical, AC, EV or other specialized automotive services
Multi-service network	Multiple service categories across a garage/team/network

3. Provider Lifecycle

State	Meaning	Job access
DRAFT	Registration started but not submitted	None
PENDING	Application submitted and awaiting review	None

State	Meaning	Job access
NEEDS_INFO	Additional information/documents required	None
UNDER_REVIEW	Verification team actively reviewing	None
VERIFIED	Verification requirements passed	Not necessarily active
ACTIVE	Verified and operationally enabled	Yes, within configured scope
SUSPENDED	Temporarily blocked due to risk, policy or operational issue	No
REJECTED	Application did not meet verification requirements	No
REINSTATED	Previously suspended provider restored after review	Depends on active status
OFFBOARDED	Provider permanently removed from network	No

4. Roles & Responsibilities

Role	Responsibilities
Provider	Submit truthful information, documents, service capability, availability and updates; maintain compliance.
Provider Operations	Review applications, request missing information, conduct checks, make routine verification decisions.
Verification / Trust & Safety	Handle high-risk cases, fraud indicators, safety concerns and escalations.
Admin	Approve/reject/suspend within authorized permissions; maintain operational oversight.
Support	Assist providers, record complaints, route verification issues and communicate decisions.
Finance	Validate payout/payment prerequisites and resolve settlement-related holds.
Engineering	Enforce state transitions, permissions, audit logs and document security controls.

5. Provider Onboarding Workflow

The standard onboarding sequence is:

- 1. Provider creates an account and verifies the contact channel.
- 2. Provider selects provider type and enters business/profile information.
- 3. Provider adds service categories and supported vehicle/service capabilities.
- 4. Provider enters service location, operating radius and availability.
- 5. Provider submits required identity/business/address documents.
- 6. System performs automated validation where available.
- 7. Application enters PENDING / UNDER_REVIEW.
- 8. Operations reviews the application against the verification checklist.
- 9. Missing or inconsistent information is routed to NEEDS_INFO.
- 10. Approved providers move to VERIFIED.
- 11. Operational readiness checks are completed before ACTIVE status.
- 12. Provider becomes eligible for matching within configured geography/services.

6. Required Provider Profile

Category	Required information
Account	Name, phone/email as applicable, authentication status
Business	Provider/garage name, business type, ownership/contact information
Location	Service address, service radius, operating areas
Services	Service categories, supported vehicle types, specialist capabilities
Operations	Business hours, availability, emergency availability if offered
Identity	Identity information required by applicable verification policy
Documents	Required business/address/identity/service documents
Payout	Payment/payout information required before eligible settlement
Contact	Operational contact person and customer-facing contact rules

7. Verification Evidence Matrix

The exact documents required may vary by provider type and applicable local requirements. The verification team must use the current configured checklist rather than assuming one universal document set.

Verification area	Check	Possible outcome
Identity	Identity details are consistent with submitted evidence	PASS / NEEDS_INFO / FAIL
Business identity	Business/provider information is credible and internally consistent	PASS / NEEDS_INFO / FAIL
Address	Operating/service address can be reasonably validated	PASS / NEEDS_INFO / FAIL
Service capability	Claimed services match provider capability	PASS / NEEDS_INFO / FAIL
Vehicle capability	Supported vehicle/service claims are plausible and configured	PASS / NEEDS_INFO / FAIL
Contact	Primary contact channel is verified	PASS / NEEDS_INFO / FAIL
Payout	Required payout details are valid and controlled	PASS / HOLD / FAIL
Risk	No unresolved critical fraud/safety indicator	CLEAR / ESCALATE / FAIL

8. Document Review SOP

- Confirm the document belongs to the provider/application being reviewed.
- Check that required fields are visible, legible and internally consistent.
- Check expiry/validity where applicable.
- Compare names, addresses and other relevant identifiers across the application and documents.
- Flag alterations, suspicious edits, inconsistent formatting or obvious tampering.
- Never request unnecessary sensitive documents.
- Store verification outcome and reviewer notes without exposing raw sensitive data in general logs.
- If evidence is insufficient, request the minimum additional information required.
- If fraud or safety risk is suspected, escalate rather than coaching the provider to bypass the check.

9. Verification Decision Rules

Decision	Use when	Action
APPROVE	All mandatory checks pass and no blocking risk exists	Set VERIFIED; proceed to activation checks

Decision	Use when	Action
NEEDS_INFO	Missing, unreadable or inconsistent non-critical information can be corrected	Specify required correction and pause review
ESCALATE	Potential fraud, safety, identity conflict or unusual risk	Route to Trust & Safety / senior reviewer
REJECT	Mandatory requirement fails or provider is not eligible	Reject with recorded reason category
SUSPEND	Existing active provider presents a policy, safety, fraud or operational risk	Immediately restrict job access as appropriate
REINSTATE	Suspension reason is resolved and review is complete	Restore access according to approval scope

10. Needs Information Process

- Change application status to NEEDS_INFO.
- Send a clear, specific request describing what is missing or inconsistent.
- Avoid revealing internal fraud-detection rules or sensitive risk signals.
- Allow the provider to resubmit only the required information.
- Keep previously valid information unless replacement is necessary.
- Record the request and response timestamps.
- Automatically escalate stale applications according to configured SLA.
- Return the application to review after new evidence is submitted.

11. Rejection SOP

Rejection should be used when the application cannot be approved under current eligibility rules. Rejection is distinct from suspension: rejection applies primarily to onboarding or an application that has not earned active provider access.

- Confirm the rejection reason is supported by evidence.
- Select a standardized reason category.
- Record concise internal notes explaining the decision.
- Send the provider an appropriate user-facing explanation.
- Where policy allows, identify whether resubmission is possible.
- Do not expose sensitive fraud or security detection logic.
- Retain audit evidence according to the configured retention policy.

12. Suspension SOP

Suspension temporarily removes or restricts provider access while a concern is investigated or corrected.

Trigger category	Examples	Default response
Safety	Dangerous conduct, serious customer safety complaint	Immediate restriction + Trust & Safety review
Fraud	Suspected fake identity, manipulated evidence, fraudulent activity	Restrict access + investigation
Repeated poor service	Severe/repeated operational failures	Review performance + corrective action
Customer abuse	Harassment, threats, inappropriate conduct	Restrict access + investigation

Trigger category	Examples	Default response
Policy violation	Material breach of provider terms/policies	Suspend or corrective action based on severity
Document issue	Expired/invalid required evidence	Pause affected capability; request update
Operational inactivity	Long inactivity or unreachable provider	Mark unavailable or deactivate according to policy

13. Suspension Levels

Level	Meaning	Provider access
Warning	Issue identified but immediate blocking is not required	Active with monitoring if policy permits
Restricted	Specific capability or service is blocked	Partial access
Full suspension	Provider cannot receive new jobs	No new jobs
Emergency suspension	Immediate safety/security action required	Immediate full restriction + escalation

14. Suspension Procedure

- Identify and record the triggering event.
- Assess severity, customer safety and active-booking impact.
- If immediate risk exists, restrict provider before completing the full investigation.
- Determine whether existing active jobs need reassignment or support intervention.
- Set suspension state and effective time.
- Notify authorized internal teams.
- Notify provider with appropriate next steps unless disclosure would create security/safety risk.
- Open an investigation/support case when required.
- Collect relevant evidence and audit records.
- Decide: lift, restrict further, reject/offboard, or continue investigation.
- Record final decision and approver.

15. Active Booking During Suspension

Suspending a provider must not create unsafe or inconsistent customer experiences.

- Do not silently abandon an active customer job.
- Evaluate whether the provider should finish, pause or be removed based on safety and incident severity.
- For emergency/safety suspensions, prioritize customer safety and arrange alternative assistance where possible.
- Prevent new matching while the provider is suspended.
- Preserve the booking state and audit history.
- Notify Support/Operations when customer intervention is required.
- Reconcile any completed work and payment fairly after the incident.

16. Reinstatement SOP

- Confirm the original suspension reason and required corrective actions.
- Verify updated documents/evidence where relevant.

- Review customer complaints, incident records and operational performance.
- Confirm any required training or policy acknowledgement is completed.
- Obtain the required approval level for reinstatement.
- Set provider status to VERIFIED or ACTIVE according to the configured process.
- Restore only the services/capabilities that have been cleared.
- Record reinstatement decision, reviewer, timestamp and evidence.

17. Permanent Offboarding

- Use OFFBOARDED for permanent removal from the active provider network.
- Block new bookings and matching.
- Handle active bookings safely before final deactivation.
- Resolve outstanding customer support and payment/payout obligations where applicable.
- Preserve required audit records while protecting personal/sensitive data.
- Revoke provider access tokens/sessions where appropriate.
- Prevent unauthorized re-registration when policy and lawful controls support it.
- Record the offboarding reason category and approving authority.

18. Provider Operational Readiness

Check	Requirement before ACTIVE
Profile	Customer-facing provider information is complete and accurate.
Services	Only verified/approved services are enabled.
Location	Service area and radius are configured.
Availability	Operating schedule/online status can be maintained.
Contact	Provider can receive operational requests and notifications.
Job workflow	Provider can accept, reject and update job status.
Estimate	Provider understands estimate and approval workflow where applicable.
Completion	Provider can submit completion/job information.
Payout	Required payout prerequisites are configured before eligible settlement.
Policy	Provider has accepted applicable provider terms/policies.

19. Provider Quality Monitoring

- Acceptance rate
- Response time
- Cancellation rate
- No-show / failure-to-arrive rate
- Average arrival time
- Job completion rate
- Customer rating and complaint rate
- Estimate variance / unexpected extra-work patterns
- Payment/refund/dispute patterns

- Safety incidents and policy violations
- Document expiry/compliance status

Metrics should be used as operational signals, not as the sole basis for punitive action. Context, evidence and severity must be considered.

20. Provider Performance Escalation

Tier	Signal	Operational action
T1	Minor isolated issue	Coach / monitor
T2	Repeated service issue	Corrective action plan + monitoring
T3	Serious repeated issue or major complaint	Restricted access / formal review
T4	Safety/fraud/abuse concern	Immediate escalation and possible suspension
T5	Critical confirmed misconduct	Offboarding + incident handling

21. Customer Complaint Handling Against Provider

- Capture complaint category, booking ID, provider ID and relevant evidence.
- Protect customer and provider privacy during investigation.
- Do not automatically treat every complaint as proof of misconduct.
- Prioritize safety, threats, harassment, fraud and physical-risk complaints.
- Cross-check booking timeline, status history, messages, location evidence and payment records when authorized.
- Apply proportionate action based on evidence.
- Record the final outcome and any provider corrective action.

22. Fraud & Risk Indicators

- Identity or business information repeatedly changes without explanation.
- Multiple accounts appear linked to the same prohibited identity or suspicious pattern.
- Document evidence appears manipulated or inconsistent.
- Provider activity shows abnormal booking/acceptance/cancellation behavior.
- Repeated customer complaints show a consistent harmful pattern.
- Unusual payment/refund/payout behavior is detected.
- Provider attempts to bypass verification or platform controls.
- Location/service claims materially conflict with observed operational behavior.

Risk indicators are triggers for review, not automatic proof. High-risk cases should be escalated under Trust & Safety procedures.

23. Provider Availability Operations

- Providers should explicitly indicate availability or use the configured operational schedule.
- A provider marked unavailable must not receive new emergency jobs unless the product explicitly overrides the setting.
- Temporary network/device failures must not automatically be treated as misconduct.
- Repeated failure to respond should affect dispatch eligibility before punitive action.
- Providers should be able to update service radius and availability within approved limits.

24. Service Capability Governance

- A provider may offer only services enabled for its verified capability profile.
- High-risk or specialist services may require additional verification.
- A provider must not claim capabilities it cannot safely perform.
- Service categories can be individually restricted during suspension.
- Capability changes may trigger re-verification.

25. Verification SLAs & Queue Management

Queue	Target operating approach
New application	Review within configured provider-operations SLA.
Needs information	Prioritize once provider submits requested evidence.
High-risk escalation	Immediate routing based on safety/fraud severity.
Document expiry	Notify before expiry where possible and restrict affected capability when required.
Appeal/review	Handle within configured support/operations SLA.
Stale application	Auto-remind, then close/archive according to policy.

26. Audit & Record Keeping

- Record every verification status change.
- Record who performed or approved the decision.
- Record timestamp and reason category.
- Record requested evidence and review outcome.
- Record suspension/reinstatement/offboarding decisions.
- Keep audit logs tamper-resistant and access-controlled.
- Avoid storing raw sensitive documents in general application logs.
- Apply defined retention and deletion policies.

27. Permissions & Separation of Duties

Action	Recommended permission
View application	Provider Operations
Request additional information	Provider Operations
Approve routine verification	Authorized Verification role
Reject application	Authorized Verification/Admin role
Emergency suspension	Trust & Safety/Admin authorized role
Permanent offboarding	Elevated Admin/Trust & Safety approval
Reinstatement	Authorized reviewer with appropriate approval
View sensitive documents	Restricted verification permissions only
Change system verification rules	Privileged product/admin access

28. Security & Privacy Rules

- Use least-privilege access to provider documents and personal data.
- Encrypt data in transit and protect sensitive data at rest.

- Never place identity/document secrets in URLs, client logs or analytics events.
- Use secure upload validation and malware/file scanning where supported.
- Log access to sensitive verification records where required.
- Mask sensitive values in operational dashboards.
- Do not share provider documents with customers.
- Follow the RoadResQ Security Architecture & Threat Model and applicable privacy/data governance policies.

29. Provider Communication Templates — Required Message Types

Event	Message objective
Application received	Confirm submission and explain review process.
Needs information	State exactly what needs correction/submission.
Verified	Confirm verification and explain activation steps.
Activated	Confirm provider can receive eligible jobs.
Rejected	Provide clear decision category and next available path.
Suspended	Explain restriction and required next step without exposing sensitive security logic.
Reinstated	Confirm restored status and any remaining restrictions.
Offboarded	Communicate permanent removal and applicable support/appeal process.

30. Appeal & Review Process

- Allow eligible providers to request review of rejection/suspension decisions.
- Route appeals to an authorized reviewer who was not the sole original decision-maker where practical.
- Review new evidence and original evidence separately.
- Do not disclose protected fraud-detection rules.
- Document appeal outcome and rationale.
- If reinstated, restore only the capabilities cleared by the review.
- If denied, retain the decision according to applicable retention rules.

31. Operational Incident Procedure

Provider incidents involving safety, fraud, widespread service disruption, account compromise or major customer harm should follow the Production Operations Runbook and Incident Response process.

- Protect affected customers first.
- Restrict provider access if continued activity presents risk.
- Preserve relevant audit, booking, location and payment evidence within authorized controls.
- Escalate to Trust & Safety, Support, Security or Finance as appropriate.
- Communicate only verified facts.
- Document timeline, actions and final resolution.
- Conduct a post-incident review for serious incidents.

32. Operational Dashboards

Dashboard	Key information
Verification Queue	Pending, needs-info, under-review applications, SLA age
Provider Health	Acceptance, response, cancellation, completion, rating signals
Risk & Safety	Suspensions, escalations, serious complaints, high-risk cases
Documents	Expiring/missing/failed verification evidence
Availability	Online/offline providers, geographic/service coverage
Provider Lifecycle	Verified, active, restricted, suspended, rejected, offboarded
Appeals	Open, pending review, resolved appeal cases

33. Standard Operating Checklists

New Provider Approval Checklist

- ■ Account/contact verification complete
- ■ Business/profile information complete
- ■ Location/service area configured
- ■ Services and capabilities reviewed
- ■ Required identity/business/address evidence reviewed
- ■ No unresolved blocking risk
- ■ Required payout prerequisites complete
- ■ Provider terms/policies accepted
- ■ Verification decision recorded
- ■ Activation readiness complete

Suspension Checklist

- ■ Trigger identified and evidence recorded
- ■ Severity assessed
- ■ Active bookings reviewed
- ■ Immediate restriction applied if required
- ■ Internal escalation completed
- ■ Provider communication sent where appropriate
- ■ Investigation case created
- ■ Final action approved and audited

Reinstatement Checklist

- ■ Suspension reason reviewed
- ■ Corrective action verified
- ■ New evidence reviewed
- ■ Risk cleared
- ■ Required approval obtained
- ■ Services/capabilities restored appropriately
- ■ Provider notified
- ■ Audit record completed

34. Provider State Transition Rules

From	To	Condition
DRAFT	PENDING	Application submitted with required minimum data
PENDING	NEEDS_INFO	Required information is missing/insufficient
NEEDS_INFO	UNDER_REVIEW	Provider resubmits requested information
UNDER_REVIEW	VERIFIED	Mandatory verification gates pass
UNDER_REVIEW	REJECTED	Eligibility/verification fails
VERIFIED	ACTIVE	Operational readiness and activation prerequisites pass
ACTIVE	SUSPENDED	Authorized suspension condition occurs
SUSPENDED	ACTIVE	Suspension resolved and reinstatement approved
SUSPENDED	OFFBOARDED	Permanent removal approved
REJECTED	PENDING	Reapplication is allowed and submitted under policy

35. Engineering Enforcement Requirements

- Provider lifecycle transitions must be server-authoritative.
- Clients must never self-promote provider status.
- Job matching must exclude non-ACTIVE providers.
- Suspension must immediately affect eligibility for new matching.
- Restricted services must be enforced at the backend, not only hidden in UI.
- Sensitive verification documents require object-level authorization.
- Every status transition must be auditable.
- Admin actions require RBAC and, where appropriate, elevated confirmation.
- Race conditions must not allow a suspended provider to receive a new job through stale state.
- Provider reactivation must be explicit and auditable.

36. Provider Operations KPIs

KPI	Purpose
Verification completion rate	Measure onboarding conversion through verification.
Median verification time	Measure review efficiency.
Needs-info rate	Identify onboarding/document friction.
Rejection rate	Monitor eligibility and quality of provider supply.
Suspension rate	Track operational/trust risk.
Reinstatement rate	Measure resolution of temporary restrictions.
Provider activation rate	Measure verified-to-operational conversion.
Provider retention	Measure long-term network health.
Complaint rate	Monitor customer experience and safety signals.
Job completion rate	Measure provider operational reliability.

37. Minimum Production Readiness Standard

- Provider lifecycle states are implemented and enforced server-side.
- Verification checklist is configurable by provider type.
- Required documents and sensitive data have restricted access.
- Verification, rejection, suspension and reinstatement actions are auditable.
- Matching excludes suspended/rejected/offboarded providers.
- Active bookings are explicitly handled during provider suspension.
- Provider appeals/review workflow is defined.
- Document expiry and missing-document handling is operationalized.
- Provider performance signals are visible to authorized operations staff.
- Support and Trust & Safety escalation paths are defined.
- Provider communications exist for major lifecycle events.
- QA covers lifecycle state transitions and concurrency edge cases.

38. Final SOP Standard

RoadResQ provider quality is a continuous operational process. Verification establishes initial trust, but safe marketplace operation requires ongoing monitoring, clear lifecycle controls, proportionate enforcement and auditable decisions. The platform should make it easy for legitimate providers to become active, difficult for unsafe or fraudulent providers to bypass controls, and operationally safe for customers when provider status changes.