

ROADRESQ

UI/UX Design System

Version 1.0 • Visual Language, Components, Responsive Rules & Interaction Standards

Platforms: Customer Web • Provider Web • Admin Web • Mobile App

Objective: Build a trustworthy, fast and consistent roadside-assistance experience

CLEAR → FAST → TRUSTWORTHY → ACCESSIBLE → CONSISTENT

Document Control

Field	Value
Document	UI/UX Design System
Product	RoadResQ
Version	1.0
Status	Production design baseline
Audience	Product designers, frontend/mobile developers, QA and product owners
Primary platforms	Responsive web and mobile applications
Related documents	SRS • System Architecture • API Specification • Production Operations Runbook

1. Design System Purpose

This document defines the shared visual and interaction language for RoadResQ. It standardizes colors, typography, spacing, buttons, cards, forms, maps, navigation, feedback states, responsive behavior and accessibility so that customer, provider and admin experiences feel like one coherent product.

2. Product UX Principles

Principle	Design rule
Emergency-first	GET HELP NOW must be obvious, fast and usable under stress.
Trust before conversion	Show verified provider identity, service details, ETA and price information clearly.
One primary action	Each screen should have one obvious next step.
Progressive disclosure	Show essential information first; reveal advanced details when needed.
State clarity	Always communicate what is happening, what happened and what the user can do next.
Human language	Use clear Indian-market language; avoid technical system terminology.
Accessible by default	Touch targets, contrast, focus, labels and error messages are designed for broad accessibility.
Resilient UX	Slow network, GPS failure and partial service outages must have understandable fallback states.

3. Brand & Visual Direction

RoadResQ should feel like a reliable mobility utility rather than a generic marketplace. The visual system should combine calm neutral surfaces, strong action colors, clear status communication and map-centric spatial information.

- Use restrained visual decoration; prioritize information hierarchy.
- Use generous whitespace and consistent alignment.
- Use rounded but not excessively playful shapes.
- Use icons to reinforce meaning, not replace important labels.
- Use motion to communicate state changes, not as decoration.
- Emergency actions may use stronger visual emphasis, but should remain controlled and trustworthy.

4. Color System

Recommended semantic color tokens:

Token	Hex	Usage
Primary / RoadResQ Blue	#2563EB	Primary actions, links, active navigation
Primary Dark	#1D4ED8	Pressed/hover emphasis, strong headings where needed
Emergency / Critical	#DC2626	Emergency action, critical errors, safety-critical states
Success	#16A34A	Verified, completed, paid, successful
Warning	#D97706	Pending, attention, estimate changes
Info	#0284C7	Informational states and neutral system notices
Background	#F8FAFC	App/page background
Surface	#FFFFFF	Cards, sheets, forms
Text Primary	#0F172A	Main content
Text Secondary	#475569	Supporting content
Text Muted	#64748B	Metadata/secondary labels
Border	#E2E8F0	Dividers, input borders
Overlay	#0F172A / 55%	Modal/backdrop

4.1 Color Rules

- Do not use color as the only indicator of status; pair it with text, icon or shape.
- Reserve emergency red for genuinely urgent actions and critical failures.
- Use semantic tokens in code instead of hard-coded color values.
- Maintain sufficient contrast between text and surfaces.
- Dark mode may be introduced later using the same semantic token structure.

5. Typography

Primary recommendation: **Inter** or an equivalent highly legible system sans-serif. Typography should remain compact enough for operational dashboards while preserving strong hierarchy.

Style	Size	Weight	Use
Display	32–40 px	700	Hero/landing headline
H1	28–32 px	700	Page title
H2	22–24 px	700	Section title
H3	18–20 px	600	Card/group heading
Body Large	16 px	400/500	Important readable content
Body	14–15 px	400	Default interface text
Label	12–13 px	600	Form labels, metadata
Caption	11–12 px	400/500	Secondary metadata

Line-height guidance: approximately 1.2–1.3× for headings and 1.45–1.6× for body text. Avoid using more than 3 font weights on a single screen.

6. Spacing System

Use a 4 px base grid with an 8 px dominant rhythm.

Token	Value	Typical use
space-1	4 px	Icon/text micro-gap
space-2	8 px	Tight component spacing
space-3	12 px	Field/control spacing
space-4	16 px	Default card/form padding
space-5	20 px	Grouped content
space-6	24 px	Section/card separation
space-8	32 px	Major section spacing
space-10	40 px	Large layout separation
space-12	48 px	Page-level spacing
space-16	64 px	Hero/large desktop spacing

Avoid arbitrary values unless a component has a documented exception.

7. Layout & Grid

- Desktop: use a 12-column grid with responsive max-width containers.
- Tablet: reduce columns and gutters while preserving hierarchy.
- Mobile: use a single-column primary flow with full-width controls where appropriate.
- Recommended page container: 1200–1280 px max width for desktop operational screens.
- Use consistent horizontal page padding rather than changing margins per component.
- Keep important content within comfortable reading widths.

Breakpoint	Range	Layout guidance
Mobile S	≤ 360 px	Single column; compact spacing; avoid dense tables
Mobile	361–767 px	Single column; bottom navigation where useful
Tablet	768–1023 px	2-column where helpful; condensed navigation
Desktop	1024–1439 px	Multi-column; map + details layouts
Large desktop	≥ 1440 px	12-column grid; wider operational dashboards

8. Border Radius, Elevation & Surfaces

Token	Recommendation	Usage
radius-sm	6 px	Inputs, compact controls
radius-md	10 px	Buttons, standard cards
radius-lg	14 px	Large cards, modals, sheets
radius-xl	20 px	Hero/feature surfaces when appropriate
Shadow-sm	Subtle	Inputs/cards on elevated surfaces
Shadow-md	Moderate	Dropdowns, popovers, floating cards
Shadow-lg	Strong	Modal/sheet/floating map controls

Avoid excessive shadows. Prefer borders and surface contrast for most cards.

9. Iconography

- Use one consistent icon family throughout the product.
- Default icon sizes: 16 px, 20 px and 24 px.
- Use 24 px or larger icons for primary mobile actions.
- Icons should have accessible labels when their meaning is not obvious.
- Do not mix outline and filled icon styles randomly.
- Use vehicle, location, wrench, tow, battery, tyre, fuel, payment and safety icons consistently.

10. Buttons

Type	Visual role	Usage
Primary	Filled primary color	Main action: Confirm, Book, Accept
Emergency	Filled critical red	GET HELP NOW only when urgent
Secondary	Outlined/neutral	Alternative action
Tertiary	Text/button link	Low-emphasis actions
Destructive	Critical semantic style	Delete, cancel irreversible action
Icon button	Icon-only	Map controls, close, menu; tooltip/label required

Button sizing: minimum 40 px desktop control height; target 44–48 px on mobile. Use clear disabled/loading states. Do not allow multiple visually dominant primary buttons in one compact context.

10.1 Button States

- Default
- Hover
- Pressed
- Focus-visible
- Disabled
- Loading
- Success/completed where useful

11. Cards

Cards group related information and actions without turning every piece of content into a card.

Card type	Required content
Provider card	Provider name, verified state, rating, service, ETA/distance, key price/info, primary action
Vehicle card	Vehicle identity, registration label, vehicle type, quick actions
Booking card	Status, vehicle, provider, service, date/time, location summary, next action
Estimate card	Inspection summary, line items, subtotal/tax/total, approval action
Invoice card	Invoice number, service summary, amount, payment state, receipt action
Emergency request card	Problem, location, requested service, matching status, safety information

Card anatomy: title → supporting metadata → key value/status → optional content → primary/secondary action.

12. Forms & Inputs

Forms should minimize typing, especially during roadside emergencies.

- Use visible labels; do not rely on placeholder text as the label.
- Pre-fill vehicle/location data when safely available.
- Use select/radio/chips for constrained choices.
- Use autocomplete for addresses and service categories.
- Use input masks only when they genuinely reduce errors.
- Group related fields and show required/optional status clearly.
- Preserve entered values after validation errors.
- Use inline validation for recoverable mistakes.

Input state	Behavior
Default	Neutral border + clear label
Focus	Visible focus ring; keyboard accessible
Filled	Maintain label and value hierarchy
Error	Error icon/message + field association
Success	Use only when confirmation is useful
Disabled	Reduced emphasis; explain unavailable state when needed
Loading	Show progress without destroying entered data

13. Form Error Messaging

Errors should answer: **What went wrong? Why? What should I do?**

Weak	Better
Invalid	Enter a valid vehicle registration number.
Error	We couldn't find your location. Turn on location or choose it manually.
Failed	Your request wasn't submitted. Check your connection and try again.
Required	Select a vehicle to continue.

14. Emergency Request UX

The emergency flow is the highest-priority RoadResQ experience.

GET HELP NOW → SELECT VEHICLE → SELECT PROBLEM → CONFIRM LOCATION → ADD OPTIONAL MEDIA/NOTE → FIND HELP → PROVIDER MATCH → ACCEPTED → TRACK

- Keep the primary action visible without scrolling where possible.
- Ask only for information needed to dispatch safely.
- Allow manual location fallback.
- Show a clear matching state rather than a blank loading screen.
- Display provider identity and verification before the user relies on the match.
- Show ETA/distance with timestamp/freshness context where appropriate.

- Make cancellation consequences clear.

15. Maps & Location UI

Maps are a core RoadResQ surface and must remain readable under both normal and stressful conditions.

Element	Rule
Map	Use full-width/full-height responsive container when map is primary task
User location	Distinct marker with accuracy indication where available
Provider marker	Consistent vehicle/service marker; selected marker visually emphasized
Route	Readable route line; avoid excessive visual decoration
ETA	Show ETA as a key value, not buried in map controls
Bottom sheet	Use for provider/job details on mobile
Map controls	Zoom/location/recenter controls should be reachable and labeled
GPS unavailable	Show clear manual-location fallback
Stale provider location	Communicate freshness/degraded state

15.1 Map Interaction States

- Locating...
- Location found
- Location permission denied
- GPS unavailable
- Provider searching
- Provider found
- Provider en route
- Provider arrived
- Tracking temporarily unavailable
- Route recalculating

16. Navigation

Platform	Recommended navigation
Customer mobile	Bottom navigation: Home • Bookings • Vehicles • Profile; persistent GET HELP NOW entry
Customer web	Top navigation + prominent help CTA
Provider mobile/web	Operational navigation centered on Requests, Active Job, Availability, Earnings, Profile
Admin	Sidebar with Dashboard, Users, Providers, Bookings, Payments, Support, Analytics, Settings

Navigation labels should remain action-oriented and predictable. Do not hide critical active-job controls behind deep menus.

17. Status & Feedback System

State	Visual treatment	Example
Success	Success color + check icon + text	Payment completed

State	Visual treatment	Example
Pending	Warning/neutral + progress	Waiting for provider
Info	Info color + info icon	Provider is 2.4 km away
Error	Critical/error + clear message	Unable to submit request
Offline	Neutral/amber + connectivity icon	You're offline; changes will retry
Disabled	Muted control	Service unavailable in this area
Critical	Strong emphasis + explicit action	Emergency service issue

Never communicate a critical state through color alone.

18. Loading States

- Use skeletons for content that will preserve layout dimensions.
- Use spinners for short indeterminate actions.
- Use progress indicators for known multi-step operations.
- For matching, use a purpose-built status screen rather than a generic spinner.
- Do not block the entire page when only one component is loading.
- For long operations, explain what is happening and what the user can do.

19. Empty States

Context	Message direction
No vehicles	Add your vehicle to request assistance faster.
No bookings	Your completed and upcoming assistance requests will appear here.
No provider matches	We're still looking. You can expand the search or try another service.
No notifications	You're all caught up.
No search results	Try a different service, location or spelling.

20. Modals, Sheets & Confirmations

- Use modals for focused decisions that require immediate attention.
- Use bottom sheets for map/provider/job details on mobile.
- Use confirmation dialogs for destructive or costly actions.
- For estimates, show line items and total before approval.
- Do not use confirmation dialogs for routine, reversible actions.

21. Toasts & Notifications

- Use toasts for short-lived confirmation or non-blocking information.
- Critical errors should remain visible until understood/resolved when appropriate.
- Notifications should deep-link to the relevant booking/job.
- Avoid stacking too many toasts.
- Use notification priority based on booking state and urgency.

22. Motion & Micro-interactions

Interaction	Motion guidance
Screen transition	150–250 ms; subtle
Modal/sheet	200–300 ms; ease-out
Button feedback	Fast 100–150 ms
Provider marker movement	Smooth interpolation; avoid distracting animation
Booking state change	Short transition + status update
Success	Subtle confirmation; avoid excessive celebration during roadside assistance

Respect reduced-motion preferences. Motion must never delay critical actions.

23. Mobile UX Rules

- Minimum interactive target: approximately 44 × 44 px.
- Primary actions should remain reachable with one hand where practical.
- Avoid dense tables; convert to stacked cards or horizontal scroll only when necessary.
- Use sticky bottom actions for important decisions such as Approve Estimate or Pay.
- Keep map and job details usable with one hand.
- Avoid keyboard-obscured form actions.
- Support poor/unstable network conditions gracefully.

24. Desktop UX Rules

- Use wider layouts for operational dashboards, not simply enlarged mobile screens.
- Use persistent side navigation for admin/provider operations when beneficial.
- Use split views for map + booking/provider detail.
- Keep primary actions near the information they affect.
- Avoid excessive empty space on large monitors; preserve readable content widths.

25. Responsive Component Rules

Component	Mobile	Tablet	Desktop
Header	Compact; essential actions	Compact + more actions	Full navigation
Cards	Stacked/full width	2-column where useful	Grid/list
Forms	1 column	1–2 columns	2–3 columns based on grouping
Map + details	Map + bottom sheet	Split/stacked	Side-by-side
Tables	Cards/scroll	Condensed table	Full table
Actions	Sticky bottom primary	Inline/sticky as needed	Inline toolbar
Sidebar	Hidden/bottom nav	Collapsible	Persistent

26. Accessibility

- Keyboard navigation must cover all interactive elements on web.

- Use visible focus indicators.
- Maintain sufficient text/background contrast.
- Associate form labels and errors programmatically.
- Provide meaningful accessible names for icon buttons.
- Do not rely solely on color.
- Support screen-reader-friendly status updates for important state changes.
- Respect reduced-motion preferences.
- Keep touch targets comfortably sized.

27. Localization & Indian Context

- Support Indian phone-number patterns and common address formats.
- Use INR formatting consistently, e.g. ₹1,250.
- Allow English-first UI with architecture ready for Gujarati/Hindi and other supported languages.
- Do not assume precise street addresses; allow landmarks and manual pin placement.
- Support UPI as a primary payment option where enabled.
- Use date/time formats appropriate to the Indian market.
- Design for variable network quality and lower-end devices.

28. Provider Verification UI

- Show a clear verified badge only after the backend verification state is actually verified.
- Explain what verification means without implying a government guarantee.
- Show provider rating/review count and service experience transparently.
- For admins, show document status, reviewer, decision and audit history.
- Keep sensitive identity documents in restricted admin contexts.

29. Estimate & Invoice UX

- Show service/labor/parts line items separately.
- Clearly distinguish estimated versus final amounts.
- Highlight total payable amount.
- Require explicit approval before approved extra work proceeds where business rules require it.
- Make invoice/payment state visually obvious.
- Provide a clear receipt/invoice access path after payment.

30. Design Tokens

Implementation should expose semantic tokens rather than direct component-specific values.

```
--color-primary --color-primary-dark --color-emergency --color-success --color-warning --color-info --color-bg
--color-surface --color-text --color-text-secondary --color-border --space-1 ... --space-16 --radius-sm ... --radius-xl
--shadow-sm ... --shadow-lg --font-family --font-size-... --control-height-sm/md/lg
```

31. Component Library Structure

Category	Components
Foundation	Colors, typography, spacing, icons, elevation, tokens
Navigation	Header, sidebar, bottom navigation, breadcrumbs, tabs
Actions	Button, icon button, segmented control, chips
Forms	Input, select, textarea, date/time, autocomplete, upload, OTP
Feedback	Alert, toast, modal, dialog, spinner, skeleton, progress
Data display	Card, list, badge, avatar, status, table, timeline
RoadResQ-specific	Provider card, vehicle card, booking card, estimate, invoice, job status
Map	Map shell, markers, route, controls, bottom sheet, location picker
Admin	Filters, data table, audit timeline, verification panel, analytics cards

32. Design-to-Development Rules

- Every reusable component must have documented states.
- Design tokens must be shared across web and mobile where technically practical.
- Figma/design source should map component names to code component names.
- Avoid one-off CSS for repeated patterns.
- Every component should define responsive behavior.
- QA should validate visual states, keyboard/focus behavior and mobile touch behavior.
- Breaking changes to shared components require impact review.

33. UX Analytics Events

Event	Why track
help_request_started	Emergency flow entry
help_request_submitted	Request conversion
provider_matched	Marketplace health
provider_accepted	Dispatch success
tracking_opened	Realtime usage
estimate_viewed	Estimate comprehension funnel
estimate_approved	Repair approval conversion
payment_started/completed	Payment funnel
booking_cancelled	Friction diagnosis
review_submitted	Service quality feedback

Analytics must follow approved privacy and data-governance rules and should not capture sensitive free-text or unnecessary precise location data.

34. QA Visual Regression Checklist

- Check all major breakpoints.
- Check loading, empty, error, disabled and success states.
- Check long names, long addresses and large monetary values.

- Check slow network/offline behavior.
- Check keyboard navigation and focus.
- Check map controls and bottom sheets.
- Check provider verification states.
- Check estimate/invoice/payment states.
- Check light/dark mode only when dark mode is officially enabled.
- Check real-device touch targets.

35. Anti-Patterns

- Do not use excessive gradients, glassmorphism or decorative animation for core operational screens.
- Do not make every element a card.
- Do not use tiny text for important information.
- Do not hide emergency actions in menus.
- Do not use generic 'Something went wrong' without recovery guidance.
- Do not display fake provider ratings, verification or ETA.
- Do not make a loading screen look like a successful booking.
- Do not let visual polish override accessibility or clarity.

36. Screen-Level UX Priorities

Screen	Primary UX priority
Customer Home	Fast entry to help, vehicles and bookings
Emergency Request	Minimum friction + location + problem
Matching	Trust + progress + cancellation clarity
Provider Detail	Verification + ETA + service information
Live Tracking	Map + ETA + provider/job status
Estimate	Understand cost + explicit approval
Invoice/Payment	Amount + payment state + receipt
Bookings	Status + next action
Provider Dashboard	Requests + active jobs + availability
Admin Dashboard	Operational overview + exceptions + actions

37. Design System Governance

- Maintain a single source of truth for tokens and shared components.
- Review new components for duplication before adding them.
- Document component behavior and accessibility requirements.
- Version major design-system changes.
- Coordinate design and frontend releases for breaking changes.
- Periodically audit production screens for drift.

38. Production Design Readiness Checklist

Area	Ready?
Color tokens defined	■
Typography scale defined	■
Spacing/grid defined	■
Buttons + states defined	■
Cards defined	■
Forms + validation defined	■
Map/tracking patterns defined	■
Loading/empty/error states	■
Responsive breakpoints	■
Accessibility rules	■
Emergency flow patterns	■
Estimate/invoice/payment UI	■
Provider verification UI	■
Design tokens mapped to code	■
Visual QA process	■
Design governance owner	■

39. Definition of Done — UI/UX

- All critical RoadResQ journeys have defined screen patterns.
- Shared colors, typography, spacing and components use documented tokens.
- Every major component has default, focus, loading, disabled, error and success behavior where applicable.
- Emergency, booking, tracking, estimate and payment flows have clear hierarchy.
- Responsive behavior is defined for mobile, tablet and desktop.
- Accessibility requirements are part of component acceptance.
- Map/location interactions include failure and degraded states.
- Design and frontend component names remain aligned.
- Visual QA is performed before production release.

40. Final Design Standard

RoadResQ should look and behave like a trustworthy mobility utility: fast when someone needs help, calm when waiting, transparent when money is involved, and clear when something fails. The design system exists to make those qualities repeatable across customer, provider and admin products—not merely to make screens visually consistent.