

# ROADRESQ

## Wireframe Specification

Version 1.0 • Screen Inventory, Components, Navigation & Interactions

**Platforms:** Customer Web/Mobile • Provider Web/Mobile • Admin Web

**Objective:** Define every production screen before high-fidelity UI implementation

SCREEN → COMPONENTS → INTERACTION → STATE → NEXT STEP

# Document Control

| Field             | Value                                                                                   |
|-------------------|-----------------------------------------------------------------------------------------|
| Document          | Wireframe Specification                                                                 |
| Product           | RoadResQ                                                                                |
| Version           | 1.0                                                                                     |
| Status            | Production wireframe baseline                                                           |
| Audience          | Product designers, frontend/mobile developers, QA, product owners                       |
| Scope             | Customer, provider and admin core screens + shared states                               |
| Related documents | SRS • UI/UX Design System • API Specification • System Architecture • Testing & QA Plan |

## 1. Purpose

This specification translates the RoadResQ product requirements into a screen-by-screen wireframe blueprint. Each screen defines its purpose, layout zones, components, interaction behavior, navigation outcomes and important states. The wireframes are intentionally structural: visual styling is governed by the UI/UX Design System.

## 2. Wireframe Conventions

| Notation | Meaning                             |
|----------|-------------------------------------|
| [Button] | Primary interactive action          |
| [Field]  | User input/control                  |
| [Card]   | Grouped information block           |
| [Map]    | Interactive map region              |
| →        | Navigation/state transition         |
| Modal    | Focused decision/confirmation layer |
| Sheet    | Mobile bottom sheet                 |
| Toast    | Non-blocking feedback               |
| Skeleton | Loading placeholder                 |

## 3. Global Layout Rules

- Mobile uses a single-column primary flow with optional bottom sheets and sticky actions.
- Desktop may use split panels, side navigation and map/detail layouts.
- Primary action must remain visually and spatially obvious.
- Emergency actions must be accessible without deep navigation.
- Every data-dependent screen defines loading, empty, error and offline behavior.
- Back navigation must preserve meaningful form state unless the user explicitly cancels.
- All screens use the shared spacing, typography, color, component and accessibility tokens.

## 4. Global Navigation Map

CUSTOMER: Home → Help Now / Find Garage / Book Service / Vehicles / Bookings / Profile

PROVIDER: Dashboard → Requests / Active Job / Availability / Earnings / Profile

## 5. Shared Global Components

| Component           | Where used                       | Interaction                                   |
|---------------------|----------------------------------|-----------------------------------------------|
| App Header          | Web/mobile top areas             | Back, menu, notifications, profile            |
| Bottom Navigation   | Customer/provider mobile         | Switch primary sections                       |
| Sidebar             | Admin/desktop operations         | Navigate modules; collapse on smaller screens |
| GET HELP NOW CTA    | Customer primary surfaces        | Start emergency assistance flow               |
| Notification Bell   | Customer/provider/admin          | Open notifications                            |
| Location Picker     | Request/booking/map flows        | Use GPS, search or manual pin                 |
| Status Badge        | Bookings/jobs/providers/payments | Communicate state                             |
| Bottom Sheet        | Mobile map/detail flows          | Expand/collapse contextual details            |
| Confirmation Dialog | Destructive/costly actions       | Confirm/cancel                                |
| Toast               | Global feedback                  | Dismiss/auto-dismiss                          |

## 6. Authentication & Onboarding

### WF-01 — Welcome / Landing

**Purpose:** Explain RoadResQ value and provide immediate entry points.

**Layout:** Header/logo → value proposition → [GET HELP NOW] → [Find a Garage] → service categories → trust/verification explanation → footer.

**Interactions:** GET HELP NOW → Login/OTP if unauthenticated, otherwise Emergency Request. Find a Garage → Garage Search. Login → Authentication.

**States:** default, loading authentication, offline.

### WF-02 — Login / Phone Number

**Components:** Back → phone field → country code → [Continue] → privacy/terms text.

**Interactions:** Validate phone → send OTP → OTP screen. Invalid phone → inline error. Back → previous screen.

### WF-03 — OTP Verification

**Components:** phone summary → 6-digit OTP field → resend timer → [Verify] → change number.

**Interactions:** Auto-advance digits → verify. Incorrect OTP → error. Resend → new OTP. Success → profile setup/home.

### WF-04 — Profile Setup

**Components:** name → email optional → profile photo optional → [Continue].

**Interactions:** Save → Vehicle Setup or Home. Skip optional fields where allowed.

### WF-05 — Vehicle Setup

**Components:** vehicle type → make/model → registration number → fuel/power type → optional nickname → [Save Vehicle].

**Interactions:** Validate registration → save → Home. [Add Later] → Home. Edit/delete available after onboarding.

## 7. Customer Home & Discovery

### WF-06 — Customer Home

**Layout:** Header → greeting → prominent [GET HELP NOW] → current/selected vehicle → Find Garage → Book Service → recent booking → service category shortcuts → bottom nav.

**Interactions:** GET HELP NOW → Emergency Request. Vehicle selector → Vehicle list. Booking card → Booking Detail. Category → Service Discovery.

**States:** first-time/no vehicle, normal, active booking, offline.

## WF-07 — Vehicle List

**Components:** page header → vehicle cards → [Add Vehicle] → optional default vehicle indicator.

**Interactions:** Card → Vehicle Detail/Edit. Add → Vehicle Form. Set default → confirmation/update.

## WF-08 — Vehicle Detail / Edit

**Components:** vehicle identity → registration → specifications → service history shortcut → [Edit] → [Delete].

**Interactions:** Edit → form. Delete → confirmation. History → Service History.

## WF-09 — Service Discovery / Categories

**Components:** search → category chips/cards: Mechanical, Towing, Battery, Tyre, Fuel, Accident/Roadside → location selector → filters.

**Interactions:** Category/filter → update provider list/map. Search → matching services. Provider → Provider Detail.

## WF-10 — Garage / Provider Search

**Layout:** Search/filter bar → Map/List toggle → provider result cards → optional bottom sheet.

**Interactions:** Map marker ↔ provider card. Filters → service/rating/distance/availability. Provider → Provider Detail. Book → Booking Setup.

## WF-11 — Provider Detail

**Components:** provider name/logo → Verified badge → rating → services → supported vehicles → distance/ETA → hours → reviews → [Book Service].

**Interactions:** Book → Booking Setup. Reviews → Review list. Map/location → map focus. Back → results.

# 8. Emergency Assistance Flow

## WF-12 — Emergency Request: Vehicle

**Components:** progress indicator → vehicle cards → [Continue].

**Interactions:** Select vehicle → enable Continue. Add vehicle → Vehicle Form. Continue → Problem Selection.

## WF-13 — Emergency Request: Problem

**Components:** problem categories → common issue chips → [Add description] → [Add photo/video/voice] → [Continue].

**Interactions:** Select problem → Continue. Media picker → upload preview/remove. Description → text input.

## WF-14 — Emergency Request: Location

**Layout:** Map → current location marker → address/landmark field → [Use Current Location] → [Pin Manually] → [Confirm Location].

**Interactions:** GPS success → map centers. Permission denied → manual fallback. Drag pin → address refresh. Confirm → Request Review.

## WF-15 — Emergency Request Review

**Components:** selected vehicle → problem → location → media summary → optional note → safety note → [Find Help Now].

**Interactions:** Edit sections → return to relevant step. Find Help Now → Matching.

## WF-16 — Finding Help / Matching

**Layout:** map → search animation/status → request summary → cancel action → support link.

**Interactions:** Matching automatically polls/receives realtime results. Provider found → Provider Match. Cancel → cancellation confirmation.

**States:** searching, providers unavailable, location issue, network degraded.

## WF-17 — Provider Match / Offer

**Components:** provider card → verification → rating → distance/ETA → estimated charge/fee if available → service → [Accept Provider] → [Decline/Keep Searching].

**Interactions:** Accept → Booking Active. Decline → return to matching. Provider timeout → next match.

## WF-18 — Booking Confirmation / Active Booking

**Components:** booking ID → provider identity → service → vehicle → status → ETA → contact/chat → cancellation → map preview.

**Interactions:** Track → Live Tracking. Chat → Chat. Contact → masked call/contact mechanism. Cancel → policy confirmation.

## WF-19 — Live Tracking

**Layout:** Full map → provider marker/route → floating controls → bottom sheet with provider, ETA, status and booking details.

**Interactions:** Recenter → map centers. Bottom sheet expand/collapse. Contact/chat. Status updates realtime. Arrival → Arrival Verification.

**States:** en route, stale location, tracking unavailable, provider arrived.

## WF-20 — Arrival Verification

**Components:** provider arrival state → OTP/code confirmation → safety note → [Confirm Arrival].

**Interactions:** Correct OTP → Job/Inspection. Incorrect → retry/error. Provider/customer mismatch → support.

# 9. Job & Repair Flow

## WF-21 — Job Start / Inspection

**Components:** booking summary → inspection checklist → issue items → photos → notes → [Create Estimate].

**Interactions:** Add inspection item → detail/photo. Create Estimate → Estimate screen. Save draft where supported.

## WF-22 — Estimate Review

**Components:** issue summary → line items → parts/labor → subtotal → taxes/fees → total → estimate validity → [Approve] → [Reject/Ask Question].

**Interactions:** Approve → job in progress. Reject → provider correction/support path. Question → chat/support.

## WF-23 — Extra Work Approval

**Components:** original approved work → additional item(s) → reason → additional cost → updated total → [Approve Extra Work] → [Decline].

**Interactions:** Approve → job continues. Decline → provider notified; follow business policy.

## WF-24 — Active Job Status

**Components:** timeline → current work status → provider details → work summary → optional media → estimated completion.

**Interactions:** Timeline expands. New estimate/extra work → approval screen. Completion → Completion Review.

## WF-25 — Completion Review

**Components:** completed work → parts/labor summary → final amount → completion media/notes → [View Invoice].

**Interactions:** View Invoice → Invoice. Dispute → Support ticket. Back → Booking Detail.

## 10. Billing & Payment

### WF-26 — Invoice

**Components:** invoice number → provider → vehicle → line items → taxes/fees → total → payment status → [Pay Now] → [Download/Share].

**Interactions:** Pay → Payment Method. Download → receipt/document flow.

### WF-27 — Payment Method

**Components:** UPI → other enabled methods → cash where supported → payment summary → [Continue to Pay].

**Interactions:** Select method → gateway/confirmation. Cash → mark pending/collection flow according to policy.

### WF-28 — Payment Processing

**Components:** amount → provider/payment status → progress → cancel/back disabled during critical processing.

**Interactions:** Gateway result → Success/Failure/Pending. Retry only when safe/idempotent.

### WF-29 — Payment Result

**Components:** success/pending/failure status → transaction reference → amount → invoice → [Done] → [Retry] when applicable.

**Interactions:** Done → Booking/Receipt. Retry → safe payment retry. Support → payment support.

## 11. Reviews & History

### WF-30 — Review Provider

**Components:** star rating → optional tags → comment → [Submit Review].

**Interactions:** Submit → success confirmation. Skip where policy allows.

### WF-31 — Bookings List

**Components:** tabs/filter: Upcoming, Active, Completed, Cancelled → booking cards → search/filter.

**Interactions:** Card → Booking Detail. Filter → list update. Active booking → Live Tracking.

### WF-32 — Booking Detail

**Components:** status header → timeline → vehicle → provider → location → job/estimate/invoice/payment sections → support.

**Interactions:** Contextual next action changes with booking state. Track if active. Approve estimate if pending. Pay if unpaid.

### WF-33 — Service History

**Components:** vehicle selector → service history timeline/list → service cards → cost/date/provider.

**Interactions:** History item → completed booking/invoice details.

## 12. Profile & Support

### WF-34 — Customer Profile

**Components:** user info → vehicles → saved locations → notifications → privacy/security → support → logout.

**Interactions:** Each row opens corresponding management screen.

### WF-35 — Notifications

**Components:** notification list → unread state → filters → mark read.

**Interactions:** Tap notification → deep-link to booking/job. Mark all read → state update.

## WF-36 — Support Center

**Components:** active booking support → issue categories → FAQ/search → contact support → ticket list.

**Interactions:** Booking support → contextual ticket. Category → ticket form. Existing ticket → Ticket Detail.

## WF-37 — Support Ticket

**Components:** ticket ID → issue → status → conversation → attachments → [Reply] → escalation/status.

**Interactions:** Reply → message. Attachment → secure upload. Close/reopen according to permissions.

# 13. Provider Onboarding

## WF-38 — Provider Registration

**Components:** business/person type → name → phone/email → location → service category → [Continue].

**Interactions:** Continue → Business Details. Validation inline.

## WF-39 — Provider Business Details

**Components:** business name → address → service radius → operating hours → services → supported vehicles → emergency availability.

**Interactions:** Save → Documents. Edit sections before submission.

## WF-40 — Provider Documents

**Components:** required document checklist → upload → preview → document status → [Submit for Verification].

**Interactions:** Upload → validation/preview. Invalid → replace. Submit → Verification Pending.

## WF-41 — Verification Status

**Components:** status timeline: Submitted → Review → Verified/Rejected → reasons/next steps.

**Interactions:** Rejected document → replace/resubmit. Verified → Provider Dashboard.

# 14. Provider Operations

## WF-42 — Provider Dashboard

**Layout:** availability toggle → incoming requests → active job → today's jobs → earnings snapshot → notifications.

**Interactions:** Online/offline toggle. Request → Request Detail. Active job → Job Console.

## WF-43 — Availability & Service Radius

**Components:** Online toggle → operating hours → service radius → service categories → supported vehicle types.

**Interactions:** Change settings → save confirmation. Going offline → confirmation if active requests exist.

## WF-44 — Incoming Service Request

**Components:** request type → approximate location → distance → issue → vehicle → customer summary → estimated payout → countdown → [Accept] → [Reject].

**Interactions:** Accept → Active Job. Reject → reason optional. Timeout → request expires.

## WF-45 — Provider Active Job

**Components:** customer/vehicle → map → route → status controls → call/chat → job details → inspection/estimate.

**Interactions:** En Route → Arrived → Inspection → Estimate → In Progress → Completed. Location sharing starts/stops according to job state.

## WF-46 — Provider Inspection

**Components:** checklist → issue/part entries → photos → notes → labor/parts inputs → [Create Estimate].

**Interactions:** Add/edit item. Create estimate → customer approval pending.

## WF-47 — Provider Estimate

**Components:** line items → price → quantity → taxes/fees → total → notes → [Send Estimate].

**Interactions:** Send → waiting for approval. Customer approval event → job state update. Rejected → edit/resubmit.

## WF-48 — Provider Completion

**Components:** completed work checklist → final parts/labor → photos → notes → final amount → [Mark Completed].

**Interactions:** Complete → invoice generation/payment state. Prevent completion if mandatory fields missing.

## WF-49 — Provider Earnings

**Components:** earnings summary → pending/paid → booking list → payout history → filters.

**Interactions:** Booking → booking/earning detail. Payout → payout detail where enabled.

## WF-50 — Provider Profile

**Components:** business profile → verification state → services → service area → documents → hours → settings.

**Interactions:** Edit supported fields. Sensitive verification data remains controlled.

# 15. Admin Operations

## WF-51 — Admin Login

**Components:** email/username → password/SSO → MFA → [Sign In].

**Interactions:** Failed login → safe error/rate limit. MFA success → Dashboard.

## WF-52 — Admin Dashboard

**Layout:** sidebar → KPIs → active bookings → provider supply → payment exceptions → alerts → recent incidents.

**Interactions:** KPI → filtered module. Active booking → Booking Operations. Alert → relevant investigation.

## WF-53 — User Management

**Components:** search → filters → user table → user detail drawer/page → status/action menu.

**Interactions:** Search/filter → table. User → detail. Suspend/restore → confirmation + audit.

## WF-54 — Provider Management

**Components:** provider table → verification/status filters → provider detail → documents → service capability → actions.

**Interactions:** Review → Verification Panel. Verify/reject/suspend → confirmation + reason + audit.

## WF-55 — Provider Verification Panel

**Components:** provider identity → business details → document viewer → checklist → review history → [Verify] → [Reject] → [Request Changes].

**Interactions:** Document open → secure viewer. Decision → reason required where applicable; audit event created.

## WF-56 — Booking Operations

**Components:** booking table → filters → status → customer/provider → timeline → location → payment state → audit trail.



**Interactions:** Booking → detail. Admin recovery actions → permission + confirmation + reason.

## WF-57 — Booking Detail / Recovery

**Components:** full booking timeline → entities → job/estimate/invoice/payment → audit → support → controlled recovery actions.

**Interactions:** Recovery action → confirmation + reason + audit. Never allow arbitrary state editing.

## WF-58 — Payment Operations

**Components:** payment table → pending/failed/reconciled filters → transaction detail → gateway reference → reconciliation state.

**Interactions:** Reconcile → controlled action. Refund/adjustment only with appropriate permissions and business policy.

## WF-59 — Support / Dispute Operations

**Components:** ticket queue → priority → SLA/status → conversation → booking context → evidence → assignment.

**Interactions:** Assign → operator. Escalate → priority/state. Close → resolution reason.

## WF-60 — Analytics Dashboard

**Components:** date/location/service filters → jobs → match rate → acceptance → completion → cancellation → revenue/GMV → ratings → provider metrics.

**Interactions:** Filter → update charts/tables. Drilldown → operational records.

## WF-61 — Audit Log

**Components:** timestamp → actor → action → entity → before/after summary → request ID → filters/export.

**Interactions:** Search/filter → records. Detail → expanded audit event. Sensitive values masked.

## WF-62 — Admin Settings

**Components:** service categories → operational rules → notification templates → roles/permissions → integrations → feature flags.

**Interactions:** Edit → validation → save → audit. High-risk settings require elevated permission.

# 16. Shared System States

| State                | Wireframe requirement                                |
|----------------------|------------------------------------------------------|
| Loading              | Skeleton or progress indicator preserving layout     |
| Empty                | Explanation + useful next action                     |
| Error                | Cause + recovery action; retain user input           |
| Offline              | Connectivity banner + safe retry behavior            |
| Permission denied    | Explain why + alternate path                         |
| Location unavailable | Manual search/pin fallback                           |
| No provider found    | Retry/expand search/support options                  |
| Payment pending      | Do not show false success; show verification status  |
| Session expired      | Safe re-authentication without unnecessary data loss |
| Unauthorized         | Do not reveal object existence beyond policy         |

# 17. Critical Interaction State Machines

## 17.1 Customer Emergency

HOME → REQUEST → MATCHING → PROVIDER FOUND → ACCEPTED → EN\_ROUTE → ARRIVED → INSPECTION → ESTIMATE → APPROVAL → IN\_PROGRESS → COMPLETED → INVOICE → PAYMENT → REVIEW

## 17.2 Provider Request

AVAILABLE → REQUEST RECEIVED → ACCEPT → EN\_ROUTE → ARRIVED → JOB → COMPLETED → EARNINGS

## 17.3 Provider Verification

REGISTER → DETAILS → DOCUMENTS → SUBMITTED → REVIEW → VERIFIED/REJECTED → ACTIVE

# 18. Responsive Wireframe Rules

| Screen type         | Mobile                           | Desktop                                |
|---------------------|----------------------------------|----------------------------------------|
| Customer home       | Stacked actions + bottom nav     | Hero/CTA + multi-column discovery      |
| Emergency request   | Step flow + sticky bottom action | Step/sidebar or centered form          |
| Matching/tracking   | Map + bottom sheet               | Map + persistent side detail           |
| Provider operations | Single-column job console        | Split map/detail + operational sidebar |
| Admin tables        | Card/list transformation         | Full data table + filters              |
| Forms               | One column                       | 2-column grouping when logical         |
| Dialogs             | Bottom sheet where possible      | Modal/dialog                           |

# 19. Interaction & Accessibility Requirements

- All interactive controls have keyboard/focus behavior on web.
- Touch targets should be approximately 44 × 44 px minimum.
- Icon-only actions require accessible names.
- Status updates must be understandable without color alone.
- Form errors must be associated with their fields.
- Loading states must not trap the user unnecessarily.
- Reduced-motion preferences must be respected.
- Map actions require non-map alternatives where essential.
- Critical actions should be reachable without complex gestures.

# 20. Wireframe Annotation Requirements

**Each actual design/wireframe file should annotate:**

- Screen ID and user role.
- Entry points.
- Primary action.
- Secondary actions.
- Navigation destination.
- API/data dependencies.
- Loading/empty/error/offline states.
- Permission requirements.
- Analytics events.
- Responsive behavior.
- Accessibility notes.

## 21. Screen Inventory Summary

| Area                 | Screen IDs     |
|----------------------|----------------|
| Auth/onboarding      | WF-01 to WF-05 |
| Customer discovery   | WF-06 to WF-11 |
| Emergency assistance | WF-12 to WF-20 |
| Job/repair           | WF-21 to WF-25 |
| Billing/payment      | WF-26 to WF-29 |
| History/support      | WF-30 to WF-37 |
| Provider onboarding  | WF-38 to WF-41 |
| Provider operations  | WF-42 to WF-50 |
| Admin operations     | WF-51 to WF-62 |

## 22. Screen-to-API Mapping Guidance

| Screen group    | Primary API domains                                             |
|-----------------|-----------------------------------------------------------------|
| Auth/onboarding | Auth, users, vehicles                                           |
| Discovery       | Providers, services, location                                   |
| Emergency       | Bookings, matching, location, realtime                          |
| Job/repair      | Jobs, inspections, estimates                                    |
| Billing         | Invoices, payments, webhooks                                    |
| History/support | Bookings, reviews, notifications, support                       |
| Provider        | Provider profile, verification, availability, jobs, earnings    |
| Admin           | Users, providers, bookings, payments, support, analytics, audit |

## 23. Prototype Acceptance Criteria

- A user can complete the primary emergency flow from Home to active tracking.
- A provider can register, submit verification information and reach the correct status.
- A verified provider can receive and accept a request.
- Customer and provider can progress an active job through inspection and estimate approval.
- Customer can view an invoice and reach payment outcome states.
- Admin can review providers, bookings and payment exceptions.
- Every critical screen has loading, empty, error and offline considerations.
- Navigation never creates dead ends in the core journey.

## 24. Wireframe QA Checklist

| Check                         | Ready? |
|-------------------------------|--------|
| Every screen has a screen ID  | ■      |
| Entry/exit navigation defined | ■      |
| Primary action defined        | ■      |

| Check                               | Ready? |
|-------------------------------------|--------|
| Components identified               | ■      |
| Interaction behavior defined        | ■      |
| Loading/empty/error states          | ■      |
| Offline/GPS failure states          | ■      |
| Responsive behavior                 | ■      |
| Accessibility notes                 | ■      |
| Permission/security behavior        | ■      |
| API/data dependency noted           | ■      |
| Analytics event noted               | ■      |
| Critical journey prototype complete | ■      |

## 25. Definition of Done — Wireframes

- Every core customer, provider and admin screen has a defined wireframe specification.
- Every screen identifies components, actions, states and navigation.
- Emergency, matching, tracking, job, estimate and payment flows are fully connected.
- Provider onboarding and operational workflows are fully connected.
- Admin operational screens support verification, booking monitoring, payment handling and support.
- Responsive behavior is defined.
- Accessibility and failure states are included.
- Screen IDs can be mapped directly to design files and frontend routes.
- Prototype can be tested end-to-end before high-fidelity visual implementation.

## 26. Final Wireframe Standard

RoadResQ wireframes should function as the contract between product requirements, visual design, frontend implementation and QA. A screen is not considered specified merely because its happy-path layout exists; its interactions, permissions, loading behavior, failure states, responsive behavior and next-step logic must also be defined.