

Sir Please visit my github for easy access and easy Review:-

[Frontend/Css By Baliassahu sir/assignment at main · MERN-2026/Frontend](#)

Selector.html:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>SELECTOR | Assignment</title>
  <link rel="stylesheet" href="seldctor.css">
</head>
<body>
  <!-- Element Selector -->
  <!-- Q1. -->
  <h1>This is an Element Selector</h1>
  <!-- Q2. -->
  <p>This is also an Element Selector</p>
  <!-- Class Selector -->
  <!-- Q3. -->
```

<p class="student">John</p>

<!-- id Selector -->

<!-- Q4. -->

<h1 id="mainTitle">Welcome</h1>

<!-- Exact Attribute Selector -->

<!-- Q.6 -->

<input type="text" placeholder="Enter your Name">

<input type="password" placeholder="Enter Your Password">

<input type="email" placeholder="Enter your Email">

<!-- Attribute Exists -->

<!-- Q.7 -->

<input disabled>

<button disabled>

I'm disabled

</button>

<!-- Starts With ^ -->

<!-- Q.8 -->

Google

Youtube

WhatsApp

<!-- Ends with pdf \$ -->

<!-- Q.9 -->

Assignment-1

<!-- Contains * -->\

<!-- Q.10 -->

<input type="text" placeholder="Enter your name">

<!-- Grouping Selector -->

<!-- Q.11 -->

<h1>This is Grouping</h1>

<h2>This is Grouping Selector</h2>

<p>This is Grouping Selector</p>

<!-- identify the selector -->

<!-- Q.12 -->

<p>The .box select the element with classbox</p>

<p>The #box select the element with idbox</p>

<p>The * select all the elements</p>

```
<!-- Class Vs ID -->
```

```
<!-- Q.13 -->
```

```
<br>
```

<p>I have use class because same style is needed for multiple elemnts
so we can use same class name in the different element but in the id we can use
only one that is unique</p>

```
<!-- Attribute Practice -->
```

```
<!-- Q.14 -->
```

```
<br>
```

```
<input type="text" disabled>
```

```
<br>
```

```
</body>
```

```
</html>
```

Selector.css:-

```
{  
    margin:0; /*Q.5 Thi is  
    universal selector*/  
}
```

```
h1{  
    color: red;  
}
```

```
p{
```

```
    color:blue;
}
.student{
    color: green;
}
#mainTitle{
    color: purple;
}
input[type="text"]{
    background-color:violet;
}
[disabled]{
    background-color: gray;
    color: aquamarine;
}
a[href^="https"]{
    color: green;
    text-decoration: none;
}
a[href$=".pdf"]{
    color: blueviolet;

}
input[placeholder*="name"]{
    background-color: yellow;
```

```

    color: green;
}

h1,h2,p{
    color: blue; /*it is not best practice it is only use for assignment and already
we use h1 ,p tag*/
}

input[type="text"] [disabled]{
}

```

Q_15.html:-

```

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Question 15</title>

    <link rel="stylesheet" href="selector_Q_15.css">

</head>

<body>

    <!-- Combined challenge -->

        <!-- Q15 -->

            <h1>Thi is heading</h1>

            <p class="para">This is a Paragraph para-1</p>

            <p class="para">This is also a Paragraph para-2</p>

```

```
<h2>This is form</h2>

    <input type="text" placeholder="Enter Your name">

<br>

<br>

<input type="password" placeholder="Enter your password">


<h3>This is Button</h3>

<button disabled>I'm disable</button>

</body>

</html>
```

selector_Q_15.css

```
/* universal Selector */

*{

    margin: 10px;

    background-color:black ;

}

/* Element Selector */

h1{

    color:violet;

}


/* class Selector */

.para{

    color: green;
```

```
}  
  
/* Grouping Selector */  
  
h2,h3{  
    color: white;  
}  
  
/* attribute selector */  
  
[disabled]{  
    color: white;  
    border: 2px solid green;  
}  
  
  
  
input[type="text"]{  
    color: white;  
  
    border: 2px solid white;  
}  
  
input[type="password"]{  
    color: white;  
    border: 2px solid white;  
}
```

Mini_Assignment.html:-

```
<!DOCTYPE html>  
  
<html lang="en">
```



```
<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Student Portal Page</title>

  <link rel="stylesheet" href="Mini_Assignment.css">

</head>

<body>

  <main>

    <header>

      <h1>Welcome To Student Portal Page</h1>

    </header>

    <section>

      <h2 class="course">Course-1</h2>

      <p id="para1">Lorem ipsum dolor sit amet consectetur adipisicing elit.
Fugit vero quas debitis esse delectus. Nihil voluptatem officia aperiam magni
iste!</p>

      <h2 class="course">Course-2</h2>

      <p class="para2">Lorem ipsum dolor sit amet consectetur adipisicing
elit. Veniam quidem quibusdam a placeat consectetur suscipit amet, expedita
aliquid minus, itaque aperiam. Debitis aperiam totam at facilis adipisci
architecto optio facere voluptates aut. Praesentium, ullam ipsam.</p>

      <p class="para2">Lorem, ipsum dolor sit amet consectetur adipisicing
elit. Incidunt eius animi impedit eos autem, doloribus, consequatur maxime aut
libero est in. Quibusdam dolor temporibus magnam odit modi accusamus sunt
adipisci non corrupti quisquam. Exercitationem inventore eum, dolor facere
maiores reiciendis.</p>

    </section>

    <section class="login">
```

```
<h2 id="login-form">StudentLogin Form</h2>

<form action="success.html" method="get">

    <label class="label" for="username">Username: <input
id="username" type="text" placeholder="Enter Your Username" required
name="Username:">

    </label>

    <br><br>

    <label class="label" for="mail">Email:

        <input id="mail" type="email" placeholder="Enter your email"
required name="Email:">

    </label>

    <br><br>

    <label class="label" for="pass">Password:

        <input id="pass" type="password" placeholder="Enter your
password" name="Password:">

    </label>

    <br><br>

    <button class="button" type="submit">Login</button>

    <button class="button" type="reset">Reset</button>

</form>

</section>

</main>

</body>

</html>
```

success.html:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Success</title>
  <link rel="stylesheet" href="Mini_Assignment.css">
</head>
<body>
  <h1>Login Successfully...</h1>
  <h2 id="thank">Thank You!</h2>
  <a id="home" href="Mini_Assignment.html">Back To home</a>
</body>
</html>
```

Mini_Assignment.css:-

```
*{
  background-color: black;
}
h1{
  color: blueviolet;
  text-align: center;
}
.course{
```

```
    color: aquamarine;
}
#para1{
    color: blue;
}
.para2{
    color:brown;
}
#login-form{
    color:deepskyblue;

}
input[type="text"]{
    color: white;
    border: 2px solid white;
}
input[type="email"]{
    color: white;
    border: 2px solid white;
}
input[type="password"]{
    color: white;
    border: 2px solid white;
}
```

```
.label{
    color: white;
}

.button{
    color: white;
    border: 2px solid green
    ;
}

#thank{
    color: aqua;
    text-align: center;
}

#home{
    display: block;
    text-decoration: none;
    color: chocolate;
    text-align: center;
}
```

OUTPUT:-

1.

This is an Element Selector

This is also an Element Selector

John

Welcome

[Google](#)

[Youtube](#)

[WhatsApp](#)

[Assignment-1 \](#)

This is Grouping

This is Grouping Selector

2.

[Google](#)

[Youtube](#)

[WhatsApp](#)

[Assignment-1 \](#)

This is Grouping

This is Grouping Selector

This is Grouping Selector

The .box select the element with classbox

The #box select the element with idbox

The * select all the elements

I have use class because same style is needed for multiple elemnts so we can use same class name in the different elment but in the id we can use only one that is unique

3.

This is heading

This is a Paragraph para-1

This is also a Paragraph para-2

This is form

amrutanshu20003@gmail.c

This is Button

I'm disable

4.

Welcome To Student Portal Page

Course-1

Lorem ipsum dolor sit amet consectetur adipisicing elit. Fugit vero quas debitis esse delectus. Nihil voluptatem officia aperiam magni iste!

Course-2

Lorem ipsum dolor sit amet consectetur adipisicing elit. Veniam quidem quibusdam a placeat consectetur suscipit amet, expedita aliquid minus, itaque aperiam. Debitis aperiam totam at facilis adipisci architecto optio facere voluptates aut. Praesentium, ullam ipsam.

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Incidunt eius animi impedit eos autem, doloribus, consequatur maxime aut libero est in. Quibusdam dolor temporibus magnam odit modi accusamus sunt adipisci non corrupti quisquam. Exercitationem inventore eum, dolor facere maiores reiciendis.

StudentLogin Form

Username:

wnrutanshu2000@gmail.c

Email:


Enter your email

Password:

Login

Reset

5.



The screenshot shows a web browser window with a dark background. The address bar at the top displays the URL: 127.0.0.1:5500/Css_By_Baliasahu_sir/assignment/success.html?Username%63A=amrutanshu20003%40gmail.com&Email%63A=abc%640gmail.com&Password%63A=123456. Below the address bar, there is a navigation bar with various icons and links, including Gmail, Google Drive, Photos - Google P..., YouTube, YoutubeMusic, Maps, Translate, News, Free Online Course..., GIET WIFI LOGIN, AMRUTANSHU PA..., and Other favorites. The main content area of the browser displays a large, bold, purple text "Login Successfully..." in the center. Below this, there is a smaller, bold, teal text "Thank You!". At the bottom, there is a small, orange text "Back To home" which is a clickable link.

127.0.0.1:5500/Css_By_Baliasahu_sir/assignment/success.html?Username%63A=amrutanshu20003%40gmail.com&Email%63A=abc%640gmail.com&Password%63A=123456

Gmail Google Drive Photos - Google P... YouTube YoutubeMusic Maps Translate News Free Online Course... GIET WIFI LOGIN AMRUTANSHU PA... Other favorites

Login Successfully...

Thank You!

[Back To home](#)