

## [Dissertation Title]

[Subtitle (if exists)]

[Candidate Full Name]

Dissertation submitted in partial fulfilment of the requirements for the Master's degree in Critical Computing Systems Engineering

Supervisor: [Full Name]

Co-Supervisor: [Full Name (if exists)]

External Supervisor: [Full Name (if exists)]

#### **Evaluation Committee:**

President:

[Full Name, Category, Affiliation]

Members:

[Full Name, Category, Affiliation]

[Full Name, Category, Affiliation]

[Full Name, Category, Affiliation]

# **Statement of Integrity**

I hereby declare having conducted this academic work with integrity. I have not plagiarised or applied any form of undue use of information or falsification of results along the process leading to its elaboration.

I declare that the work presented in this document is original and my own, and has not previously been used for any other purpose.

I further declare that I have fully followed the Code of Good Practices and Conduct of the Polytechnic Institute of Porto.

ISEP, Porto, October 23, 2024

# **Dedicatory**

The dedicatory is optional.

**Abstract** 

This document contains the main formatting rules to be applied in the writing of the report of

the Thesis / Dissertation / Internship, of the Master in Critical Computing Systems Engineer-

ing, of the Department of Computer Engineering, of ISEP. The rules presented here form a

set of best practices recommended for writing a dissertation. However, it is recommended

to discuss these and other aspects with the respective supervisor. An annex provides some

guidelines on adapting the template for the thesis research plan.

The rules to be followed are presented regarding the format of the paper to be used, how the

document is organized, general rules for formatting the text, formatting tables and figures,

inserting bibliographic references in the text and presenting bibliographic references.

The document must contain an abstract in Portuguese and English. The abstract in the lan-

guage of the document should come first and not exceed 200 words or 1 A4 page. The abstract in the other language should be an extended one, not exceeding 1000 words or 2 A4 pages.

This document was adapted from the master's dissertation model in Informatics Engineering

at ISEP, originally prepared by Professor Fátima Rodrigues (DEI/ISEP).

After the abstract, it is mandatory to place the main keywords of the theme of the work, with

a maximum of 6 keywords being allowed. Keywords are defined in the THESIS INFORMATION

block of the main. tex file.

Keywords: Keyword1, ..., Keyword6

#### Resumo

Este documento contém as principais regras de formatação a aplicar na redação do relatório de Tese/Dissertação/Estágio, do Mestrado em Engenharia de Sistemas Computacionais Críticos, do Departamento de Engenharia Informática, do ISEP. As regras aqui apresentadas formam um conjunto de boas práticas recomendadas para escrever uma dissertação. No entanto, é recomendável discutir esses e outros aspetos com o respetivo supervisor. Em anexo é fornecido um guia para adaptar o conteúdo do documento para o plano de investigação de tese.

São apresentadas as regras a serem seguidas quanto ao formato a ser utilizado, a organização do documento, as regras gerais de formatação do texto, formatação de tabelas e figuras, inserção de referências bibliográficas no texto e apresentação de referências bibliográficas.

O documento deve conter o resumo em português e em inglês. O resumo no idioma do documento deve vir primeiro e não deve exceder 200 palavras ou 1 página A4. O resumo no outro idioma deve ser estendido, não excedendo 1000 palavras ou 2 páginas A4.

Este documento foi adaptado do modelo de dissertação de mestrado em Engenharia Informática do ISEP, originalmente elaborado pela Professora Fátima Rodrigues (DEI/ISEP).

Para alterar a língua basta ir às configurações do documento no ficheiro **main.tex** e alterar para a língua desejada ('english' ou 'portuguese')<sup>1</sup>. Isto fará com que os cabeçalhos incluídos no template sejam traduzidos para a respetiva língua.

<sup>&</sup>lt;sup>1</sup>Alterar a língua requer apagar alguns ficheiros temporários; O target **clean** do **Makefile** incluído pode ser utilizado para este propósito.

# Acknowledgements

Acknowledgements (optional) to family, supervisors, colleagues, organizations, funding agencies,  $\dots$ 

## **Contents**

1	Intr	oduction	1
	1.1	Writing guidelines	1
	1.2	Document structure	1
		1.2.1 Contents checklist	2
	1.3	Formatting	2
	1.4	Privacy and ethics	3
	1.5	Use of Large Language Model tools	3
2	Abo	out 上TEX and How to Use This Template	5
	2.1	Learning Lagrange Lag	5
		2.1.1 A (not so short) Introduction to 上下上	5
		2.1.2 A Short Math Guide for 上下上	5
		2.1.3 Obtaining LT <sub>E</sub> X	6
	2.2	Getting Started with this Template	6
		2.2.1 About this Template	7
	2.3	What this Template Includes	7
		2.3.1 Folders	7
		2.3.2 Files	8
		2.3.3 Building the Document	9
	2.4	Filling in Your Information in the main.tex File	9
	2.5	The main.tex File Explained	10
	2.6	Front Matter (frontmatter/frontmatter.tex)	10
	2.7	Thesis Features and Conventions	11
		2.7.1 Printing Format	11
		2.7.2 References	12
		2.7.3 Tables	13
		2.7.4 Figures	13
		2.7.5 Other Useful Commands	15
	2.8	Sectioning and Subsectioning	15
	2.9	In Closing	16
3	Algo	orithms, Source Code, the Portable Graphics Format and Acronyms	17
	3.1	Algorithms	17
	3.2	Source Code	18
		The Portable Graphics Format	20
		3.3.1 TiKZ	20
		3.3.2 PGFPLOTS	21
	3.4	Handling Acronyms Automatically	21
^	Cui	delines to adapt the template for the Thesis Pescarch Plan	25

# **List of Figures**

2.1	An Electron	14
2.2	Thesis Writing Comic	15
3.1	Using TiKZ for drawing pictures	20
3.2	Using PGFPLOTS for drawing a graph	22

# **List of Tables**

1.1	Contents checklist	2
2.1	he effects of treatments X and Y on the four groups studied.	13

# **List of Algorithms**

	1			.1 Euclid's algorithm	3.1
--	---	--	--	-----------------------	-----

# **List of Source Code**

3.1	Euclid's algorithm (Java).																1	18
3.2	Fuclid's algorithm (C)																1	l

# **List of Abbreviations**

LAH List Abbreviations HereWSF What (it) Stands For

# **List of Symbols**

*a* distance

 $\mathbf{m}$ 

power

 $m W~(J~s^{-1})$ 

 $\omega$  angular frequency  $\operatorname{rad}$ 

## **Chapter 1**

### Introduction

#### 1.1 Writing guidelines

This chapter presents some recommendations to follow in the structuring and formatting of the dissertation or report.

The purpose of writing a dissertation or project report is, in essence, to document the work developed and highlight its importance. The author must follow the best writing rules, that is, respect grammatical and spelling rules, and correctly organize the text in order to make the message to be conveyed clear.

The language used must be rigorous, scientific and without colloquial expressions. If in Portuguese, the document must be written using the rules of the new Orthographic Agreement that took effect in January 2009. If in English, the document should follow the rules of the United Kingdom variant.

Automatic spelling correction must be complemented by consulting grammars and glossaries.

#### 1.2 Document structure

The structure of the dissertation is normally divided into three main parts: Introduction, Body of the Thesis and Conclusions.

The Introduction contains, at least, a brief statement in accessible language of "what was done" (which is later described in the document); a brief summary of the survey of the state of the art in the domain or domains to which the thesis is dedicated; a clarification of the extent to which what has been done fits into this vision of the state of the art (problem statement and relevance) and how it contributes to its progress (goals and objectives); and a brief description of each of the following chapters.

The Body of the Thesis includes a survey of the state of the art carried out, normally placed in the chapter following the Introduction. The survey of the state of the art should not be too exhaustive, in order to give more space to the development of the chapters related to the work developed.

Table 1.1: Contents checklist.

Description	Mandatory?	Page numbers
Cover (outside of template)	Yes	None
First page (template first page)	Yes	None
Statement of Integrity	Yes	Roman
Portuguese abstract (Resumo)	Yes	Roman
English abstract	Yes	Roman
Acknowledgement	No	Roman
Table of Contents	Yes	Roman
List of Figures	Yes	Roman
List of Tables	Yes	Roman
Acronyms and Symbols	Yes	Roman
Dissertation Body (including Introduction and Conclusions)	Yes	Arabic
References	Yes	Arabic
Annexes and appendices	No	Arabic

Afterwards follows a description, in writing, in successive chapters, of all the important points of the work carried out and the respective results, duly justified, from the proposed concepts and design to the (if existing) proof of concept implementation. A proper evaluation of the work should be provided, validating the proposed goals and objectives.

In the conclusions, a final balance of the work is made, highlighting the main aspects of "what was done", formulating critical judgments (positive and negative) about what was achieved, and launching suggestions for future work, if necessary. Note that, although the "conclusions" highlight the main aspects of what was done, as in the "introduction", the way in which this is done is completely different in each case: in the "introduction", the main aspects are presented to someone who has not yet read the thesis, so you should use more generic language; in the "conclusions", on the contrary, the language used is that which the thesis itself will have helped to build, and which the reader will now be able to understand.

#### 1.2.1 Contents checklist

Table 1.1 provides a list to check the contents of the dissertation.

#### 1.3 Formatting

The document can be written in Portuguese or English. The minimum number of pages is 60 and the maximum is 120. Complementary documentation may be added in the form of annexes, never exceeding 150 pages in total (including the main text of the thesis).

Please follow the margins and fonts defined in this template. The font size should be 11pt. The document should be printed double sided.

3

Note that the graphical aspect of the thesis is important, but does not replace a well-written and well-organised presentation of ideas.

Please refer to Chapter 2 and Chapter 3 for details about this template, how to format the document and insert citations, figures, tables, equations and other elements.

#### 1.4 Privacy and ethics

The dissertation document should provide in the introduction a specific section with information on how privacy and ethics were considered in the analysis and development of the work. If not applicable, this should be justified.

#### 1.5 Use of Large Language Model tools

Use of text generated from a large-scale language model (LLM), such as ChatGPT, is not allowed in the dissertation, unless the text itself is intended to be part of some experimental analysis.

Note that this does not preclude the use of LLM tools for editing or polishing text as long as the original text is produced by the author.

## **Chapter 2**

# About LATEX and How to Use This Template

#### 2.1 Learning LATEX

ETEX is not a wysiwyg (What You See is What You Get) program, unlike word processors such as Microsoft Word or Apple's Pages. Instead, a document written for ETEX is actually a simple, plain text file that contains *no formatting*. You tell ETEX how you want the formatting in the finished document by writing in simple commands amongst the text, for example, if I want to use *italic text for emphasis*, I write the \emph{text} command and put the text I want in italics in between the curly braces. This means that ETEX is a "mark-up" language, very much like HTML.

#### 2.1.1 A (not so short) Introduction to LATEX

If you are new to MEX, there is a very good eBook – freely available online as a PDF file – called, "The Not So Short Introduction to MEX". The book's title is typically shortened to just *Ishort*. You can download the latest version (as it is occasionally updated) from here: http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdf

It is also available in several other languages. Find yours from the list on this page: http://www.ctan.org/tex-archive/info/lshort/

It is recommended to take a little time out to learn how to use MEX by creating several, small 'test' documents, or having a close look at several templates on:

http://www.LaTeXTemplates.com

Making the effort now means you're not stuck learning the system when what you *really* need to be doing is writing your thesis.

#### 2.1.2 A Short Math Guide for LTEX

If your thesis is going to contain heavy mathematical content, be sure that LaTEX will make it look beautiful, even though it won't be able to solve the equations for you.

The "Not So Short Introduction to MTEX" (available on http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdfCTAN) should tell you everything you need to know for most cases of typesetting mathematics. If you need more information, a much more thorough mathematical guide is available from the AMS called, "A Short Math Guide to MTEX" and can be downloaded from: ftp://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf

There are many different LaTeX symbols to remember, luckily you can find the most common symbols in http://ctan.org/pkg/comprehensiveThe Comprehensive LaTeX Symbol List.

You can write an equation, which is automatically given an equation number by MFX like this:

```
\begin{equation}
E = mc^{2}
\label{eqn:Einstein}
\end{equation}
```

This will produce Einstein's famous energy-matter equivalence equation:

$$E = mc^2 (2.1)$$

All equations you write (which are not in the middle of paragraph text) are automatically given equation numbers by 上上X. If you don't want a particular equation numbered, use the unnumbered form:

MEX automatically adjusts the style of the math expressions according to the case if they are inline or not (so that they occupy more or less space), but you can set this explicitly. For instance, if you want an in-line mathematical element to display as a equation-like element put \displaystyle before that element. Use \textstyle for small, inline-like maths, before the command that generates the element.

#### 2.1.3 Obtaining LTEX

The MTEX distribution is available for many systems including Windows, Linux and Mac OS X. Check the webpage for the MTEX project for more information: https://latex-project.org/ftp.html.

#### 2.2 Getting Started with this Template

If you are familiar with 上下上X, then you should explore the directory structure of the template and then proceed to place your own information into the *THESIS INFORMATION* block of the **main.tex** file. You can then modify the rest of this file to your unique specifications. Section 2.4 on page 9 will help you do this. Make sure you also read section 2.7 about thesis conventions to get the most out of this template.

7

If you are new to LTEX it is recommended that you carry on reading through the rest of the information in this document.

#### 2.2.1 About this Template

This MTEX Thesis Template is originally based and created around a MTEX style file created by Steve R. Gunn from the University of Southampton (UK), department of Electronics and Computer Science. You can find his original thesis style file at his site, here: http://www.ecs.soton.ac.uk/~srg/softwaretools/document/templates/

Steve's **ecsthesis.cls** was then taken by Sunil Patel who modified it by creating a skeleton framework and folder structure to place the thesis files in. The resulting template can be found on Sunil's site here: http://www.sunilpatel.co.uk/thesis-template

Sunil's template was made available through http://www.LaTeXTemplates.com where it was modified many times based on user requests and questions. Version 2.0 and onwards of this template represents a major modification to Sunil's template and is, in fact, hardly recognisable. The work to make version 2.0 possible was carried out by mailto:vel@latextemplates.com Vel and Johannes Böttcher.

Vel's and Böttcher template was adapted to fit the TMDEI/ISEP dissertation formatting specifications. This adaptation was done by Nuno Pereira (nap@isep.ipp.pt) and Paulo Baltarejo (pbs@isep.ipp.pt) in December 2015. It was also based on the specifications earlier defined by Fátima Rodrigues (mfc@isep.ipp.pt).

#### 2.3 What this Template Includes

#### 2.3.1 Folders

This template is composed of several files and folders. The folder names are mostly self-explanatory:

**frontmatter** – this is the folder holding the **frontmatter.tex** where are defined the dedicatory, abstract, acknowledgement, contents pages, list of figures, tables and others.

**ch1**, **ch2**, ... – these are the folders where you put the contents of each chapter. Each chapter should go in its own separate folder. Inside each chapter folder there is one (or more) .tex with the contents of the chapter, and an **assets** folder which contains the figures and other graphical elements of the chapter (such as algorithms, source code, plots, ...).

**appendices** – this is the folder where you put the appendices. Each appendix should go into its own separate .tex file. An example and template are included in the directory.

**build** – this is the folder where the output of building your document is put. Everytime you build your document, Lack creates a number of auxiliary files that are written to this folder.

These auxiliary files can be ignored or deleted as <u>MFX</u> and BibTeX will regenerate them<sup>1</sup>. Note that the resulting **pdf** file is written to this folder and then copied to the root folder of the template.

#### 2.3.2 Files

Included are also several files, most of them are plain text and you can see their contents in a text editor. After initial compilation, you will see that more auxiliary files are created by LATEX or BibTeX and which you don't need to delete or worry about<sup>2</sup>:

main-bibliography.bib – this is an important file that contains all the bibliographic information and references that you will be citing in the thesis for use with BibTeX. You can write it manually, but there are reference manager programs available that will create and manage it for you. Bibliographies in Large a large subject and you may need to read about BibTeX before starting with this (check, for example: http://www.bibtex.org/Using/). Many modern reference managers will allow you to export your references in BibTeX format which greatly eases the amount of work you have to do.

**tmecs-style.cls** – this is an important file. It is the class file that tells  $\Delta T_{EX}$  how to format the thesis.

**main.pdf** – this is your beautifully typeset thesis (in the PDF file format) created by <u>MTEX</u>. It is supplied in the PDF with the template and after you compile the template you should get an identical version.

**main.tex** – this is an important file. This is the file that you tell  $\[Mathebox{TEX}\]$  to compile to produce your thesis as a PDF file. It contains the framework and constructs that tell  $\[Mathebox{MTEX}\]$  how to layout the thesis. It is heavily commented so you can read exactly what each line of code does and why it is there. After you put your own information into the *THESIS INFORMATION* block – you have now started your thesis!

**Makefile** – this is an important file. This file describes the steps that need to be taken to transform the **main.tex** into a PDF file. It uses the command **latexmk** which knows how to properly build a **MEX** source file. To use it, open a command line and type **make** in the base folder of the template. You can also remove temporary files with **make clean**.

**latexmk.rc** – this file is required to appropriately build documents with glossaries using **latexmk**. Essentially, it tells **latexmk** that it also needs to run the command **makeglossaries** to build the document.

<sup>&</sup>lt;sup>1</sup>Some changes require rebuilding temporary files again; actually, a document with citations may require up to three passes. For this reason, we recommend using the included **Makefile** which deals with such details

<sup>&</sup>lt;sup>2</sup>Note that some changes (such as changing the language of the template require deleting some of these temporary files) the included **Makefile** has a **clean** rule to do this automatically

#### 2.3.3 Building the Document

To build the document and create a **pdf** file from the MEX source, you need to invoke several commands that will compile your document, bibliography, and glossaries. We recommend that you build the document automatically, using the **Makefile** provided.

The Makefile can be used by invoking the command make:

- make Builds the document using the command latexmk which knows how to properly build a LTFX source file;
- make clean Deletes auxiliary files using the command latexmk which knows the files created every time the document is built;
- make clean-all Deletes all auxiliary files and bibliography cache.

#### **Manually Building the Document**

The general process of building the document is as follows. You can execute these commands to manually build your document. This can be convenient also for debug purposes, should you encounter any problem.

- 1. pdflatex -aux-directory=build -output-directory=build main The command **pdflatex** writes all \cite{...} arguments to an auxiliary file.
- 2. biber -input-directory=build -output-directory=build main The command **biber**, processes the previously created auxiliary file and the bibliography is produced.
- 3. makeglossaries -d build main The command **makeglossaries**, goes through the document to process the \gls{...} commands.
- 4. pdflatex -aux-directory=build -output-directory=build main **pdflatex** is run again to include the bibliography, and write the correct labels in the auxiliary file.
- 5. pdflatex -aux-directory=build -output-directory=build main **pdflatex** is run once again, to include the labels and produce the final document.

The above commands should be executed in the root folder of the template. Note that some of the commands might be omitted if the necessary auxiliary files were constructed previously, and no changes that require the auxiliary files to be rebuilt were made.

#### 2.4 Filling in Your Information in the main. tex File

You will need to personalise the thesis template and make it your own by filling in your own information. This is done by editing the **main.tex** file in a text editor or your favourite LaTeX environment.

Open the file and scroll down to the second large block titled *THESIS INFORMATION* where you can see the entries for *Thesis Title*, *Author*, etc . . .

Fill out the information about your work, yourself, your supervisor(s) and institution. You can also insert web links, if you do, make sure you use the full URL, including the http:// for this. If you don't want these to be linked, simply remove the \href{url}{name} and only leave the name.

When you have done this, save the file and recompile main.tex. All the information you filled in should now be in the PDF, complete with web links. You can now begin your thesis proper!

#### 2.5 The main.tex File Explained

The **main.tex** file contains the structure of the thesis. There are plenty of written comments that explain what pages, sections and formatting the  $mathbb{M}_{E}X$  code is creating. Each major document element is divided into commented blocks with titles in all capitals to make it obvious what the following bit of code is doing. Initially there seems to be a lot of  $mathbb{M}_{E}X$  code, but this is all formatting, and it has all been taken care of so you don't have to do it.

Begin by checking that your information on the title page is correct. It can be changed by editing the block titled *THESIS INFORMATION* in **main.tex**.

After the title page, the frontmatter is included. The frontmatter includes the dedicatory, abstract, acknowledgement, contents pages, list of figures and tables. The frontmatter is further detailed in Section 2.6.

Then, there is the block where the chapters are included. Uncomment the lines (delete the % character) as you write the chapters. Each chapter should be written in its own folder (ch1, ch2, etc...), in a file named Chapter1.tex, Chapter2.tex, etc...Similarly for the appendices, uncomment the lines as you need them. Each appendix should go into its own file and placed in the appendices folder.

Finally comes the bibliography. The bibliography style (called authoryear-ibid) is used for the bibliography as it is very similar to the recommended Harvard citation style. This is fully a featured style that will even include links to where the referenced paper can be found online. Do not underestimate how grateful your reader will be to find that a reference to a paper is just a click away. Of course, this relies on you putting the URL information into the BibTeX file in the first place.

#### 2.6 Front Matter (frontmatter/frontmatter.tex)

The frontmatter starts with the Dedication Section, where you can insert your dedication. Who will you dedicate your thesis to?

Following this, the abstract page summarises your work in a condensed way and can almost be used as a standalone document to describe what you have done. The text you write will cause the heading to move up so don't worry about running out of space. All dissertations should include abstracts in English and Portuguese.

Next come the acknowledgements. On this page, write about all the people who you wish to thank (not forgetting parents, and consider including partners and/or your advisor(s)/supervisor(s)).

The contents pages, list of figures, tables, algorithms and source code are all taken care of for you and do not need to be manually created or edited. Any of the commands in this section must be removed (or commented) if there are no elements in the document to list (for example, if there are no algorithms in the document, remove the \listofalgorithms command; if there are no source code listings, remove the \listoflisting command).

Next you have a list of abbreviations used in the thesis, then a list of the physical constants and numbers you refer to and finally, a list of mathematical symbols used in any formulae. You can omit these tables, but making the effort to fill these tables means the reader has a one-stop place to refer to instead of searching the internet and references to try and find out what you meant by certain abbreviations or symbols.

The list of symbols is split into the Roman and Greek alphabets. Whereas the abbreviations and symbols ought to be listed in alphabetical order (and this is *not* done automatically for you) the list of physical constants should be grouped into similar themes.

## 2.7 Thesis Features and Conventions

To get the best out of this template, there are a few conventions that you may want to follow.

One of the most important (and most difficult) things to keep track of in such a long document as a thesis is consistency. Using certain conventions and ways of doing things (such as using a Todo list) makes the job easier. Of course, all of these are optional and you can adopt your own method.

## 2.7.1 Printing Format

This thesis template is designed for double sided printing (i.e. content on the front and back of pages) as most theses are printed and bound this way. Switching to one sided printing is as simple as uncommenting the oneside option of the documentclass command at the top of the main. tex file. You may wish to use this option for drafting purposes, but remember that the final document should be double sided.

The headers for the pages contain the page number on the outer side (so it is easy to flick through to the page you want) and the chapter name on the inner side.

The text is set to 11 point by default with single line spacing, again, you can tune the text size and spacing should you want or need to using the options at the very start of **main.tex**. The spacing can be changed similarly by replacing the singlespacing with onehalfspacing or doublespacing. Remember again, that the default spacing and font size should be used for the final document.

### 2.7.2 References

The biblatex package is used to format the bibliography and inserts references such as this one (**Reference1**). The options used in the **main.tex** file mean that the in-text citations of references are formatted with the author(s) listed with the date of the publication. Multiple references are separated by semicolons (e.g. (**Reference2**; **Reference1**)) and references with more than three authors only show the first author with *et al.* indicating there are more authors (e.g. (**Reference3**)). This is done automatically for you. To see how you use references, have a look at the **Chapter2.tex** source file. Many reference managers allow you to simply drag the reference into the document as you type.

Scientific references should come *before* the punctuation mark if there is one (such as a comma or period). The same goes for footnotes<sup>3</sup>. You can change this but the most important thing is to keep the convention consistent throughout the document. Footnotes themselves should be full, descriptive sentences (beginning with a capital letter and ending with a full stop).

The bibliography is typeset with references listed in alphabetical order by the first author's last name. This is similar to the Harvard referencing style. To see how Lager typesets the bibliography, have a look at the very end of this document (or just click on the reference number links in in-text citations).

### More citation examples

- 1. A citation command \parencite{Reference1} results in a citation in parentheses: (**Reference1**).
- 2. A citation command \textcite{Reference2}, can used in the flow of text: As **Reference2** said ...
- 3. A citation command \autocite{Reference3} automatically switches style depending on location and the option setting in the package declaration. In this case, it produces a citation in parentheses: (**Reference3**).

### A Note on bibtex

By default, the template uses **biber** as the backend to process references, instead of **bib- tex**. This is because **bibtex** does not correctly handle unicode character encoding (i.e. "nonenglish" characters). You can change this back to **bibtex** by finding this in **main.tex**: backend=biber

<sup>&</sup>lt;sup>3</sup>Such as this footnote, here down at the bottom of the page.

Groups	Treatment X	Treatment Y
1	0.2	0.8
2	0.17	0.7
3	0.24	0.75
4	0.68	0.3

Table 2.1: The effects of treatments X and Y on the four groups studied.

and changing it to backend=bibtex. You will then need to delete all auxiliary files and navigate to the template directory in your terminal (command prompt). Once there, simply type bibtext main to compile your bibliography. You can then compile main.tex as normal and your bibliography will be updated. Alternatively, you can invoke make clean; make.

### **2.7.3 Tables**

Tables are an important way of displaying your results, Table 2.1 is an example table which was generated with this code:

```
\begin{table}
\caption{The effects of treatments X and Y on the four groups studied.}
\label{tab:treatments}
\centering
\begin{tabular}{1    1    1}
\toprule
\tabhead{Groups} & \tabhead{Treatment X} & \tabhead{Treatment Y} \\
\midrule

1 & 0.2 & 0.8\\
2 & 0.17 & 0.7\\
3 & 0.24 & 0.75\\
4 & 0.68 & 0.3\\
\bottomrule\\
\end{tabular}
\end{table}
```

You can reference tables with \ref{<label>} where the label is defined within the table environment. See **Chapter2.tex** for an example of the label and citation (e.g. Table 2.1).

## 2.7.4 Figures

There will hopefully be many figures in your thesis (that should be placed in the **assets** folder of the repective chapter). The way to insert figures into your thesis is to use a code template like this:

```
\begin{figure}
\centering
```

```
\includegraphics{ch2/assets/electron}
\decoRule
\caption[An Electron]{An electron (artist's impression).}
\label{fig:Electron}
\end{figure}
```

Also look in the source file. Note that the path is relative to the main.tex file location. Putting this code into the source file produces the picture of the electron that you can see in Figure 2.1.

Sometimes figures don't always appear where you specify in the source. The placement depends on how much space there is on the page for the figure. Sometimes there is not enough room to fit a figure directly where it should go (in relation to the text) and so \(\mathbb{E}\mathbb{T}\_E\mathbb{X}\) puts it at the top of the next page. In this case, the argument ("[b]") of the \\begin\{\mathbb{f}igure\}[b]\] command indicates that the Figure 2.1 should be on the bottom (for example, "t" would be used to place the figure on top). Figures consistently placed on top or bottom of the page usually make life easier for the reader. Note that positioning figures is the job of \(\mathbb{E}\mathbb{T}\_E\!X\) and so you should focus on making them look good!

Figures should have captions (such as in Figure 2.1). The \caption command contains two parts, the first part, inside the square brackets is the title that will appear in the *List of Figures*, and so should be short. The second part in the curly brackets should contain the longer and more descriptive caption text.

You should also put a label (such as \label{fig:electron}) in all your figures so you can refer to them (for example with \ref{fig:electron}). All graphical elements in your document must have accompanying text (a paragraph, or a sentence) describing it!

Another example illustration is included in Figure 2.2, which shows a comic about thesis writing.

ধ্যEX is capable of using images in pdf, jpg and png format.



Figure 2.1: An electron (artist's impression).



Figure 2.2: A Thesis Writing Comic (from www.phdcomics.com).

### 2.7.5 Other Useful Commands

There are some additional commands created to keep the formatting separated from the content, which we document below.

**keyword** – Used to highlight keywords. For example, this is **somekeyword** (the command that produces this output is \keyword{somekeyword}).

tabhead - Used to highlight table headers.

 ${\bf code}$  – Used to output code. For example, this statement is formatted as code (the command that produces this output is  ${\bf code}\{\dots\}$ ).

**file** – Used to highlight files. For example, this is **somefilename** (the command that produces this output is \file{somefilename}).

**option** – Used to highlight options. For example, this is someoption (the command that produces this output is \option{someoption}).

## 2.8 Sectioning and Subsectioning

You should break your thesis up into nice, bite-sized sections and subsections. LETEX automatically builds a table of Contents by looking at all the \chapter{}, \section{} and \subsection{} commands you write in the source.

The Table of Contents should only list the sections to three (3) levels. A chapter{} is level zero (0). A \section{} is level one (1) and so a \subsection{} is level two (2). In your thesis it is likely that you will even use a subsubsection{}, which is level three (3). The depth to which the Table of Contents is formatted is set within **tmdei-style.cls**. If you need this changed, you can do it in **main.tex**.

## 2.9 In Closing

You have reached the end of this mini-guide. You can now rename or overwrite this pdf file and begin writing your own .tex files and the rest of your thesis. The easy work of setting up the structure and framework has been taken care of for you. It's now your job to fill it out!

Good luck and have lots of fun!

Guide written by —

Sunil Patel: http://www.sunilpatel.co.ukwww.sunilpatel.co.uk Vel: http://www.LaTeXTemplates.comLaTeXTemplates.com

## **Chapter 3**

# Algorithms, Source Code, the Portable Graphics Format and Acronyms

## 3.1 Algorithms

ETEX has several packages for typesetting algorithms in form of "pseudocode". In this template, we suggest the use of the algorithm environment with the algorithm environment with the algorithms. More information about algorithms can be found at https://en.wikibooks.org/wiki/LaTeX/Algorithms.

Algorithm 3.1 shows Euclid's algorithm that computes Greatest Common Divisor (GCD) of two integer numbers.

Here it is the LTFX text for the "pseudocode" algorithm presented in Algorithm 3.1.

```
\begin{algorithm}
\caption{Euclid's algorithm (pseudocode)}
\label{alg:euclid}
\begin{algorithmic}[1]
\scriptsize

\State \textbf{Input}: Two integer numbers, $a$ and $b$
\State \textbf{Output}: Greatest Common Divisor (GCD) of $a$ and $b$
\State
```

## Algorithm 3.1 Euclid's algorithm

```
1: Input: Two integer numbers, a and b
 2: Output: GCD of a and b
 3:
 4: procedure Euclid(a, b)

ightharpoonup The GCD of a and b
 5:
        r \leftarrow a \bmod b

hinspace We have the answer if r is 0
 6:
        while r \neq 0 do
 7:
            a \leftarrow b
 8:
            b \leftarrow r
 9:
             r \leftarrow a \bmod b
10:
        end while
                                                                                                                                   \triangleright The GCD is b
11:
        return b
12: end procedure
```

```
\Procedure{euclid}{$a,b$}\Comment{The GCD of $a$ and $b$}
\State $r\gets a\bmod b$
\While{$r\not=0$}\Comment{We have the answer if $r$ is $0$}
\State $a\gets b$
\State $b\gets r$
\State $r\gets a\bmod b$
\EndWhile
\State \textbf{return} $b$\Comment{The GCD is $b$}
\EndProcedure
\end{algorithmic}
\end{algorithm}
```

\listofalgorithms command generates a list of all algorithms. This command is called in the **frontmatter.tex** file. Therefore, if there is no algorithm in the thesis, this command must be removed (or commented) from such file.

## 3.2 Source Code

Sometimes there is the need to present programming source code snippets. The listings package is a powerful way to get nice source code highlighting in  $\text{ET}_{E}X$ . It supports various programming languages, like Java (selected as the default language in this template), C, and many others.

Listing 3.1 and Listing 3.2 show the source code of the Euclid's algorithm, written in Java and C, respectively.

```
//valid for positive integers.
public static int euclid(int a, int b)

int r = a % b;
while(r != 0)

a = b;
b = r;
r = a % b;
}
return b;
```

Listing 3.1: Euclid's algorithm (Java).

3.2. Source Code

```
//valid for positive integers.
int euclid(int a, int b)
{
   int r = a % b;
   while(r != 0)
   {
      a = b;
      b = r;
      r = a % b;
   }
   return b;
}
```

Listing 3.2: Euclid's algorithm (C).

Here it is the MEX text for both listings. Note that we encapsulate the listings inside a \minipage so that the listing does note break across pages. Using the \lstinputlisting command, the source code must be written in a separate file. In these two cases, both files are in ch3\assets\ directory.

```
\begin{minipage}{\linewidth}
\lstinputlisting [language=Java,
caption=Euclid's algorithm (Java).,
label=lst:euclid_java]
{ch3/assets/euclid.java}
\end{minipage}
\begin{center}
\begin{minipage}{0.7\linewidth}
\lstinputlisting [language=C,
caption=Euclid's algorithm (C).,
label=lst:euclid_c,
numbers=none]
{ch3/assets/euclid.c}
\end{minipage}
\end{center}
```

As it can be seen from the text above, there are a lot of parameters that can be specified, like programming language (language), numbering, etc. More information about listings can be found at https://en.wikibooks.org/wiki/LaTeX/Source\_Code\_Listings and http://texdoc.net/texmf-dist/doc/latex/listings/listings.pdf.

\listoflisting command generates a list of all source code listings. This command is called in the **frontmatter.tex** file. Therefore, if there are no listings in the thesis, this command must be removed (or commented) from such file.

## 3.3 The Portable Graphics Format

The Portable Graphics Format (PGF) and a number of packages built on top of PGF (such as TiKZ and PGFPLOTS) enable producing high quality graphical elements for your document.

#### 3.3.1 TiKZ

TikZ is built on top of PGF and allows you to create sophisticated graphics using Lact commands. According to its author, Till Tantau <sup>1</sup>, "What is TikZ? Basically, it just defines a number of TeX commands that draw graphics.". With TikZ it is possible to accurately position picture elements, use Lact fonts, incorporate mathematical typesetting, and use other Lact features in your drawings.

The TikZ package defines the tikzpicture environment that is required to draw a graphic. This environment must be inserted into a figure environment when numbering and caption are required. Figure 3.1 shows a simple use of TikZ, for which the LaTeX source is as follows.

```
\begin{figure}[t]
\centering

\begin{tikzpicture}
% Define four points
\coordinate (P0) at (1,0);
\coordinate (P1) at (0,1);
\coordinate (P2) at (-1,0);
\coordinate (P3) at (0,-1);
% Draw the diamond
\draw (P0)--(P1)--(P2)--(P3)--cycle;
\end{tikzpicture}

\caption{Using TiKZ for drawing pictures.}
\label{fig:tikz}
\end{figure}
```

Figure 3.1: Using TiKZ for drawing pictures.

A great amount of examples are available at http://www.texample.net/tikz/examples/. More information about TiKZ can be found at https://en.wikibooks.org/wiki/LaTeX/PGF/TikZ and ftp://ftp.di.uminho.pt/pub/ctan/graphics/pgf/base/doc/pgfmanual.pdf.

<sup>&</sup>lt;sup>1</sup>Available online at ftp://ftp.di.uminho.pt/pub/ctan/graphics/pgf/base/doc/pgfmanual.pdf

### 3.3.2 PGFPLOTS

PGFPLOTS provides tools to draw high quality plots, and is based on TiKZ. To use PGFPLOTS in the thesis you need to use \usepackage{pgfplots} (in main.tex). To guarantee compatibility you need to specify \pgfplotsset{compat=<version>}. You can choose the version (). In this case, it is recommended to choose newest. The choice compat=newest means "I do not care if my old figures change in appearance after the next version upgrade".

Here it is the 上 text for create the graph presented in Figure 3.2.

```
\begin{tikzpicture}
 \begin{axis}[ height=9cm, width=9cm, grid=major, ]
  \addplot {-x^5 - 242};
  \addlegendentry{model}
  \addplot coordinates {
   (-4.77778, 2027.60977)
   (-3.55556, 347.84069)
   (-2.33333, 22.58953)
   (-1.11111, -493.50066)
   (0.11111,46.66082)
   (1.33333, -205.56286)
   (2.55556, -341.40638)
   (3.77778, -1169.24780)
   (5.00000, -3269.56775)
  };
  \addlegendentry{estimate}
 \end{axis}
\end{tikzpicture}
```

Figure 3.2 shows an example of a graph created using PGFPLOTS functions.

A great amount of examples are available at http://pgfplots.sourceforge.net/gallery. html. More information about TiKZ can be found at http://pgfplots.sourceforge.net/pgfplots.pdf.

## 3.4 Handling Acronyms Automatically

When writing a thesis you need to define acronyms. According to Wikipedia <sup>2</sup> "An acronym is an abbreviation used as a word which is formed from the initial components in a phrase or a word." and "Acronyms are used most often to abbreviate names of organizations and long or frequently referenced terms.". Typically, an acronym is a pronounceable word, which may already exist or it can be an invented word.

<sup>&</sup>lt;sup>2</sup>Accessed in 16 of December of 2015




Figure 3.2: Using PGFPLOTS for drawing a graph.

The use of acronyms imposes two rules: (i) an acronym must be defined in the text during the first appearance of the phrase or word and (ii) the document must have a list of all acronyms alphabetically sorted. In Lagarance of the phrase or word and (ii) the document must have a list of all acronyms alphabetically sorted. In Lagarance of this is provided by a package called \usepackage{glossaries} that simplifies the use of acronyms.

Included in this thesis template there is a file called **glossary.tex** (in folder **frontmatter**), where all acronyms must be written in the form:

\newacronym{label}{abbrv}{full}

where label is the unique label identifying the acronym, abbrv is the abbreviated form of the acronym and full is the expanded text (word or phrase). This is an example of defining three acronyms:

\newacronym{RTS}{RTS}{Real-Time System}
\newacronym{GPOS}{GPOS}{General Purpose Operating System}
\newacronym{RTOS}{RTOS}{Real-Time Operating System}

In order to use the features of the  $\space{glossaries}$ , you have only to use  $\space{glossaries}$ , you have only to use  $\space{glossaries}$ , you have only to use  $\space{glossaries}$ , and in the text. Using this command the acronym will be defined in the first appearance in the text and it will be listed in a list. For instance, writing this  $\space{glossaries}$  text:

Linux is not a \gls{RTOS} but it is a \gls{GPOS}. VxWorks is a \gls{RTOS}, so it is not a \gls{GPOS}.

outputs the following text:

Linux is not a Real-Time Operating System (RTOS) but it is a General Purpose Operating System (GPOS). VxWorks is a RTOS, so it is not a GPOS.

23

 $More information about acronyms can be found at \verb|https://en.wikibooks.org/wiki/LaTeX/| Glossary.$ 

## **Appendix A**

## Guidelines to adapt the template for the Thesis Research Plan

The dissertation template document can be adapted for the Thesis Research Plan report, using the following guidelines:

- Change "Dissertation submitted in partial fulfilment of the requirements for the Master's degree in Critical Computing Systems Engineering" to "Thesis Research Plan of the Master's degree in Critical Computing Systems Engineering".
- Remove the reference to the Jury.
- Remove unnecessary sections such as dedication, acknowledgement, etc.
- The Introduction and state-of-the-art chapters can provide the initial contents of the dissertation, which can be later evolved and extended in the Thesis work.
- Introduce a chapter after state-of-the-art with preliminary information on the proposed approach(es) to solve the identified problem.
- Provide a chapter on the research plan for the second semester, including the work methodology (with necessary reference to evaluation of the work) and the proposed timeline.