

Your Paper

You

July 29, 2024

Abstract

Your abstract.

1 Introduction

2 Peer-reviewed publications

This is how the table will look like

exp	citation
maricopaface_wheat92_ci	[Adamsen et al., 2005]
maricopaface_wheat93_c	[Asseng et al., 2004]
scbg_c	[Chen et al., 2012]
st_face_ld_w	[Dawes et al., 2015]
jrbp_face_fwh	[Dukes et al., 2005]
euroface_pe_c	[Gielen et al., 2005]
swissface_trifolium2_f	[Hebeisen et al., 1997]
dwingeloo_f	[Hoosbeek et al., 2002]
riceface_shizukuishi_l_1998_f2	[Kim et al., 2003]
riceface_shizukuishi_a_1999_cf	[Kim et al., 2003]
riceface_shizukuishi_a_2000_cf	[Kim et al., 2003]
biocon_cf	[Lee et al., 2011]
euroface_pa_cf	[Liberloo et al., 2004]
euroface_pa_c	[Liberloo et al., 2006]
maricopaface_sorghum98_ci	[Ottman et al., 2001]
biocon_c	[Reich et al., 2001]
horsham_face9han_c	[Tausz-Posch et al., 2012]
horsham_face10d_ci	[Tausz-Posch et al., 2012]
horsham_face9sn_c	[Tausz-Posch et al., 2015]
riceface_shizukuishi_a_2007_w	[Tokida et al., 2010]

Table 1: This is an example of a Caption text

this could be other citations in text

[Zak et al., 1993]

[Ziska et al., 2004]

References

- [Adamsen et al., 2005] Adamsen, F. J., Wechsung, G., Wechsung, F., Wall, G. W., Kimball, B. A., Pinter Jr., P. J., LaMorte, R. L., Garcia, R. L., Hunsaker, D. J., and Leavitt, S. W. (2005). Temporal Changes in Soil and Biomass Nitrogen for Irrigated Wheat Grown under Free-Air Carbon Dioxide Enrichment (FACE). *Agronomy Journal*, 97(1):160–168.

- [Asseng et al., 2004] Asseng, S., Jamieson, P. D., Kimball, B., Pinter, P., Sayre, K., Bowden, J. W., and Howden, S. M. (2004). Simulated wheat growth affected by rising temperature, increased water deficit and elevated atmospheric CO₂. *Field Crops Research*, 85(2):85–102.
- [Chen et al., 2012] Chen, X., Liu, J., Deng, Q., Yan, J., and Zhang, D. (2012). Effects of elevated CO₂ and nitrogen addition on soil organic carbon fractions in a subtropical forest. *Plant and Soil*, 357.
- [Dawes et al., 2015] Dawes, M. A., Philipson, C. D., Fonti, P., Bebi, P., Hättenschwiler, S., Hagedorn, F., and Rixen, C. (2015). Soil warming and CO₂ enrichment induce biomass shifts in alpine tree line vegetation. *Global Change Biology*, 21(5):2005–2021.
- [Dukes et al., 2005] Dukes, J. S., Chiariello, N. R., Cleland, E. E., Moore, L. A., Shaw, M. R., Thayer, S., Tobeck, T., Mooney, H. A., and Field, C. B. (2005). Responses of Grassland Production to Single and Multiple Global Environmental Changes. *PLOS Biology*, 3(10):e319.
- [Gielen et al., 2005] Gielen, B., Calfapietra, C., Lukac, M., Wittig, V. E., De Angelis, P., Janssens, I. A., Moscatelli, M. C., Grego, S., Cotrufo, M. F., Godbold, D. L., Hoosbeek, M. R., Long, S. P., Miglietta, F., Polle, A., Bernacchi, C. J., Davey, P. A., Ceulemans, R., and Scarascia-Mugnozza, G. E. (2005). Net carbon storage in a poplar plantation (POPFACE) after three years of free-air CO₂ enrichment. *Tree Physiology*, 25(11):1399–1408.
- [Hebeisen et al., 1997] Hebeisen, T., Lüscher, A., and Nösberger, J. (1997). Effects of elevated atmospheric CO₂ and nitrogen fertilisation on yield of *Trifolium repens* and *Lolium perenne*. *Acta Oecologica*, 18(3):277–284.
- [Hoosbeek et al., 2002] Hoosbeek, M. R., Van Breemen, N., Vasander, H., Buttler, A., and Berendse, F. (2002). Potassium limits potential growth of bog vegetation under elevated atmospheric CO₂ and N deposition. *Global Change Biology*, 8(11):1130–1138.
- [Kim et al., 2003] Kim, H.-Y., Lieffering, M., Kobayashi, K., Okada, M., and Miura, S. (2003). Seasonal changes in the effects of elevated CO₂ on rice at three levels of nitrogen supply: A free air CO₂ enrichment (FACE) experiment. *Global Change Biology*, 9(6):826–837.
- [Lee et al., 2011] Lee, T. D., Barrott, S. H., and Reich, P. B. (2011). Photosynthetic responses of 13 grassland species across 11 years of free-air CO₂ enrichment is modest, consistent and independent of N supply. *Global Change Biology*, 17(9):2893–2904.
- [Liberloo et al., 2006] Liberloo, M., Calfapietra, C., Lukac, M., Godbold, D., Luo, Z.-B., Polle, A., Hoosbeek, M. R., Kull, O., Marek, M., Raines, C., Rubino, M., Taylor, G., Scarascia-Mugnozza, G., and Ceulemans, R. (2006). Woody biomass production during the second rotation of a bio-energy Populus plantation increases in a future high CO₂ world. *Global Change Biology*, 12(6):1094–1106.
- [Liberloo et al., 2004] Liberloo, M., Gielen, B., Calfapietra, C., Veys, C., Pigliacelli, R., Scarascia-Mugnozza, G., and Ceulemans, R. (2004). Growth of a poplar short rotation coppice under elevated atmospheric CO₂ concentrations (EUROFACE) depends on fertilization and species. *Annals of Forest Science*, 61(4):299–307.
- [Ottman et al., 2001] Ottman, M. J., Kimball, B. A., Pinter, P. J., Wall, G. W., Vanderlip, R. L., Leavitt, S. W., LaMorte, R. L., Matthias, A. D., and Brooks, T. J. (2001). Elevated CO₂ increases sorghum biomass under drought conditions. *New Phytologist*, 150(2):261–273.
- [Reich et al., 2001] Reich, P. B., Knops, J., Tilman, D., Craine, J., Ellsworth, D., Tjoelker, M., Lee, T., Wedin, D., Naeem, S., Bahaeddin, D., Hendrey, G., Jose, S., Wragg, K., Goth, J., and Bengtson, W. (2001). Plant diversity enhances ecosystem responses to elevated CO₂ and nitrogen deposition. *Nature*, 410(6830):809–812.
- [Tausz-Posch et al., 2015] Tausz-Posch, S., Dempsey, R. W., Seneweera, S., Norton, R. M., Fitzgerald, G., and Tausz, M. (2015). Does a freely tillering wheat cultivar benefit more from elevated CO₂ than a restricted tillering cultivar in a water-limited environment? *European Journal of Agronomy*, 64:21–28.

- [Tausz-Posch et al., 2012] Tausz-Posch, S., Seneweera, S., Norton, R. M., Fitzgerald, G. J., and Tausz, M. (2012). Can a wheat cultivar with high transpiration efficiency maintain its yield advantage over a near-isogenic cultivar under elevated CO₂? *Field Crops Research*, 133:160–166.
- [Tokida et al., 2010] Tokida, T., Fumoto, T., Cheng, W., Matsunami, T., Adachi, M., Katayanagi, N., Matsushima, M., Okawara, Y., Nakamura, H., Okada, M., Sameshima, R., and Hasegawa, T. (2010). Effects of free-air CO₂ enrichment (FACE) and soil warming on CH₄ emission from a rice paddy field: Impact assessment and stoichiometric evaluation. *Biogeosciences Discussions*, 7:1863–1903.
- [Zak et al., 1993] Zak, D. R., Pregitzer, K. S., Curtis, P. S., Teeri, J. A., Fogel, R., and Randlett, D. L. (1993). Elevated atmospheric CO₂ and feedback between carbon and nitrogen cycles. *Plant and Soil*, 151(1):105–117.
- [Ziska et al., 2004] Ziska, L. H., Faulkner, S., and Lydon, J. (2004). Changes in Biomass and Root:Shoot Ratio of Field-Grown Canada Thistle (*Cirsium arvense*), a Noxious, Invasive Weed, with Elevated CO₂: Implications for Control with Glyphosate. *Weed Science*, 52(4):584–588.