ICT Assignment 2

Section 1 & 2: HTML, CSS and JavaScript (Code + Screenshots)

Name: Muhammad Farhan
Roll no: 25K-0538
Section: BCS-1K
Course: Information and Communication Technology Lab
Course Instructor: Miss Syeda Tehreem Gilani

Section 1: HTML & CSS I Build a Restaurant Website

1. Home Page (Index.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gourmet Delights Home</title>
    <style>
        #banner
        {
            display: block;
            margin-left: auto;
            margin-right: auto;
            width: 700px;
            border: 2px black;
        }
        h1
        {
            color: darkred;
        }
        body
        {
            background-color: lightgoldenrodyellow;
        }
    </style>
</head>
```

```
<body>
    <img src="RestaurantBanner.png" id="banner" alt="Gourmet Delights Restaurant">
    <h1>Welcome to Gourmet Delights!</h1>
    <hr>
    <p>We serve delicious food made with fresh ingredients and a passion for cooking!</p>
    <hr>
    <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="menu.html">Our Menu</a></li>
        <li><a href="Contact.html">Contact Us</a></li>
    </ul>

</body>
</html>
```

ICTAssignment2 > index.html > html > body > h1

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gourmet Delights Home</title>
    <style>
        #banner
        {
            display: block;
            margin-left: auto;
            margin-right: auto;
            width: 700px;
            border: 2px black;
        }
        h1
        {
            color: darkred;
        }
        body
        {
            background-color: lightgoldenrodyellow;
        }
    </style>
</head>
<body>
    <img src="RestaurantBanner.png" id="banner" alt="Gourmet Delights Restaurant">
    <h1>Welcome to Gourmet Delights!</h1>
    <hr>
    <p>We serve delicious food made with fresh ingredients and a passion for cooking!</p>
    <hr>
    <ul>
        <li><a href="index.html">Home</a></li>
        <li><a href="menu.html">Our Menu</a></li>
        <li><a href="Contact.html">Contact Us</a></li>
    </ul>

</body>
</html>
```

http://127.0.0.1:5500/index.html

Welcome to Gourmet Delights!

We serve delicious food made with fresh ingredients and a passion for cooking!

- Home
- Our Menu
- Contact Us

2. Menu Page (menu.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gourmet Delights - Our Menu</title>
    <style>
        img
        {
            display: block;
            width: 400px;
            float: right;
            border: 2px dashed brown;
        }
        body
        {
            background-color: lightgoldenrodyellow;
        }
    </style>
</head>
<body>
    <h1>Explore Our Delicious Menu</h1>
    <p>"We only use the <em style="color: green; font-weight: bold;">freshest</em> ingredients to bring you the best experience!"</p>
    <hr>
    <h2>Appetizers</h2>
```

```
    <ul>
        <li>Golden Calamari Rings</li>
        <li>Spicy Honey-Glazed Wings</li>
        <img src="LemonChicken.jpg" alt="Delicious Gourmet Dish">
        <li>Truffle Mushroom Bruschetta</li>
        <li>Loaded Nachos Supreme</li>
    </ul>
    <hr>
    <h2>Main Course</h2>
    <ul>
        <li>Classic Ribeye Steak</li>
        <li>Lemon Herb Roasted Chicken</li>
        <li>The Bistro Burger</li>
        <li>Creamy Garlic Shrimp Pasta</li>
    </ul>
    <hr>
    <h2>Desserts</h2>
    <ul>
        <li>Molten Chocolate Lava Cake</li>
        <li>New York Strawberry Cheesecake</li>
        <li>Artisan Gelato Trio</li>
        <li>Warm Apple Crumble Tart</li>
    </ul>
    <hr>
    <a href="index.html">Back to Home</a>
</body>
</html>
```

ICTAssignment2 > menu.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gourmet Delights - Our Menu</title>
    <style>
        img
        {
            display: block;
            width: 400px;
            float: right;
            border: 2px dashed brown;
        }
        body
        {
            background-color: lightgoldenrodyellow;
        }
    </style>
</head>
<body>
    <h1>Explore Our Delicious Menu</h1>
    <p>"We only use the <em style="color: green; font-weight: bold;">freshest</em> ingredients to bring you the best experience!"</
    <hr>
    <h2>Appetizers</h2>
    <ul>
        <li>Golden Calamari Rings</li>
        <li>Spicy Honey-Glazed Wings</li>
        <img src="LemonChicken.jpg" alt="Delicious Gourmet Dish">
        <li>Truffle Mushroom Bruschetta</li>
        <li>Loaded Nachos Supreme</li>
    </ul>
    <hr>
    <h2>Main Course</h2>
    <ul>
        <li>Classic Ribeye Steak</li>
        <li>Lemon Herb Roasted Chicken</li>
        <li>The Bistro Burger</li>
        <li>Creamy Garlic Shrimp Pasta</li>
    </ul>
```

```html
    <h2>Main Course</h2>
    <ul>
        <li>Classic Ribeye Steak</li>
        <li>Lemon Herb Roasted Chicken</li>
        <li>The Bistro Burger</li>
        <li>Creamy Garlic Shrimp Pasta</li>
    </ul>
    <hr>
    <h2>Desserts</h2>
    <ul>
        <li>Molten Chocolate Lava Cake</li>
        <li>New York Strawberry Cheesecake</li>
        <li>Artisan Gelato Trio</li>
        <li>Warm Apple Crumble Tart</li>
    </ul>
    <hr>
    <a href="index.html">Back to Home</a>
</body>
</html>
```

http://127.0.0.1:5500/menu.html

Explore Our Delicious Menu

"We only use the ***freshest*** ingredients to bring you the best experience!"

Appetizers

- Golden Calamari Rings
- Spicy Honey-Glazed Wings
- Truffle Mushroom Bruschetta
- Loaded Nachos Supreme

Main Course

- Classic Ribeye Steak
- Lemon Herb Roasted Chicken
- The Bistro Burger
- Creamy Garlic Shrimp Pasta

Desserts

- Molten Chocolate Lava Cake
- New York Strawberry Cheesecake
- Artisan Gelato Trio
- Warm Apple Crumble Tart

Back to Home

3. Contact Page (contact.html)

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Gourmet Delights -Contact Us</title>
   <style>
      body
      {
         background-color: lightgoldenrodyellow;
      }
   </style>
</head>
<body>
   <h1>Get in Touch with Us!</h1>
   <p>We are here to answer your questions and take reservations.</p>
   <hr>
   <ul>
      <li>Phone: +123-456-7890</li>
      <li><a
href="mailto:contact@gourmetdelights.com">contact@gourmetdelights.com</a> </li>
      <li>Address: 123 Foodie Street, Flavor Town</li>
   </ul>
   <hr>
   <a href="https : //www. google corn/maps">Find Us on Google Maps</a>
   <hr>
```

```
    <a href="index.html">Back to Home</a>
</body>
</html>
```

ICTAssignment2 > Contact.html > html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Gourmet Delights -Contact Us</title>
    <style>
        body
        {
            background-color: lightgoldenrodyellow;
        }
    </style>
</head>
<body>
    <h1>Get in Touch with Us!</h1>
    <p>We are here to answer your questions and take reservations.</p>
    <hr>
    <ul>
        <li>Phone: +123-456-7890</li>
        <li><a href="mailto:contact@gourmetdelights.com">contact@gourmetdelights.com</a> </li>
        <li>Address: 123 Foodie Street, Flavor Town</li>
    </ul>
    <hr>
    <a href="https : //www. google corn/maps">Find Us on Google Maps</a>
    <hr>
    <a href="index.html">Back to Home</a>
</body>
</html>
```

http://127.0.0.1:5500/Contact.html

Get in Touch with Us!

We are here to answer your questions and take reservations.

- Phone: +123-456-7890
- contact@gourmetdelights.com
- Address: 123 Foodie Street, Flavor Town

Find Us on Google Maps

Back to Home

Section 2: JavaScript

/*

Instructions on how to install prompt-sync by running npm:

First, make sure Node JS is installed on your computer. If it is not, go to https://nodejs.org/en to install it.

If you already have Node JS installed, you can directly skip to Line: 10

After downloading and installing NodeJS, you need to add its folder address into enviroment variables.

To do that, Go to windows search bar, search up "env" and open enivroment variables.

After that, click on "enviroment variables..." button.

After that, select the variable named "Path" and then click on Edit.

After that, click on "New" and add the address of your Node JS folder, and click Ok.

Now restart your VS Code, open the terminal and type "node -v" to test. If it shows the installed version, its correctly installed.

After you have made sure that Node JS is correctly installed, go to your VS Code Terminal and Enter:

Set-ExecutionPolicy RemoteSigned -Scope CurrentUser

And then: npm install prompt-sync

It will then install the packages and you have successfully installed prompt-sync by running npm.

Use this Header file: const prompt = require('prompt-sync')(); to use the prompt function.

Now to run your program in terminal, Open the termial, type "node (your JS file name).js" and enter.

From onwards, you can press the up-arrow key on your keyboard, and click enter.

This way, The program will run in terminal like its supposed to.

But if you use "clear" to clear your terminal, you will have to do the step (line 16) again for the up-arrow key to work again.

*/

const prompt = require('prompt-sync')();

```
let Tasks = [];
while (true)
{
    /*
    Also Miss, for some reason when using prompt, when you make the very first input, it reprints the entire menu for some reason.
    After the first sudden reprint, then it starts taking inputs as needed and works how its supposed to.
    I dont know why its doing that or how to fix it, so I hope you can overlook this. I suspect its a issue with the prompt itself.
    And the prompt's behavior is also kind of weird, but I suppose its because its a funciton created by another user.
    Therefore it's not as polished.
    */
    let choice = prompt("\n\n1.Add Task.\n2.Remove Task.\n3.Display all Tasks.\n4.Clear all Tasks.\n5.Exit program.\nEnter your choice:  ");
    if (choice==1)
    {
        AddTask();
    }
    else if (choice==2)
    {
        RemoveTask();
    }
    else if (choice==3)
    {
        DisplayAllTasks();
    }
    else if (choice==4)
```

```
    {
        RemoveTasks();
    }
    else if (choice==5)
    {
        process.exit(0);
    }
    else
    {
        console.log("\nInavlid Input.\n");
    }
}

function AddTask()
{
    let newtask = prompt("Enter Task: ");
    Tasks.push(newtask);
    console.log("\nTask Saved!");
}

function RemoveTask()
{
    let remove = prompt("Enter task number from the list to remove: ");
    if (remove>0 && remove<=Tasks.length)
    {
        Tasks.splice(remove-1, 1);
        console.log("\nTask Removed Successfully.\n");
```

```
    }
    else
    {
        console.log("\nError: Incorrect or Out of bound input.\n");
    }

}

function DisplayAllTasks()
{
    if(Tasks.length==0)
    {
        console.log("\nThe list is Empty.\n");
    }
    else
    {
        for (let index = 0; index < Tasks.length; index++)
        {
            console.log(`\n${index+1}. ${Tasks[index]}`);
        }
        console.log("\n");
    }
}

function RemoveTasks()
{
    if (Tasks.length == 0)
```

```
        {
            console.log("\nThe List is already empty.\n");
        }
        else
        {
            Tasks.length = 0;
            console.log("\nThe list has been cleared.\n");
        }
    }
```

ICT_JavaScript > JS k250538Section2JS.js > ...

```
1  /*
2  Instructions on how to install prompt-sync by running npm:
3  First, make sure Node JS is installed on your computer. If it is not, go to https://nodejs.org/en to install it.
4  If you already have Node JS installed, you can directly skip to Line: 10
5  After downloading and installing NodeJS, you need to add its folder address into enviroment variables.
6  To do that, Go to windows search bar, search up "env" and open enivroment variables.
7  After that, click on "enviroment variables..." button.
8  After that, select the variable named "Path" and then click on Edit.
9  After that, click on "New" and add the address of your Node JS folder, and click Ok.
10 Now restart your VS Code, open the terminal and type "node -v" to test. If it shows the installed version, its correctly installed.
11 After you have made sure that Node JS is correctly installed, go to your VS Code Terminal and Enter:
12 Set-ExecutionPolicy RemoteSigned -Scope CurrentUser
13 And then: npm install prompt-sync
14 It will then install the packages and you have successfully installed prompt-sync by running npm.
15 Use this Header file: const prompt = require('prompt-sync')(); to use the prompt function.
16 Now to run your program in terminal, Open the termial, type "node (your JS file name).js" and enter.
17 From onwards, you can press the up-arrow key on your keyboard, and click enter.
18 This way, The program will run in terminal like its supposed to.
19 But if you use "clear" to clear your terminal, you will have to do the step (line 16) again for the up-arrow key to work again.
20 */
21 const prompt = require('prompt-sync')();
22 let Tasks = [];
23 while (true)
24 {
25     /*
26     Also Miss, for some reason when using prompt, when you make the very first input, it reprints the entire menu for some reason.
27     After the first sudden reprint, then it starts taking inputs as needed and works how its supposed to.
28     I dont know why its doing that or how to fix it, so I hope you can overlook this. I suspect its a issue with the prompt itself.
29     And the prompt's behavior is also kind of weird, but I suppose its because its a funciton created by another user.
30     Therefore it's not as polished.
31     */
32     let choice = prompt("\n\n1.Add Task.\n2.Remove Task.\n3.Display all Tasks.\n4.Clear all Tasks.\n5.Exit program.\nEnter your choic
33     if (choice==1)
34     {
35         AddTask();
36     }
37     else if (choice==2)
38     {
39         RemoveTask();
40     }
```

```
    else if (choice==2)
    {
        RemoveTask();
    }
    else if (choice==3)
    {
        DisplayAllTasks();
    }
    else if (choice==4)
    {
        RemoveTasks();
    }
    else if (choice==5)
    {
        process.exit(0);
    }
    else
    {
        console.log("\nInavlid Input.\n");
    }
}


function AddTask()
{
    let newtask = prompt("Enter Task: ");
    Tasks.push(newtask);
    console.log("\nTask Saved!");
}

function RemoveTask()
{
    let remove = prompt("Enter task number from the list to remove: ");
    if (remove>0 && remove<=Tasks.length)
    {
        Tasks.splice(remove-1, 1);
        console.log("\nTask Removed Successfully.\n");
    }
    else
```

```
function RemoveTask()
        console.log("\nTask Removed Successfully.\n");
    }
    else
    {
        console.log("\nError: Incorrect or Out of bound input.\n");
    }

}

function DisplayAllTasks()
{
    if(Tasks.length==0)
    {
        console.log("\nThe list is Empty.\n");
    }
    else
    {
        for (let index = 0; index < Tasks.length; index++)
        {
            console.log(`\n${index+1}. ${Tasks[index]}`);
        }
        console.log("\n");
    }
}

function RemoveTasks()
{
    if (Tasks.length == 0)
    {
        console.log("\nThe List is already empty.\n");
    }
    else
    {
        Tasks.length = 0;
        console.log("\nThe list has been cleared.\n");
    }
}
```

```
PROBLEMS    OUTPUT    DEBUG CONSOLE    TERMINAL    PORTS

PS F:\FastCodes\Code\ICT_JavaScript> node k250538Section2JS.js


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  1
Enter Task: Completing ICT Assignment Today

Task Saved!


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  1
Enter Task: Completing Calculus Assignment Today

Task Saved!
```

```
Task Saved!


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  3

1. Completing ICT Assignment Today

2. Completing Calculus Assignment Today




1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  2
Enter task number from the list to remove: 1

Task Removed Successfully.
```

```
Enter your choice:  2
Enter task number from the list to remove: 1

Task Removed Successfully.



1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  3

1. Completing Calculus Assignment Today




1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.


1.Add Task.
2.Remove Task.
3.Display all Tasks.
4.Clear all Tasks.
5.Exit program.
Enter your choice:  5
PS F:\FastCodes\Code\ICT_JavaScript>
```