
Muhammad Farhan

FA24-BCS-067

Lab Statement:

A focused, smaller-scale rehearsal for Assignment 2: build **just** a responsive navbar (logo left, links center, cart icon right, collapsing into a hamburger menu below 768px) and a 4-column-desktop / 2-column-tablet / 1-column-phone product grid, using Flexbox or Grid plus Bootstrap or Tailwind. Content can be placeholder text/images — the point is the responsive mechanics, not the final design.

ScreenShots:



SAPPHIRE

Home Products About Contact

Our Products



Product 1

Price: $20

Add to Cart



Product 2

Price: $30

Add to Cart



Product 3

Price: $40

Add to Cart



Product 4

Price: $50

Add to Cart





SAPPHIRE

Our Products



Product 1

Price: $20

Add to Cart



Product 2

Price: $30

Add to Cart

Code:

Index.html

```
<!doctype html>
<html lang="en">
 <head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Sapphire Store</title>
  <script src="https://cdn.jsdelivr.net/npm/@tailwindcss/browser@4"></script>
 </head>
 <body class="m-0">
  <!-- Navbar -->
  <nav class="flex items-center justify-between gap-4 px-4 py-3 bg-gray-100">
   <div class="logo">
    <img class="w-16 h-auto" src="Logo.jpg" alt="Logo" />
   </div>

   <div
    class="links hidden md:flex items-center justify-center gap-6 flex-1"
   >
    <a class="text-gray-800 hover:text-blue-600" href="#">Home</a>
    <a class="text-gray-800 hover:text-blue-600" href="#">Products</a>
    <a class="text-gray-800 hover:text-blue-600" href="#">About</a>
    <a class="text-gray-800 hover:text-blue-600" href="#">Contact</a>
```

```
  </div>

  <div class="cart ml-auto md:ml-0">
    <img class="w-7 h-7" id="cart" src="cart.png" alt="cart logo" />
  </div>

  <div class="menu md:hidden">
    <img class="w-7 h-7" src="hamburger.svg" alt="" />
  </div>
</nav>

<div class="main-container max-w-7xl mx-auto px-4 py-8">
  <!-- Product Section -->
  <section>
    <h2 class="text-2xl font-bold text-center mb-6">Our Products</h2>

    <div
      class="products grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6"
    >
      <div class="product border rounded-lg p-4 shadow-sm">
        <img
          class="w-full h-40 object-cover object-top rounded"
          src="product.webp"
          alt="Product 1"
```

```
  />
  <h3 class="text-lg font-semibold mt-3">Product 1</h3>
  <p class="text-gray-700 my-2">Price: $20</p>
  <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
  >
    Add to Cart
  </button>
</div>

<div class="product border rounded-lg p-4 shadow-sm">
  <img
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 2"
  />
  <h3 class="text-lg font-semibold mt-3">Product 2</h3>
  <p class="text-gray-700 my-2">Price: $30</p>
  <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
  >
    Add to Cart
  </button>
</div>
```

```
<div class="product border rounded-lg p-4 shadow-sm">
  <img
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 3"
  />
  <h3 class="text-lg font-semibold mt-3">Product 3</h3>
  <p class="text-gray-700 my-2">Price: $40</p>
  <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
  >
    Add to Cart
  </button>
</div>

<div class="product border rounded-lg p-4 shadow-sm">
  <img
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 4"
  />
  <h3 class="text-lg font-semibold mt-3">Product 4</h3>
  <p class="text-gray-700 my-2">Price: $50</p>
```

```
  <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
  >
    Add to Cart
  </button>
</div>

<div class="product border rounded-lg p-4 shadow-sm">
  <img
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 5"
  />
  <h3 class="text-lg font-semibold mt-3">Product 5</h3>
  <p class="text-gray-700 my-2">Price: $60</p>
  <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
  >
    Add to Cart
  </button>
</div>

<div class="product border rounded-lg p-4 shadow-sm">
  <img
```

```
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 6"
   />
   <h3 class="text-lg font-semibold mt-3">Product 6</h3>
   <p class="text-gray-700 my-2">Price: $35</p>
   <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
   >
    Add to Cart
   </button>
  </div>

  <div class="product border rounded-lg p-4 shadow-sm">
   <img
    class="w-full h-40 object-cover object-top rounded"
    src="product.webp"
    alt="Product 7"
   />
   <h3 class="text-lg font-semibold mt-3">Product 7</h3>
   <p class="text-gray-700 my-2">Price: $10</p>
   <button
    class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
   >
```

```
            Add to Cart
          </button>
        </div>

        <div class="product border rounded-lg p-4 shadow-sm">
          <img
            class="w-full h-40 object-cover object-top rounded"
            src="product.webp"
            alt="Product 8"
          />
          <h3 class="text-lg font-semibold mt-3">Product 8</h3>
          <p class="text-gray-700 my-2">Price: $90</p>
          <button
            class="bg-blue-600 text-white px-4 py-2 rounded hover:bg-blue-700"
          >
            Add to Cart
          </button>
        </div>
      </div>
    </section>
  </div>
 </body>
</html>
```