Instagram Creator Marketplace & Partnership Ads API

Developer’s Guide

Authors: França M - Solutions Architect, Lucas Tavares - Business Engineer

Business Engineering - **GBG LATAM**

API Version: Graph API v25.0 / Marketing API v25.0

This publication is provided "as is" without warranty of any kind.

Special thanks to **Manish Mohanlal** for open-sourcing the sample app.

Last Updated: **March 2026**

TABLE OF CONTENTS

TABLE OF CONTENTS 2
CHAPTER 1: INTRODUCTION & OVERVIEW 4
CHAPTER 2: TECHNICAL PREREQUISITES & REQUIRED SKILLS 5
2.1. Required Technical Skills 5
2.2. Platform Prerequisites 5
CHAPTER 3: PLATFORM ARCHITECTURE & KEY CONCEPTS 7
3.1. Key Identifiers 7
3.2. The Partnership Ads Flow 7
CHAPTER 4: APP SETUP & APP REVIEW 8
4.1. Creating Your App 8
4.2. Required Permissions & Access Levels 8
4.3. App Review Submission 9
4.3.1. General App Review Guidance & Best Practices 9
4.3.2. Step-by-Step App Review Submission Process 10
4.3.3. Required Permissions — Descriptions and App Review Guidance 10
4.4. Extra Tips on App Review 14
CHAPTER 5: AUTHENTICATION & ACCESS TOKENS 17
5.1. Token Types 17
5.2. Obtaining a Page Access Token 17
5.3. Long-Lived Tokens 18
CHAPTER 6: CREATOR DISCOVERY — INSTAGRAM CREATOR MARKETPLACE API 19
6.1. Before You Start 19
6.2. Discovery API — Search for Creators 19
6.3. Response Fields 22
6.4. Rate Limits 22
CHAPTER 7: CREATOR DISCOVERY — FACEBOOK CREATOR DISCOVERY API 23
7.1. Before You Start 23
7.2. Authentication 23
7.3. Creators Endpoint 23
7.4. Content Endpoint 25
7.5. Rate Limits 27
CHAPTER 8: CREATOR INSIGHTS & REELS DATA 28
8.1. Instagram Creator Insights 28
8.2. Reels & Media Insights 28
CHAPTER 9: PARTNERSHIP ADS PERMISSIONS 31
9.1. Account-Level Permissioning 31
9.1.1. Send Partnership Ad Permission Request to Creator 31
9.1.2. View Partnership Ad Permissions for a Brand 32
9.1.3. Revoke a Permission 33
9.2. Post-Level Permissioning 34
9.2.1. Check Approved Creators (Brand) 34
9.2.2. Add Creators to Approved List (Brand) 35
9.2.3. Remove Creators from Approved List (Brand) 35
9.2.4. Check Businesses Approved to Boost a Post (Creator) 36
9.2.5. Grant/Revoke Brand Permission to Boost a Post (Creator) 36
CHAPTER 10: CREATING PARTNERSHIP ADS 37
10.1. Fetching Advertisable Media 37
10.2. Boosting an Existing Post — Using Instagram Media ID 39
10.3. Boosting an Existing Post — Using a Partnership Ad Code 40
10.4. Creating Ads with New Creative 41
10.4.1. Advertiser as Primary Identity, Creator as Secondary 41

10.4.2. Creator as Primary Identity, Advertiser as Secondary.... 42
10.5. Advantage+ Creative & Placement Asset Customization.... 44
10.5.1. Advantage+ Creative (Standard Enhancements).... 44
10.5.2. Advantage+ Creative (Product Extensions).... 44
10.5.3. Placement Asset Customization.... 45
10.6. Click-to-Message Destinations.... 46
10.7. Publishing the Ad.... 46
CHAPTER 11: CAMPAIGN, AD SET & AD STRUCTURE.... 48
11.1. Create a Campaign.... 48
11.2. Create an Ad Set.... 48
CHAPTER 12: TROUBLESHOOTING & COMMON ERRORS.... 50
12.1. Troubleshooting Permission Issues.... 50
12.2. Common Error Codes.... 50
12.3. Ad in Pending Delivery State.... 50
CHAPTER 13: RATE LIMITS & BEST PRACTICES.... 51
13.1. Rate Limits Summary.... 51
13.2. Best Practices.... 51
CHAPTER 14: API QUICK REFERENCE.... 52
CHAPTER 15: REFERENCES.... 53
BONUS CHAPTER A: SAMPLE APPLICATION.... 55
16.1. Application Architecture and File Structure.... 55
16.2. Prerequisites and Installation.... 55
16.3. Fetch Medias.... 56
16.4. Bulk Request Permission.... 57
16.5. Create Ads.... 57
BONUS CHAPTER B: API COLLECTION.... 59
17.1. Collection Structure.... 59
17.2. How to Import and Configure the Collection.... 59
17.3. Required Variables — What You Must Provide.... 60
17.4. Recommended Execution Order.... 60

CHAPTER 1: INTRODUCTION & OVERVIEW

Meta's creator marketing ecosystem has evolved significantly with the launch of **two complementary APIs** that enable brands and agencies to discover creators, evaluate their performance, and run high-impact partnership ads at scale — all programmatically.

This guide covers two distinct but deeply interconnected API surfaces:

1. **Creator Discovery APIs** — enabling brands to search, filter, and evaluate creators on both Instagram and Facebook before committing to a collaboration. (**Spoiler alert**: you will need an app review for this!)

2. **Partnership Ads API** — enabling brands to establish permissions with known creators and then create, manage, and boost partnership ads using the Marketing API. (You may **not** need an app review for this, because you can leverage system users via the Business Manager.)

What Are Partnership Ads?

Partnership ads allow advertisers to run ads from a creator's or partner's handle. Both the advertiser and the creator's accounts appear in the ad header, and the ads leverage signals from both accounts for improved ranking and incremental performance. Using a creator's voice with partnership ads is the most performant way to run creator content on Meta platforms.

What Are the Creator Marketplace APIs?

The Instagram Creator Marketplace API and the Facebook Creator Discovery API are designed to help brands discover and evaluate creators who are prioritized to perform well in partnership ads.

Key Capabilities:

- Discovery: Search for creators using keywords, filters (country, follower count, interests, gender, age), or by finding creators similar to known ones.
- Creator Insights: Retrieve detailed account-level information about a specific creator, including audience demographics and average engagement rate.
- Media Insights: Access performance data for a creator's recent Reels and branded content posts.

CHAPTER 2: TECHNICAL PREREQUISITES & REQUIRED SKILLS

Before beginning the integration, ensure your technical team meets the following prerequisites.

2.1. Required Technical Skills

Your developers should have experience in the following areas:

RESTful API Integration: The entire Meta Marketing API and Graph API surface is REST-based. Developers must be comfortable constructing HTTP GET, POST, and DELETE requests, handling JSON request bodies and responses, possibly managing pagination via cursor-based paging, and implementing proper error handling and retry logic.

OAuth 2.0 & Facebook Login: Meta's authentication model is built on OAuth 2.0. Developers must understand the Facebook Login flow, how to obtain User Access Tokens and Page Access Tokens, token expiration and refresh strategies, and the concept of permission scopes.

Meta Business Manager: Familiarity with Meta Business Manager is essential. Developers need to understand the relationship between Business Manager, Ad Accounts, Facebook Pages, and Instagram Professional Accounts, as well as how assets are shared between businesses.

Marketing API Fundamentals: Prior experience with the Meta Marketing API is strongly recommended. Developers should understand the Campaign > Ad Set > Ad hierarchy, how ad creatives are structured, and how to use the Graph API Explorer for testing.

2.2. Platform Prerequisites

Before writing a single line of code, the following platform-level prerequisites must be satisfied:

Meta Developer Account: A Meta Developer account is required to create and manage apps. Register at developers.facebook.com.

Business App: The app must be of type "Business" (not Consumer) to be eligible for the required advanced-access permissions. This is set during app creation in the developer dashboard.

Meta Business Manager: An active Meta Business Manager account is required, with at least one Ad Account and a Facebook Page linked to it.

Instagram Professional Account: The brand must have an Instagram Professional Account (Business or Creator type) linked to a Facebook Page. This is required for both the Creator Marketplace API and Partnership Ads.

Creator Marketplace Eligibility: For the Instagram Creator Marketplace API, the brand's Instagram account must be eligible for the creator marketplace. Meta checks eligibility

automatically during the onboarding flow. If eligible but not yet onboarded, the brand admin must accept the Instagram Creator Marketplace Terms of Service.

For the Facebook Creator Discovery API, similarly, the brand must be eligible for Facebook Creator Discovery. If eligible but not onboarded, the admin will be prompted to accept the Facebook Creator Discovery Terms of Service.

CHAPTER 3: PLATFORM ARCHITECTURE & KEY CONCEPTS

Understanding the key identifiers and their relationships is critical before making any API calls.

3.1. Key Identifiers

Facebook Page ID: Every Facebook Page has a unique numeric ID. This is used as the object_id in ad creative calls and as the page_id in object_story_spec. It can be found in the Page Transparency section of any Facebook Page.

Instagram Professional Account ID (IG User ID): Every Instagram Business or Creator account has a unique numeric ID. This is distinct from the Facebook Page ID, even when the two are linked. This ID is used as the ig-user-id in creator marketplace calls and as the sponsor_id in branded content fields.

Ad Account ID: Your Meta Ad Account has a numeric ID, typically prefixed with act_ in API calls (e.g., act_123456789).

Business Manager ID: Your Meta Business Manager has a unique ID used for business_management operations.

3.2. The Partnership Ads Flow

The end-to-end flow for a partnership ad integration follows this sequence:

Step 1 — Discover Creators: Use the Creator Marketplace API (Instagram) or Creator Discovery API (Facebook) to search for and evaluate creators.

Step 2 — Establish Permissions: Before running ads, the brand and creator must establish a permission relationship. This can be done at the account level (recommended for ongoing relationships) or at the post level (for one-off promotions).

Step 3 — Fetch Eligible Media: Once permissions are in place, fetch the creator's organic posts that are eligible to be used as partnership ads.

Step 4 — Create Ad Creative: Use the Marketing API to create an ad creative that references either the creator's existing media (by media ID or partnership ad code) or new creative assets uploaded by the advertiser.

Step 5 — Create & Publish the Ad: Attach the creative to an ad set within a campaign and publish the ad.

CHAPTER 4: APP SETUP & APP REVIEW

This chapter is critical. Without completing App Review for the required permissions, your app will only receive simulated (mocked) data and will not be able to run live ads.

4.1. Creating Your App

1. Navigate to developers.facebook.com and click "My Apps" > "Create App".
2. Select "Business" as the app type. This is mandatory for the required permissions.
3. Fill in your app name, contact email, and link your Business Manager.
4. Once created, navigate to your app dashboard.

4.2. Required Permissions & Access Levels

The following table summarizes all permissions required for the full integration:

Permission	Purpose	Required Access Level
instagram_creator_marketplace_discovery	Discover IG creators and access insights	Advanced Access (App Review required)
facebook_creator_marketplace_discovery	Discover FB creators and access insights	Advanced Access (App Review required)
instagram_branded_content_ads_brand	Manage account-level partnership ad permissions	Advanced Access (App Review required)
instagram_branded_content_brand	Manage post-level tag approval lists	Advanced Access (App Review required)
instagram_branded_content_creator	Allow creators to grant post-level boost permissions	Advanced Access (App Review required)
instagram_basic	Access basic Instagram account data	Standard Access
pages_show_list	List Facebook Pages the user manages	Standard Access
pages_manage_metadata	Manage Page metadata	Standard Access
business_management	Access Business Manager assets	Standard Access
ads_management	Create and manage ad campaigns	Advanced Access (App Review required)

Important: Apps with Standard Access to instagram_creator_marketplace_discovery and facebook_creator_marketplace_discovery will only receive simulated (mocked) creator data. To obtain real creator data, you must submit an App Review request and receive Advanced Access approval.

4.3. App Review Submission

Because your app will access data owned by other businesses (creators and advertisers), you must complete Meta App Review and Business Verification to obtain Advanced Access for the required permissions. The App Review process ensures that apps use Meta APIs securely, respect user privacy, and comply with the Developer Policies and Platform Terms.

4.3.1. General App Review Guidance & Best Practices

To ensure a smooth App Review process and avoid common rejection reasons, follow these best practices before submitting:

Complete App Development: Only submit your app for review when development is complete and the app is ready for end users. If the app appears incomplete or inaccessible, the submission will be rejected.

Provide Clear Access Instructions: Reviewers must be able to test your app. Ensure your app is publicly accessible or provide detailed instructions (and valid test credentials) on how to access it. If codes or gift cards are required to test your app, provide ones that are currently valid.

Accurate Screen Recordings: Your submission must include a screen recording (screencast) for each requested permission. The recording must demonstrate an app user utilizing the functionality that requires the specific permission. If a recording is missing or does not clearly show the permission in use, it will not be approved.

Request Only What You Need: Only request permissions that your app currently needs to function. Do not request permissions for future features — submit a new review when those features are ready.

Upload a Valid App Icon: Upload a 1024x1024 compliant app icon to Settings > Basic > App Icon. The icon must not include any Meta trademarks or logos.

Make at Least One Successful API Call: Before submitting, make at least 1 successful API call using each permission you are requesting. Calls must be made within 30 days of submitting for App Review.

Data Handling & Protection: Be prepared to answer questions about how your app processes, transfers, and deletes Platform Data. You must provide a valid Privacy Policy URL and ensure compliance with Meta's data use policies.

Facebook Login Integration: If your app uses Facebook Login, ensure it is working correctly. Reviewers will attempt to log in; if it fails, the submission will be rejected. Do not use fake Facebook accounts for testing or submission.

App Purpose Setting: Set App Purpose to "yourself or your own business" if your app is only available to people with a role on your app. Otherwise set it to "Clients".

4.3.2. Step-by-Step App Review Submission Process

Step 1 — Select Permissions and Features: Go to the Use Cases tab in the left-hand navigation of your App Dashboard. Add and customize the available use cases for your app. For Partnership Ads and Creator Marketplace, you will need to add permissions under the "Manage messaging & content on Instagram" and "Manage everything on your Page" use cases. Click "Add" for each required permission. After adding a permission, its status will change to "ready for testing."

Step 2 — Complete Business Verification: You may be prompted to complete Business Verification if you have not done so already. Business Verification is required for all apps making requests for Advanced Access. Depending on the status of your business, you may be asked to start verification, provide more information, or complete the process.

Step 3 — Complete App Settings: Confirm your App Icon, Privacy Policy URL, App Purpose, App Category, and Primary Contact email in Settings > Basic.

Step 4 — Complete Allowed Usage: Certify that your app uses all advanced access permissions within their allowed usage. Provide the reasons why you are requesting each specific permission. Remove any features that are not needed.

Step 5 — Complete Data Handling: Answer questions about how your app processes and transfers Platform Data securely and in compliance with Meta's Platform Terms and Developer Policies.

Step 6 — Complete Data Protection: Answer questions about app purpose, data sharing, data deletion, and data security.

Step 7 — Complete Reviewer Instructions: Provide instructions so reviewers can access your app, verify user experience, and test how your app uses the data received from Meta. Include valid test credentials and ensure your privacy policy is publicly accessible.

Step 8 — Submit: Click the Submit button at the bottom of the overview page. Certify that your answers are true and that you are following Meta's Platform Terms and Policies. Switch your app to Live mode only after App Review is complete.

4.3.3. Required Permissions — Descriptions and App Review Guidance

When submitting for App Review, you must provide a specific use case description and a screencast for each permission. Below is the official allowed usage and App Review guidance for every permission required for Partnership Ads and Creator Marketplace integration:

Permission 1: instagram_creator_marketplace_discovery

Dependencies: business_management, instagram_basic, pages_manage_metadata, pages_show_list

Description: Allows your app to discover content creators on Instagram Creator Marketplace and access insights like creator bio, follower count, and account reach for Instagram businesses onboarded to the platform.

Allowed Usage: Retrieve insights data for eligible Instagram creators (bio, follower count, account reach) to discover and evaluate them for brand campaigns.

Use Case Description for App Review: Provide specific examples of why your app requires managing instagram_creator_marketplace_discovery on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process, showing how your app user grants this permission. (2) Demonstrate how to search for Creators on Instagram Creator Marketplace and highlight how to access their insights such as creator bio, follower count, and account reach.

Permission 2: facebook_creator_marketplace_discovery

Dependencies: pages_show_list

Description: Allows your app to discover content creators on Facebook's creator discovery platform and retrieve insights data for eligible Facebook creators.

Allowed Usage: Retrieve insights data for eligible Facebook creators to discover and evaluate them for brand campaigns, and to credit and pay creators for their Facebook presence.

Use Case Description for App Review: Provide specific examples of why your app requires managing Facebook creator discovery on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how to search for Creators on the Facebook Creator Discovery platform and highlight how to access insights such as creator bio, follower count, and account reach. (3) Demonstrate how you intend to use the insights data in line with permitted purposes and in compliance with all applicable data usage and privacy policies.

Permission 3: instagram_branded_content_ads_brand

Dependencies: instagram_basic, pages_read_engagement, pages_show_list

Description: Allows an app to read Instagram posts where the app user's Instagram account is tagged as a paid partner, and an app user to read, request, and revoke permissions to run Partnership Ads.

Allowed Usage: Read Instagram posts where the account is tagged as a paid partner. Manage permissions to run Partnership Ads without needing a pre-existing post.

Use Case Description for App Review: Provide specific examples of why your app requires access to manage Instagram branded content ad campaigns and access data related to branded content ads on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how your app user selects a branded content post and promotes the post as an ad on your app platform.

Permission 4: instagram_branded_content_brand

Dependencies: instagram_basic, pages_read_engagement, pages_show_list

Description: Allows your app to add, remove and view creators from a specific brand's approved creators list.

Allowed Usage: Manage branded creator content settings on a business's Instagram account.

Use Case Description for App Review: Provide specific examples of why your app requires access to manage Instagram branded content ad campaigns and access data related to branded content ads on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how your app user adds, removes, and views creators from a brand's approved creators list on your app platform.

Permission 5: instagram_branded_content_creator

Dependencies: instagram_basic, pages_read_engagement, pages_show_list

Description: Allows your app to read and change the boost status of a creator's specific piece of content.

Allowed Usage: Read Instagram posts where the account is tagged as a paid partner. Manage permissions to run Partnership Ads without needing a pre-existing post.

Use Case Description for App Review: Provide specific examples of why your app requires access to manage Instagram branded content ad campaigns on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how your app user selects a branded content post and promotes the post as an ad on your app platform.

Permission 6: ads_management

Dependencies: pages_read_engagement, pages_show_list

Description: Allows your app to both read and manage the Ads account it owns, or has been granted access to, by the Ad account owner.

Allowed Usage: Programmatically create campaigns, manage ads, and fetch metrics. Build ad management tools that provide innovative solutions and differentiated value for advertisers.

Use Case Description for App Review: Provide specific examples of why your app requires managing ads on behalf of other businesses.

Screencast Requirements: (1) Demonstrate the complete Facebook login process, showing how your app user grants this permission. (2) Demonstrate how a business can access ads performance data on your platform after granting the permission. (3) Showcase that ads performance data such as Impressions, Conversions, Spend, Clicks, and Reach are displayed successfully on your platform.

Permission 7: business_management

Dependencies: pages_read_engagement, pages_show_list

Description: Allows your app to read and write with the Business Manager API.

Allowed Usage: Manage business assets such as an ad account. Claim ad accounts.

Use Case Description for App Review: Provide specific examples of why your app requires managing business assets on behalf of other businesses. If this permission is requested as a dependency of another main permission, specify the main permission in the use case description.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how a business can access ads performance data or manage assets on your platform after granting the permission.

Permission 8: pages_manage_metadata

Dependencies: pages_show_list

Description: Allows your app to subscribe and receive webhooks about activity on the Page, and to update settings on the Page.

Allowed Usage: Subscribe to receive webhooks of your Page. Update settings of your Page.

Use Case Description for App Review: Provide specific examples of why your app needs to manage accounts, settings, or webhooks for a page on behalf of other users who own the page(s).

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Demonstrate how your app user subscribes to webhook events or updates the settings of their Facebook Page on your platform.

Permission 9: pages_show_list

Dependencies: None

Description: Allows your app to access the list of Pages a person manages.

Allowed Usage: Show a person the list of Pages they manage. Verify that a person manages a Page.

Use Case Description for App Review: Provide specific examples of why your app needs to access the list of pages that a user owns. If pages_show_list is requested as a dependency of another main permission, specify the main permission in the use case description.

Screencast Requirements: (1) Demonstrate the complete Facebook login process. (2) Showcase that the pages owned by the user are successfully connected with your app platform.

Permission 10: instagram_basic

Dependencies: pages_read_user_content, pages_show_list

Description: Allows your app to read an Instagram account profile's info and media.

Allowed Usage: Get basic metadata of an Instagram Business account profile, for example username and ID.

Use Case Description for App Review: Include the specific Professional Instagram Account profile information your use case will require. Describe where this information can be found within your solution.

Screencast Requirements: (1) Demonstrate the complete Facebook login process, showing how your app user grants this permission and selects their Instagram account. (2) Demonstrate your app retrieving the basi4.4. Extra Tips on App Review

4.4. Extra Tips on App Review

Navigating the Meta App Review process can be more challenging than it initially appears, even for experienced developers. This section shares practical, real-world lessons learned from developers who have been through the process to help you avoid common pitfalls and increase your chances of approval on the first attempt.

Understanding Why the API Feels Complex

The Meta API ecosystem has grown organically over many years. As Instagram was acquired by Facebook and integrated into its infrastructure, multiple API variants were introduced to serve different use cases. This architectural complexity is a direct result of large-scale organizational growth, and it means that some API endpoints require permissions that may not seem directly related to your core feature at first glance.

This is important context for App Review: the permissions you need to request may include Facebook-level dependencies (such as pages_show_list or pages_read_engagement) even when your app is entirely focused on Instagram functionality. Do not be surprised by this — it is by design, and understanding it upfront will save you significant time.

The Most Common Rejection Reason: Dependency Permissions Without a Visible Use Case

One of the most frequently reported rejection scenarios involves dependency permissions. A developer may correctly identify that their app needs a primary Instagram permission, only to discover that the API documentation also requires pages_show_list and pages_read_engagement as dependencies. The developer requests all three permissions, but the reviewer — who evaluates the submission based strictly on visual evidence — cannot see the Facebook Page permissions being used in the app's UI. The result: the submission is rejected with a message such as "Unable to determine use case details."

The key insight here is that App Review reviewers evaluate what they can see in your screencast. If a permission is not visibly demonstrated in the recording, it is at risk of being rejected, regardless of how clearly you explain it in writing.

How to Handle Dependency Permissions

If your app requires a permission solely as a technical dependency (not as a feature your end users interact with directly), the safest approach is to build a lightweight UI element that makes the permission visible during the user onboarding flow. For example, if pages_show_list is required as a dependency for an Instagram feature, add a step in your onboarding screen that displays the list of connected Facebook Pages to the user, including basic details like the page name, description, and web link. This does not need to be a core feature of your product — it simply needs to be visible in your screencast so the reviewer can confirm the permission is being used.

Once your app is approved, this UI element can remain as a minor informational step or be deprioritized in the product roadmap. The goal is to satisfy the reviewer's need for visual confirmation.

Practical Lessons Learned from the Developer Community

Prepare for multiple review cycles. Even well-prepared submissions can require more than one attempt. It is not uncommon for developers to go through five or more rounds of review before approval. Build this expectation into your project timeline and do not treat the first rejection as a failure — treat it as feedback. Read the rejection message carefully, as it will often point to the specific permission or use case that needs clarification.

Reviewers follow scripts, not documentation. Do not assume that written explanations alone are sufficient, or that pointing reviewers to Meta's own API documentation will resolve a rejection. Reviewers follow structured evaluation criteria and rely heavily on the visual evidence in your screencast. If their feedback mentions "expected behaviors," your best path forward is to build those exact behaviors into your app and demonstrate them in a new screencast.

Test account challenges. Be aware that the test account creation feature in the Meta App dashboard has frequently experienced long periods of being "temporarily disabled." Reviewers may still ask for test accounts to evaluate your app. If you cannot create official test accounts,

you may need to use real accounts (set up as business accounts) specifically for testing purposes, ensuring you document the login process clearly for the reviewer.

Do not overlook basic prerequisites. Even for simple or internal use cases, your app must have a valid Privacy Policy URL, Data Deletion Request URL, and Terms of Service. Failing to provide these basic compliance elements will block your submission before the technical review even begins.

Keep your submission scope narrow. Only request the permissions you need for your current release. If you plan to add features later that require additional permissions, submit a separate App Review request at that time. Requesting permissions for features that are not yet built is a common cause of rejection.

Respond to rejections promptly and precisely. If your submission is rejected, address only the specific issues raised in the rejection message. Avoid making unrelated changes to your submission, as this can introduce new issues and extend the review cycle.

By approaching App Review with patience, thorough preparation, and a clear understanding of how reviewers evaluate submissions, your team will be well-positioned to obtain the necessary permissions and move forward with your integration.

CHAPTER 5: AUTHENTICATION & ACCESS TOKENS

5.1. Token Types

User Access Token: Obtained via the Facebook Login OAuth flow. Represents a specific user and their granted permissions. Short-lived by default (expires in ~1-2 hours) but can be exchanged for a long-lived token (valid for ~60 days).

Page Access Token: Derived from a User Access Token. Represents a specific Facebook Page and is required for most Creator Marketplace and Partnership Ads API calls. Page Access Tokens obtained from long-lived User Access Tokens are themselves long-lived (never expire, unless revoked).

System User Access Token: For server-to-server integrations, a System User can be created in Business Manager. System User tokens do not expire and are ideal for automated, backend integrations.

5.2. Obtaining a Page Access Token

Step 1 — Initiate Facebook Login: Direct the brand admin to the Facebook Login dialog, requesting the required permissions:

```
https://www.facebook.com/v25.0/dialog/oauth?client_id={app-id}&redirect_uri={redirect-uri}&scope=instagram_creator_marketplace_discovery,instagram_basic,pages_show_list,pages_manage_metadata,business_management,ads_management,instagram_branded_content_ads_brand
```

Step 2 — Exchange Code for User Access Token:

```
curl -X GET "https://graph.facebook.com/v25.0/oauth/access_token?

  client_id={app-id}

  &redirect_uri={redirect-uri}

  &client_secret={app-secret}

  &code={code-from-redirect}"
```

Step 3 — List Pages and Get Page Access Token:

```
curl -i -X GET
"https://graph.facebook.com/v25.0/me/accounts?access_token={user-access-token}"
```

The response will include a list of pages, each with its own access_token field. Use the token for the page linked to the brand's Instagram account.

Step 4 — Get the Instagram Account ID linked to the Page:

```
curl -i -X GET
"https://graph.facebook.com/v25.0/{page-id}?fields=instagram_business
_account&access_token={page-access-token}"
```

```
Response:

{

  "instagram_business_account": {

    "id": "99941405309211999"

  },

  "id": "{page-id}"

}
```

5.3. Long-Lived Tokens

Exchange a short-lived User Access Token for a long-lived one (valid ~60 days):

```
curl -i -X GET "https://graph.facebook.com/v25.0/oauth/access_token?

  grant_type=fb_exchange_token

  &client_id={app-id}

  &client_secret={app-secret}

  &fb_exchange_token={short-lived-user-access-token}"
```

CHAPTER 6: CREATOR DISCOVERY — INSTAGRAM CREATOR MARKETPLACE API

The Instagram Creator Marketplace API allows brands to discover and evaluate Instagram creators for partnership ads. It offers personalized creator recommendations and search using authenticated first-party data.

6.1. Before You Start

You must have a Page Access Token where the page is connected to the brand's Instagram Business Account and the brand is eligible for (or has onboarded to) Instagram's creator marketplace.

Required Permissions:

- instagram_creator_marketplace_discovery (Advanced Access required)
- instagram_basic
- pages_manage_metadata
- pages_show_list
- business_management

6.2. Discovery API — Search for Creators

Endpoint: `GET /{ig-user-id}/creator_marketplace_creators`

This endpoint returns a list of creators matching the specified criteria. The ig-user-id is the Instagram Business Account ID of the brand.

Key Parameters:

- creator_countries (array[string]): Filter creators based on their country using ISO country codes. Example: creator_countries=['US','BR','MX']

- creator_min_followers (integer): Minimum follower count. Supported values: 0, 10000, 25000, 50000, 75000, 100000.

- creator_max_followers (integer): Maximum follower count. Supported values: 10000, 25000, 50000, 75000, 100000.

- creator_age_bucket (string): Filter by age range. Values: 18_to_24, 25_to_34, 35_to_44, 45_to_54, 55_to_64, 65_and_above.

- creator_interests (array[string]): Filter by content category. Values include: BEAUTY, FASHION, FITNESS_AND_WORKOUTS, FOOD_AND_DRINK, MUSIC_AND_AUDIO, SPORTS, TRAVEL_AND_LEISURE_ACTIVITIES, SCIENCE_AND_TECH, and more.

- creator_gender (string): Filter by gender. Values: male, female.

- creator_min_engaged_accounts / creator_max_engaged_accounts: Filter by engagement metric of the creator's audience.
- major_audience_age_bucket: Filter by the age group of the creator's majority audience.
- major_audience_gender: Filter by the gender of the creator's majority audience.
- major_audience_countries: Filter by the location of the creator's majority audience.
- query (string): Free-text search to find creators based on keywords (e.g., username or content-related terms). Example: query=travel
- similar_to_creators (array[string]): Find creators similar to a specified list of creator usernames (max 5). Limited to onboarded creators only.
- username (string): Search for a specific creator by their Instagram username. Note: when username is specified, other filter parameters cannot be applied.
- reels_interaction_rate: Filter by the percentage of views that liked, commented, shared, and saved the creator's recent Reels.

Important Notes:

- When a creator username is specified, other filter parameters cannot be applied.
- When similar_to_creators is used, keyword search (query) cannot be used.
- query can be combined with other filters (e.g., creator_age_bucket).

Sample Request — Search by Country and Interests:

```
curl -i -X GET \


"https://graph.facebook.com/v25.0/{ig-user-id}/creator_marketplace_cr
eators?creator_countries=['US','BR']&creator_interests=['FASHION','BE
AUTY']&creator_min_followers=25000&fields=id,username,country,gender,
biography,insights&access_token={page-access-token}"
```

Sample Response:

```
{

  "data": [

    {

      "id": "999414869381437999",

      "username": "fashioncreator_br",

      "country": "BR",
```

```
      "gender": "female",
      "biography": "Fashion & lifestyle creator based in São Paulo",
      "insights": {
        "data": [
          {
            "name": "total_followers",
            "value": 87500
          }
        ]
      }
    },
    {
      "id": "999414965628223999",
      "username": "style_us_creator",
      "country": "US",
      "gender": "female",
      "biography": "NYC-based fashion and beauty content creator"
    }
  ],
  "paging": {
    "cursors": {
      "before": "QVFIUkR6amZAhLVVVWGpfTlRBenRsOUJCQ3lR==",
      "after": "QVFIUlhBX1hoQzI4SkVFaTRoeEpTdEpJMFdIUh=="
    },
    "next":
"https://graph.facebook.com/v25.0/{ig-user-id}/creator_marketplace_cr
eators?after=QVFIUlhBX1hoQzI4SkVFaTRoeEpTdEpJMFdIUh=="
```

```
  }

}
```

Sample Request — Search by Username (with Reels and Branded Content Media):

```
curl -i -X GET \

"https://graph.facebook.com/v25.0/{ig-user-id}/creator_marketplace_creators?username=fashioncreator_br&fields=id,username,biography,country,gender,age_bucket,has_brand_partnership_experience,past_brand_partnership_partners,branded_content_media{media_type,permalink,likes,views,shares,insights.metrics(views)},recent_media{media_type,permalink,likes,views}&access_token={page-access-token}"
```

6.3. Response Fields

The following fields can be requested in the fields parameter:

- username: The Instagram handle of the creator.
- is_account_verified: Whether the creator's account is verified.
- biography: The creator's Instagram bio.
- country: The country where the creator is based.
- gender: The creator's gender (only for onboarded creators).
- age_bucket: The creator's age range (only for onboarded creators). Values: 18-24, 25-34.
- insights: Metric insights (e.g., total_followers, creator_reach, reels_interaction_rate).
- onboarded_status: Whether the creator has onboarded to the creator marketplace.
- id: The creator's Instagram ID.
- email: Creator's email, if available.
- portfolio_url: Creator's portfolio URL, if available.
- has_brand_partnership_experience: Whether the creator has branded content or partnership ads experience in the past year. Requires username to be specified.
- past_brand_partnership_partners: Brands the creator has collaborated with in the past year. Requires username to be specified.
- branded_content_media: The 30 most recent branded content posts. Requires username to be specified.
- recent_media: The top 30 most recent posts. Requires username to be specified.

6.4. Rate Limits

Account-level: 240 requests per user per hour.

Application-level: 200 * Number of Effective Users per rolling one-hour window. The number of Effective Users is based on the app's unique daily active users (DAUs).

CHAPTER 7: CREATOR DISCOVERY — FACEBOOK CREATOR DISCOVERY API

The Facebook Creator Discovery API offers robust data-driven discovery for Facebook's creator ecosystem to help brands find the right creators for their partnership ads campaigns.

7.1. Before You Start

Required Permissions:

- facebook_creator_marketplace_discovery (Advanced Access required)
- pages_show_list

Important: Apps with Standard Access to facebook_creator_marketplace_discovery will only receive simulated (mocked) creator data. Advanced Access is required for real data.

When a brand admin initiates Facebook Login, Meta will check the brand's eligibility for Facebook Creator Discovery. If eligible but not yet onboarded, the admin will be prompted to accept the Facebook Creator Discovery Terms of Service.

7.2. Authentication

Use a Page Access Token for all Facebook Creator Discovery API calls. To obtain one:

1. Authenticate the user via Facebook Login with the required permissions.
2. Call GET /me/accounts to retrieve the list of pages and their access tokens.
3. Use the Page Access Token for the brand's Facebook Page.

7.3. Creators Endpoint

Endpoint: `GET /creator_marketplace/creators`

This endpoint offers insights about creator profile information, content engagement data, and audience demographics. For creators to be discoverable, they must have opted-in to data sharing.

Key Parameters:

- creator_id (string): The public profile or page ID or alias of the creator. Examples: Meta or 999044413150999.

- query (string): Free-form semantic text input (keywords/categories) to search for creators whose content is similar to the input. Recommended over creator_categories for discovery. Examples: disney, basketball shoes, tech gadgets.

- sort_by (string): Descending sort order. Values: followers, relevance (default). Note: does not apply to semantic search.

- creator_categories (array[string]): The self-selected category of the creator. Values: digital_creator, video_creator, artist, comedian, activity_general, entrepreneur, personal_blog, blogger, bands_musicians, person, athlete, gaming_video_creator, chef.
- creator_interests (array[string]): The predicted interests of the creator.
- creator_countries (array[string]): ISO 3166-1 alpha-2 country codes. Supported: US, CA, GB, AR, AU, BR, DE, ES, FR, ID, IL, IN, JP, KR, MX, NL, NZ, TR.
- major_audience_age_bucket (string): Age group of most followers. Values: 18-24, 25-34, 35-44, 45-54, 55-64, 65_and_above.
- major_audience_gender (string): Gender of most followers. Values: male, female.
- major_audience_country (array[string]): Country of most followers.
- follower_count (JSON): Creator follower count filter with min/max subparameters.
- interaction_rate (JSON): Creator interaction rate filter.
- reach (JSON): Creator reach filter.
- interactions (JSON): Creator interactions filter.
- publishing_activity (JSON): Creator publishing activity filter.
- views (JSON): Creator views filter.
- creator_languages (array[string]): ISO 639-1 language codes. Examples: en, es.
- past_partnerships (array[string]): Partner(s) tagged by the creator in their posts. Supports partial string matches.
- has_past_partnerships (bool): Filter to only creators who have past partnerships.

Sample Request — Discover Creators by Category and Country:

```
curl -i -X GET \

"https://graph.facebook.com/v25.0/creator_marketplace/creators?creator_categories=digital_creator&creator_countries=BR,MX&query=lifestyle&fields=creator_id,creator_display_name,creator_alias,creator_bio,creator_follower_count,creator_categories,creator_country&access_token={page-access-token}"
```

Sample Response:

```
{
```

```
  "data": [
    {
      "creator_id": "999044413150999",
      "creator_display_name": "Carlos Lifestyle",
      "creator_alias": "carloslifestyle",
      "creator_bio": "Digital creator | Lifestyle & Travel | São
Paulo, Brasil",
      "creator_follower_count": 125000,
      "creator_categories": ["digital_creator"],
      "creator_country": "BR"
    }
  ],
  "paging": {
    "cursors": {
      "before": "MTM4OTY1MDkwNzkyMTE4NQ==",
      "after": "MTAyMzMxNzA5NzY5MjU4NA==="
    }
  }
}
```


7.4. Content Endpoint

Endpoint: `GET /creator_marketplace/content`

This endpoint offers detailed content insights and supports searching for creator content using various filters and sorting methods.

Key Parameters:

- content_id (string): ID of the Facebook content (numeric ID or encoded string from URL).
- creator_id (string): Filter content by a specific creator.
- content_type (string): Filter by content type. Values: PHOTOS, VIDEOS, REELS, STORIES.
- time_range (string): Filter by time range. Values: L1, L7, L14, L28, L90, lifetime.

- sort_by (string): Sort order. Values: reactions, reach, views, shares, comments, reach, interactions, reactions, views, shares, saves, comments: Metric filters with min/max subparameters.

Sample Request — Find Top Reels from a Creator:

```
curl -i -X GET \

"https://graph.facebook.com/v25.0/creator_marketplace/content?creator_id={creator-id}&content_type=REELS&time_range=L28&sort_by=views&fields=content_id,creator_id,content_type,create_time,caption,content_url,insights&access_token={page-access-token}"
```

Sample Response:


```
{

  "data": [

    {

      "content_id": "9994567890123999",

      "creator_id": "999044413150999",

      "content_type": "REELS",

      "create_time": "2026-02-15T18:30:00+0000",

      "caption": "My morning routine in São Paulo 🌅 #lifestyle #brazil",

      "content_url": "https://www.facebook.com/reel/9994567890123999",

      "insights": {

        "data": [

          {"name": "views", "value": 245000, "period": "overall"},

          {"name": "reach", "value": 198000, "period": "overall"},

          {"name": "reactions", "value": 12500, "period": "overall"},

          {"name": "shares", "value": 3200, "period": "overall"}

        ]

      }
```

```
      }
    ]
}
```

7.5. Rate Limits

Account-level: 2,000 requests per user per rolling one-hour window.

Application-level: 10,000 requests per app per rolling one-hour window.

CHAPTER 8: CREATOR INSIGHTS & REELS DATA

Once you have identified a creator, you can retrieve detailed insights to evaluate their performance before establishing a partnership.

8.1. Instagram Creator Insights

To retrieve insights for a specific creator, use the username parameter in the Discovery API call and request the insights field.

Supported Creator Insights Metrics:

Metric	Supported Periods	Supported Time Range	Supported Granularity
total_followers	Overall	Lifetime	N/A
creator_engaged_accounts	Day, Overall	this_week, last_14_days, this_month	follow_type, gender, age, top_countries, top_cities
creator_reach	Day, Overall	this_week, last_14_days, this_month	follow_type, media_type
reels_interaction_rate	Overall	last_90_days	N/A
reels_hook_rate	Overall	last_90_days	N/A

Sample Request — Creator Reach Breakdown by Follow Type:

```
curl -i -X GET \
"https://graph.facebook.com/v25.0/{ig-user-id}/creator_marketplace_creators?username={creator_username}&fields=insights.metrics(creator_reach).breakdown(follow_type)&access_token={page-access-token}"
```

8.2. Reels & Media Insights

To retrieve a creator's recent Reels and branded content media, request the branded_content_media or recent_media fields (requires username to be specified).

Supported Media Fields:

- id: Media ID
- product_type: e.g., Reels
- media_type: e.g., Image, Video
- permalink: URL of the post
- creation_time: When the media was created

- caption: Post caption
- tagged_brand: Brand tagged in the branded content (if applicable)
- likes: Total likes
- comments: Total comments
- views: Total views (video only)
- shares: Total shares

Sample Request — Get Creator's Reels with View Insights:

```
curl -i -X GET \

"https://graph.facebook.com/v25.0/{ig-user-id}/creator_marketplace_cr
eators?username={creator_username}&fields=branded_content_media{media
_type,permalink,views,likes,shares,insights.metrics(views)},recent_me
dia{media_type,permalink,views,likes}&access_token={page-access-token
}"
```

Sample Response:


```
{

  "data": [

    {

      "branded_content_media": {

        "data": [

          {

            "media_type": "VIDEO",

            "permalink":
"https://www.instagram.com/reel/C_Tlbb-sGMi/",

            "views": 320000,

            "likes": 18500,

            "shares": 4200,

            "insights": {

              "data": [

                {"name": "views", "value": 320000, "period":
"overall"}

              ]
```

```
            },
            "id": "99941463918802999"
          }
        ]
      },
      "id": "{ig-user-id}"
    }
  ]
}
```

CHAPTER 9: PARTNERSHIP ADS PERMISSIONS

Before creating a partnership ad, the brand and creator must establish a permission relationship. There are two methods: Account-Level Permissioning (recommended for ongoing relationships) and Post-Level Permissioning (for individual post promotions).

9.1. Account-Level Permissioning

The Account-Level Permissioning API allows brands to request partnership ad permission from creators and validate the status of these requests. With account-level permissions, advertisers can:

- Create partnership ads from the creator's handle without a pre-existing post.
- Create partnership ads from any of the creator's existing posts that tag the advertiser.
- Include or exclude the creator's audience in their partnership ad campaign.

Required Permissions:

- instagram_branded_content_ads_brand (scoped on BRAND_IG_ID)
- instagram_basic
- business_management

9.1.1. Send Partnership Ad Permission Request to Creator

Endpoint: `POST /{BRAND_IG_ID}/branded_content_ad_permissions`

You can request permission using either the creator's Instagram ID or username.

Request (using creator IG ID):

```
curl \

  -F 'access_token={ACCESS_TOKEN}' \

  -F 'creator_instagram_account={CREATOR_IG_ID}' \


'https://graph.facebook.com/v25.0/{BRAND_IG_ID}/branded_content_ad_pe
rmissions'
```

Request (using creator username):

```
curl \

  -F 'access_token={ACCESS_TOKEN}' \

  -F 'creator_instagram_username={CREATOR_IG_USERNAME}' \
```

```
'https://graph.facebook.com/v25.0/{BRAND_IG_ID}/branded_content_ad_pe
rmissions'
```

Response:

```
{
  "id": "99941405309211844_123456999"
}
```

9.1.2. View Partnership Ad Permissions for a Brand

Endpoint: `GET /{BRAND_IG_ID}/branded_content_ad_permissions`

Request:

```
curl -G \
  -d 'access_token={ACCESS_TOKEN}' \

'https://graph.facebook.com/v25.0/{BRAND_IG_ID}/branded_content_ad_pe
rmissions'
```

Response:

```
{
  "data": [
    {
      "creator_username": "jaspersmarket",
      "creator_id": "123456789",
      "creator_fb_page": "987654321",
      "brand_ig_user": {
        "id": "99941405309211999"
      },
      "permission_status": "APPROVED",
      "id": "99941405309211844_123456789"
    },
```

```
    {
      "creator_username": "another_creator",
      "creator_id": "111222333",
      "permission_status": "PENDING",
      "id": "99941405309211844_111222333"
    }
  ],
  "paging": {
    "cursors": {
      "before": "MTM4OTY1MDkwNzkyMTE4NQ==",
      "after": "MTAyMzMxNzA5NzY5MjU4NA==
    }
  }
}
```


Permission Status Values: APPROVED, PENDING, REVOKED.

9.1.3. Revoke a Permission

Endpoint: `POST /{BRAND_IG_ID}/branded_content_ad_permissions`

Request:

```
curl \
  -F 'access_token={ACCESS_TOKEN}' \
  -F 'creator_instagram_account={CREATOR_IG_ID}' \
  -F 'revoke=true' \

'https://graph.facebook.com/v25.0/{BRAND_IG_ID}/branded_content_ad_pe
rmissions'
```

Response:


```
{
```

```
  "id": "17841405309211844_123456789"
}
```

9.2. Post-Level Permissioning

Post-Level Permissioning allows brands to manage an approved creator list for tagging in the paid partnership label, and allows creators to grant permission for specific organic posts to be promoted as partnership ads.

Required Permissions:

- instagram_basic
- instagram_branded_content_brand (for /branded_content_tag_approval endpoint)
- instagram_branded_content_creator (for /branded_content_partner_promote endpoint)

9.2.1. Check Approved Creators (Brand)

Endpoint: `GET /{USER_ID}/branded_content_tag_approval`

Request:

```
curl -G \
  -d 'user_ids={USER_ID1},{USER_ID2}' \
  -d 'access_token={BUSINESS_ACCESS_TOKEN}' \

'https://graph.facebook.com/v25.0/{USER_ID}/branded_content_tag_approval'
```

Parameters:

- user_ids (Required): Comma-separated list of creator user IDs to check. Maximum 100 IDs per request.

Response:

```
{
  "data": [
    {"id": "{USER_ID1}"},
    {"id": "{USER_ID2}"}
  ]
}
```

9.2.2. Add Creators to Approved List (Brand)

Endpoint: `POST /{USER_ID}/branded_content_tag_approval`

Request:

```
curl -X POST \

  -d 'user_ids={USER_ID5},{USER_ID10},{USER_ID15}' \

  -d 'access_token={BRAND_ACCESS_TOKEN}' \

'https://graph.facebook.com/v25.0/{USER_ID}/branded_content_tag_appro
val'
```

Response:

```
{

  "success": true

}
```

9.2.3. Remove Creators from Approved List (Brand)

Endpoint: `DELETE /{USER_ID}/branded_content_tag_approval`

Request:

```
curl -X DELETE \

  -d 'user_ids={USER_ID3},{USER_ID5}' \

  -d 'access_token={BUSINESS_ACCESS_TOKEN}' \

'https://graph.facebook.com/v25.0/{USER_ID}/branded_content_tag_appro
val'
```

Response:

```
{

  "success": true

}
```

9.2.4. Check Businesses Approved to Boost a Post (Creator)

Endpoint: `GET /{IG_MEDIA_ID}/branded_content_partner_promote`

Request:

```
curl -G \

  -d 'access_token={CREATOR_ACCESS_TOKEN}' \
'https://graph.facebook.com/v25.0/{IG_MEDIA_ID}/branded_content_partner_promote'
```

Response:

```
{

  "approved": "99941405309211844,98765432999"

}
```

9.2.5. Grant/Revoke Brand Permission to Boost a Post (Creator)

Endpoint: `POST /{IG_MEDIA_ID}/branded_content_partner_promote`

Request:

```
curl -X POST \

  -d 'sponsor_id={USER_ID}' \

  -d 'permission=true' \

  -d 'access_token={CREATOR_ACCESS_TOKEN}' \
'https://graph.facebook.com/v25.0/{IG_MEDIA_ID}/branded_content_partner_promote'
```

Parameters:

- sponsor_id: User ID of the business being granted (or revoked) promotion permissions.
- permission (Required): true to grant permission, false to revoke.

Response:

```
{

  "success": true

}
```

CHAPTER 10: CREATING PARTNERSHIP ADS

Once permissions are in place, you can create partnership ads. There are two main approaches: boosting an existing organic post, or creating a new ad with fresh creative.

10.1. Fetching Advertisable Media

Before boosting a post, retrieve the media that the advertiser is tagged in or owns, and that is eligible to be used in an ad.

Endpoint: `GET /{INSTAGRAM_ACCOUNT_ID}/branded_content_advertisable_medias`

Parameters:

- creator_username (Optional): Find branded content for a specific creator.
- permalinks (Optional): Array of IG media permalinks. Example: ['Cw7zyQ5BdEE','Cw7zyQ5BdEh']
- only_fetch_allowlisted (Optional, Boolean): Only fetch media from allowlisted creators. Default: false.
- only_fetch_recommended_content (Optional, Boolean): Only fetch recommended content to boost. Default: false.
- ad_code (Optional): The partnership ad code shared by the creator.
- media_relationship (Optional, Array): Specify whether to fetch tagged and/or owned media. Values: IS_TAGGED (collaborated/branded content where advertiser is tagged), OWNED (content that the advertiser owns).

Sample Request — Fetch All Tagged Media:

```
curl -i -X GET \

  -d 'media_relationship=["IS_TAGGED"]' \

  -d 'access_token={PAGE_ACCESS_TOKEN}' \


'https://graph.facebook.com/v25.0/{INSTAGRAM_ACCOUNT_ID}/branded_cont
ent_advertisable_medias?fields=eligibility_errors,owner_id,permalink,
id,has_permission_for_partnership_ad,recommended_campaign_objectives'
```

Sample Response:

```
{

  "data": [

    {
```

"recommended_campaign_objectives": [
"OUTCOME_ENGAGEMENT",
"OUTCOME_TRAFFIC",
"OUTCOME_LEADS"
],
"has_permission_for_partnership_ad": true,
"owner_id": "99902228360999",
"permalink": "https://www.instagram.com/reel/CzboAd3R91-/",
"id": "99902230933999"
},
{
"eligibility_errors": [
"Cannot use Reels containing tappable elements. Choose a different post."
],
"has_permission_for_partnership_ad": true,
"owner_id": "99910135660999",
"permalink": "https://www.instagram.com/reel/CyEb6q4OuoN/",
"id": "99912872006999"
},
{
"owner_id": "99910489752999",
"permalink": "https://www.instagram.com/p/CyWe6-ExB7p/",
"id": "99912928652999",
"has_permission_for_partnership_ad": false
}
],

```
  "paging": {
    "cursors": {
      "before": "QVFIUkR6amZAhLVVVWGpfTlRBenRsOUJCQ3lR==",
      "after": "QVFIUlhBX1hoQzI4SkVFaTRoeEpTdEpJMFdIUh=="
    }
  }
}
```


Recommended Campaign Objectives Mapping:

Ads Manager Goal	API Campaign Objective
Recommended for impressions	OUTCOME_AWARENESS
Recommended for engagement	OUTCOME_ENGAGEMENT, OUTCOME_TRAFFIC, OUTCOME_LEADS
Recommended for conversion	OUTCOME_APP_PROMOTION, OUTCOME_SALES

Note: Recommendations require a 3-day lag to generate and are only available for content published within the last 60 days.

10.2. Boosting an Existing Post — Using Instagram Media ID

Endpoint: `POST /act_{AD_ACCOUNT_ID}/adcreatives`

Request:

```
curl -X POST \
  -F 'object_id={PAGE_ID}' \
  -F 'source_instagram_media_id={IG_MEDIA_ID}' \
  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \
  -F 'instagram_branded_content={"sponsor_id":
"{ADVERTISER_IG_ID}"}'\
  -F 'branded_content={"ad_format": "1"}' \
  -F 'access_token={ACCESS_TOKEN}' \
```

```
  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

Parameters:

- object_id (int): Facebook Page ID for the brand.
- source_instagram_media_id (string): Instagram media ID to use in the ad.
- facebook_branded_content (JSON): Contains sponsor_page_id — the advertiser's Facebook Page ID.
- instagram_branded_content (JSON): Contains sponsor_id — the advertiser's Instagram ID.
- branded_content (JSON): Contains ad_format. Values: 1 (both identities, default), 2 (first identity only), 3 (auto-optimize between single and dual identity).

Response:

```
{

  "id": "23849123456789"

}
```

10.3. Boosting an Existing Post — Using a Partnership Ad Code

If the creator has shared a partnership ad code (a numeric string), use it instead of the media ID.

Request:

```
curl -X POST \

  -F 'object_id={BRAND_PAGE_ID}' \

  -F 'branded_content={"instagram_boost_post_access_token":
"{AD_CODE}", "ad_format": "1"}' \

  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \

  -F 'instagram_branded_content={"sponsor_id": "{ADVERTISER_IG_ID}"}'
\

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

Response:

```
{
```

```
  "id": "99949123456790"
}
```

10.4. Creating Ads with New Creative

When there is no existing organic post to boost, you can create a partnership ad with new creative assets (images or videos uploaded by the advertiser).

10.4.1. Advertiser as Primary Identity, Creator as Secondary

In this configuration, the ad appears to come from the advertiser's handle, with the creator listed as the partner.

Request:

```
curl -X POST \
  -H "Content-Type: application/json" \
  -d '{
    "degrees_of_freedom_spec": {
      "creative_features_spec": {
        "standard_enhancements": {
          "action_metadata": {"type": "DEFAULT"},
          "enroll_status": "OPT_IN"
        }
      },
      "degrees_of_freedom_type": "USER_ENROLLED_AUTOFLOW"
    },
    "facebook_branded_content": {
      "sponsor_page_id": "{CREATOR_PAGE_ID}"
    },
    "instagram_branded_content": {
      "sponsor_id": "{CREATOR_IG_ID}"
    },
```

```
    "object_story_spec": {
      "page_id": "{ADVERTISER_PAGE_ID}",
      "link_data": {
        "attachment_style": "link",
        "call_to_action": {"type": "LEARN_MORE"},
        "link": "https://www.yourbrand.com",
        "image_hash": "{IMAGE_HASH}"
      }
    },
    "access_token": "{ACCESS_TOKEN}"
  }' \
  "https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives"
```

Response:

```
{
  "id": "23849123456999"
}
```

10.4.2. Creator as Primary Identity, Advertiser as Secondary

In this configuration, the ad appears to come from the creator's handle, with the advertiser listed as the partner.

Request:

```
curl -X POST \
  -H "Content-Type: application/json" \
  -d '{
    "degrees_of_freedom_spec": {
      "creative_features_spec": {
        "standard_enhancements": {
          "action_metadata": {"type": "DEFAULT"},
```

```
          "enroll_status": "OPT_IN"
        }
      },
      "degrees_of_freedom_type": "USER_ENROLLED_AUTOFLOW"
    },
    "facebook_branded_content": {
      "sponsor_page_id": "{ADVERTISER_PAGE_ID}"
    },
    "instagram_branded_content": {
      "sponsor_id": "{ADVERTISER_IG_ID}"
    },
    "object_story_spec": {
      "page_id": "{CREATOR_PAGE_ID}",
      "link_data": {
        "attachment_style": "link",
        "call_to_action": {"type": "LEARN_MORE"},
        "link": "https://www.yourbrand.com",
        "image_hash": "{IMAGE_HASH}"
      }
    },
    "access_token": "{ACCESS_TOKEN}"
  }' \
  "https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives"
```

Response:

```
{
  "id": "23849123456999"
}
```

10.5. Advantage+ Creative & Placement Asset Customization

10.5.1. Advantage+ Creative (Standard Enhancements)

Advantage+ Creative automatically creates multiple variations of your ad and shows a personalized variation to each user based on what they are most likely to respond to.

Request:

```
curl -X POST \

  -F 'name="Advantage+ Partnership Ad"' \

  -F 'object_id={PAGE_ID}' \

  -F 'source_instagram_media_id={IG_MEDIA_ID}' \

  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \

  -F 'instagram_branded_content={"sponsor_id": "{ADVERTISER_IG_ID}"}'
\

  -F 'degrees_of_freedom_spec={"creative_features_spec":
{"standard_enhancements": {"enroll_status": "OPT_IN"}}}' \

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

10.5.2. Advantage+ Creative (Product Extensions)

```
curl -X POST \

  -F 'name="Product Extension Partnership Ad"' \

  -F 'object_id={PAGE_ID}' \

  -F 'source_instagram_media_id={IG_MEDIA_ID}' \

  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \

  -F 'instagram_branded_content={"sponsor_id": "{ADVERTISER_IG_ID}"}'
\

  -F 'creative_sourcing_spec={"associated_product_set_id":
"{PRODUCT_SET_ID}"}' \
```

```
  -F 'degrees_of_freedom_spec={"creative_features_spec":
{"product_extensions": {"enroll_status": "OPT_IN", "action_metadata":
{"type": "MANUAL"}}}}' \

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

10.5.3. Placement Asset Customization

Placement asset customization enables advertisers to customize the creative assets displayed in different ad placements.

```
curl -X POST \

  -F 'name="Placement Customized Partnership Ad"' \

  -F 'object_id={PAGE_ID}' \

  -F 'source_instagram_media_id={IG_MEDIA_ID}' \

  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \

  -F 'instagram_branded_content={"sponsor_id": "{ADVERTISER_IG_ID}"}'
\

  -F 'asset_feed_spec={

    "optimization_type": "PLACEMENT",

    "asset_customization_rules": [

      {

        "image_label": {"name": "{IMAGE-LABEL}"},

        "customization_spec": {

          "publisher_platforms": ["instagram"],

          "instagram_positions": ["stream"]

        }

      }

    ]

  }' \

  -F 'access_token={ACCESS_TOKEN}' \
```

```
  'https://graph.facebook.com/v21.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

10.6. Click-to-Message Destinations

Partnership ads can now be used for click-to-message destinations (e.g., Messenger, WhatsApp).

```
curl -X POST \

  -F 'name="Click-to-Message Partnership Ad"' \

  -F 'object_id={PAGE_ID}' \

  -F 'source_instagram_media_id={IG_MEDIA_ID}' \

  -F 'facebook_branded_content={"sponsor_page_id":
"{ADVERTISER_FB_ID}"}' \

  -F 'instagram_branded_content={"sponsor_id": "{ADVERTISER_IG_ID}"}'
\

  -F 'branded_content={"promoted_page_id": "{ADVERTISER_FB_ID}"}' \

  -F 'call_to_action={"type": "LEARN_MORE", "value":
{"app_destination": "MESSENGER", "link": "{LINK_HERE}/"}}' \

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adcreatives'
```

10.7. Publishing the Ad

After creating the ad creative, use the creative_id to create the ad within an ad set.

Endpoint: `POST /act_{AD_ACCOUNT_ID}/ads`

Request:

```
curl -X POST \

  -F 'name="My Partnership Ad"' \

  -F 'adset_id={ADSET_ID}' \

  -F 'creative={"creative_id": "{CREATIVE_ID}"}' \

  -F 'status="PAUSED"' \

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/ads'
```

Response:

```
{
  "id": "23849123456793"
}
```

Note: Always create ads in PAUSED status first. Review the ad in Ads Manager before setting status to ACTIVE.

CHAPTER 11: CAMPAIGN, AD SET & AD STRUCTURE

Partnership ads fit into the standard Meta Marketing API campaign hierarchy. Here is a brief overview of how to create the supporting campaign and ad set structures.

11.1. Create a Campaign

```
curl -X POST \

  -F 'name="Creator Partnership Campaign"' \

  -F 'objective="OUTCOME_ENGAGEMENT"' \

  -F 'status="PAUSED"' \

  -F 'special_ad_categories=[]' \

  -F 'access_token={ACCESS_TOKEN}' \

  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/campaigns'
```

Response:

```
{

  "id": "23849000000999"

}
```

Supported Objectives for Partnership Ads:

- OUTCOME_AWARENESS
- OUTCOME_ENGAGEMENT
- OUTCOME_TRAFFIC
- OUTCOME_LEADS
- OUTCOME_APP_PROMOTION
- OUTCOME_SALES

11.2. Create an Ad Set

```
curl -X POST \

  -F 'name="Creator Partnership Ad Set"' \

  -F 'campaign_id={CAMPAIGN_ID}' \

  -F 'daily_budget=5000' \

  -F 'billing_event="IMPRESSIONS"' \

  -F 'optimization_goal="IMPRESSIONS"' \
```

```
  -F 'promoted_object={"page_id": "{PAGE_ID}"}' \
  -F 'targeting={"geo_locations": {"countries": ["US"]}}' \
  -F 'status="PAUSED"' \
  -F 'access_token={ACCESS_TOKEN}' \
  'https://graph.facebook.com/v25.0/act_{AD_ACCOUNT_ID}/adsets'
```

Response:

```
{
  "id": "23849000000999"
}
```

CHAPTER 12: TROUBLESHOOTING & COMMON ERRORS

12.1. Troubleshooting Permission Issues

If you encounter permission errors when creating an ad, verify the following:

1. Does the app have Advanced Access for instagram_creator_marketplace_discovery?
2. Is the creator's Instagram account a Professional Account?
3. Has the creator explicitly granted account-level or post-level permission to the brand?
4. Are you passing the correct sponsor_id in the instagram_branded_content field?

12.2. Common Error Codes

Error Code	Description	Resolution
10 Permission Denied — App Missing Permission	The app lacks the required instagram_creator_marketplace_discovery permission.	Submit App Review for Advanced Access.
10 Permission Denied — Brand Eligibility	The brand is not eligible to onboard to the creator marketplace.	Verify the brand's Instagram account is a Professional Account and meets eligibility requirements.
100 Invalid Parameter Input	General message for invalid API parameter inputs.	Review the parameter values against the documentation. Check that follower count min does not exceed max.
3961010 Could not load creator (FB)	The provided creator ID is invalid.	Verify the creator ID is correct.
3961015 Creator not invited (FB)	The creator has not been invited to the program.	Only creators who have been invited can be queried by ID.

12.3. Ad in Pending Delivery State

If an advertiser publishes a partnership ad without existing permissions, the ad will be published but remain in a pending delivery state. The creator will receive a permission request from the brand. Once the creator approves, the ad will begin delivering.

CHAPTER 13: RATE LIMITS & BEST PRACTICES

13.1. Rate Limits Summary

API	Account-Level Limit	Application-Level Limit
Instagram Creator Marketplace API	240 req/user/hour	200 × DAUs per rolling hour
Facebook Creator Discovery API	2,000 req/user/hour	10,000 req/app/hour
Graph API (General)	Standard Graph API limits apply	Standard Graph API limits apply

13.2. Best Practices

Implement Exponential Backoff: When you receive a rate limit error (HTTP 429), implement exponential backoff with jitter before retrying.

Use Pagination: Always handle paginated responses using the paging.cursors.after value to fetch subsequent pages.

Cache Creator Data: Creator profile data does not change frequently. Cache discovery results for a reasonable period (e.g., 24 hours) to reduce API calls.

Use System User Tokens for Production: For server-to-server integrations, use System User Access Tokens from Business Manager. These do not expire and are more suitable for automated workflows.

Start Ads in PAUSED Status: Always create campaigns, ad sets, and ads in PAUSED status. Review them in Ads Manager before activating.

Test with Standard Access First: Use Standard Access (which provides mocked data) to build and test your integration before submitting for App Review.

CHAPTER 14: API QUICK REFERENCE

API Endpoint	Method	Purpose
/{ig-user-id}/creator_marketplace_creators	GET	Discover IG creators, get insights
/creator_marketplace/creators	GET	Discover FB creators, get insights
/creator_marketplace/content	GET	Get FB creator content & insights
/{BRAND_IG_ID}/branded_content_ad_permissions	POST	Request account-level permission from creator
/{BRAND_IG_ID}/branded_content_ad_permissions	GET	View existing account-level permissions
/{BRAND_IG_ID}/branded_content_ad_permissions	POST (revoke=true)	Revoke account-level permission
/{USER_ID}/branded_content_tag_approval	GET	Check post-level approved creators
/{USER_ID}/branded_content_tag_approval	POST	Add creators to approved list
/{USER_ID}/branded_content_tag_approval	DELETE	Remove creators from approved list
/{IG_MEDIA_ID}/branded_content_partner_promote	GET	Check businesses approved to boost post
/{IG_MEDIA_ID}/branded_content_partner_promote	POST	Grant/revoke post-level boost permission
/{INSTAGRAM_ACCOUNT_ID}/branded_content_advertisable_medias	GET	Fetch eligible media for ads
/act_{AD_ACCOUNT_ID}/adcreatives	POST	Create ad creative
/act_{AD_ACCOUNT_ID}/ads	POST	Create ad
/act_{AD_ACCOUNT_ID}/campaigns	POST	Create campaign
/act_{AD_ACCOUNT_ID}/adsets	POST	Create ad set
/act_{AD_ACCOUNT_ID}/advideos	POST	Upload video for partnership ad
/me/accounts	GET	Get Page Access Tokens
/{page-id}	GET (fields=instagram_business_account)	Get linked Instagram Account ID
/oauth/access_token	GET	Exchange code for access token

CHAPTER 15: REFERENCES

[1] Instagram Creator Marketplace API Documentation

https://developers.facebook.com/docs/instagram-platform/instagram-api-with-facebook-login/creator-marketplace/

[2] Facebook Creator Discovery API Documentation

https://developers.facebook.com/docs/fb-creator-discovery/

[3] Partnership Ads API Overview

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/

[4] Partnership Ads Creation Guide

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/ads-creation/

[5] Boost an Existing Post

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/ads-creation/boost-existing-post/

[6] Use New Creative

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/ads-creation/use-new-creative/

[7] Post-Level Permissioning

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/post-level-permissioning/

[8] Account-Level Permissioning

https://developers.facebook.com/docs/marketing-api/ad-creative/partnership-ads/account-level-permissioning/

[9] Instagram Partnership Ads Blog Post (March 2025)

https://developers.facebook.com/blog/post/2025/03/25/instagram-partnership-ads/

[10] Creator Marketplace & Facebook Creator Discovery APIs Launch Announcement (September 2025)

https://developers.facebook.com/blog/post/2025/09/09/instagrams-creator-marketplace-and-facebook-creator-discovery-apis-are-launching-soon-get-ready/

[11] Marketing API Changelog — Partnership Ads Updates (July 2025)

https://developers.facebook.com/blog/post/2025/07/08/marketing-api-new-features-formats-and-optimizations-added-to-the-platform/

[12] App Review Overview — Meta Responsible Platform Initiatives

https://developers.facebook.com/docs/resp-plat-initiatives/appreview/

[13] App Review — Individual Process Guide

https://developers.facebook.com/docs/resp-plat-initiatives/individual-processes/app-review/

[14] Enhanced Developer App Review & Graph API 3.0 (Blog Post)

https://developers.facebook.com/blog/post/2018/05/01/enhanced-developer-app-review-and-graph-api-3.0-now-live/

[15] Meta Platform Terms and Developer Policies

https://developers.facebook.com/devpolicy/

[16] Use Cases and Permission Mapping

https://developers.facebook.com/docs/development/create-an-app/use-cases-permission-mapping/

[17] Permissions Reference for Meta Technologies APIs

https://developers.facebook.com/docs/permissions

[18] Graph API Overview

https://developers.facebook.com/docs/graph-api/

[19] Marketing API — Campaigns

https://developers.facebook.com/docs/marketing-api/campaigns/

[20] System Users — Business Manager API

https://developers.facebook.com/docs/marketing-api/system-users/

BONUS CHAPTER A: SAMPLE APPLICATION

To help developers quickly understand and implement the Partnership Ads API in a real-world context, there is an open-source sample application named “Partnership Ads Booster”. This Python-based Streamlit web application demonstrates the complete end-to-end flow: discovering creator content, checking ad eligibility, managing permissions in bulk, and creating partnership ads — all through an interactive browser-based interface.

The source code is available on GitHub at:
https://github.com/honz/marketing-api-recipes/tree/main/stats_for_dashboards

It is particularly valuable for developers who want to see the API calls in action before building their own integration, and for Solutions Engineers or Account Managers who need a quick demonstration tool for client presentations.

16.1. Application Architecture and File Structure

The Partnership Ads Booster is built using Python 3.9+ and Streamlit, a framework for rapidly building data applications. The application is part of the broader marketing-api-recipes repository, which contains many other Meta Marketing API examples.

The application logic is cleanly separated into backend API wrappers and frontend UI components. The key files are:

partnership_ads_ui.py: The main Streamlit frontend application. It defines the three core tabs (Fetch Medias, Bulk Request Permission, Create Ads) and handles session state for user credentials and pagination.

partnership_ads_booster.py: The core backend module containing all the Meta Graph API wrapper functions. This is where the actual HTTP requests to endpoints like /branded_content_advertisable_medias, /adcreatives, and /ads are constructed and executed. Developers who want to integrate the API into their own systems should study this file closely.

run_partnership_ads_ui.sh / .bat: Wrapper scripts that automatically create a Python virtual environment, install dependencies, and launch the Streamlit app. These are the recommended ways to start the application.

export_medias.py: A standalone Command Line Interface (CLI) script for bulk exporting advertisable media to CSV without using the web UI. Useful for automated or scheduled data extraction.

16.2. Prerequisites and Installation

The following assets must be available before running the application: a valid Page Access Token with the instagram_creator_marketplace_discovery, instagram_branded_content_ads_brand, and ads_management permissions at minimum; the

Instagram Professional Account ID of the brand (numeric, e.g., 99941405309211999); the Ad Account ID where the partnership ads will be created; and the Facebook Page ID of the brand.

Step 1 — Clone the repository: git clone https://github.com/honz/marketing-api-recipes.git

Step 2 — Navigate to the application directory: cd marketing-api-recipes/stats_for_dashboards

Step 3 — Launch the application using the wrapper script (Mac/Linux): ./run_partnership_ads_ui.sh (On Windows, use run_partnership_ads_ui.bat instead). The wrapper script automatically creates a Python virtual environment (`venv`), installs the required packages (requests, streamlit, pandas), and starts the Streamlit server.

Once the application starts, it will automatically open in your default web browser at http://localhost:8501. If it does not open automatically, navigate to that URL manually.

Step 4 — Configure credentials in the sidebar: On the left-hand sidebar of the application, enter your Page Access Token and Instagram Account ID. These values are stored in the Streamlit session state and are used for all subsequent API calls. They are not stored permanently on disk. The Ad Account ID and Facebook Page ID are entered directly in the Create Ads tab.

16.3. Fetch Medias

The Fetch Medias tab allows you to browse and filter all Instagram content that creators have authorized your brand to boost as a partnership ad. Here is the step-by-step flow:

Step 1 — The user types a creator's Instagram username into the search field (optional) and clicks Fetch Medias.

Step 2 — The application calls the /{ig_account_id}/branded_content_advertisable_medias endpoint, passing the creator_username as a filter parameter. If no username is provided, all eligible media across all connected creators is returned.

Step 3 — The API returns a paginated list of media items (Reels, image posts, carousel posts). The application fetches 25 items per page by default. The user can click Fetch Next 25 to load the next page, or apply new filters to reset the results.

Step 4 — If the Include engagement metrics checkbox is selected, the application makes a secondary call to the /{media_id} endpoint for each item to retrieve real-time engagement metrics (like_count and comments_count). This enrichment step allows the user to rank the available content by organic performance before deciding which post to boost.

The results are displayed in a visual grid (using a Pandas DataFrame) with the media permalink, engagement metrics, and eligibility status clearly shown. Media items with eligibility_errors are flagged and cannot be selected for boosting. Only items where has_permission_for_partnership_ad is true are actionable.

The user can export the entire list to a CSV file for offline analysis. For large-scale exports without the web UI, the application also provides a dedicated CLI script: python export_medias.py --access-token YOUR_TOKEN --ig-account-id YOUR_ID --include-metrics

16.4. Bulk Request Permission

The application includes a dedicated tab for managing account-level permissions, which is often a bottleneck in the partnership ads workflow. It is organized into two sub-tabs.

Sub-tab 1 — View Existing Permissions: The app calls the /{ig_account_id}/branded_content_ad_permissions endpoint to fetch a list of all creators who have already granted permission to the brand. The results are displayed in a table showing the creator's username and their current permission status, and can be exported to CSV.

Sub-tab 2 — Bulk Request: The user can upload a CSV file containing a list of creator Instagram usernames. The application iterates through the list, calling the /{ig_account_id}/branded_content_ad_permissions endpoint with a POST request for each username to send an account-level permission request directly to the creator's Instagram app. The results are written to an output CSV.

16.5. Create Ads

Once the developer has identified the desired creator content, the Create Ads panel guides them through the full ad creation workflow. This feature supports bulk creation via CSV upload, making it practical for teams that need to launch multiple partnership ads simultaneously.

Step 1 — The user uploads a CSV file containing the ad configurations. The required columns are: cta_type (e.g., LEARN_MORE, SHOP_NOW, INSTALL_MOBILE_APP), link (the CTA destination URL), ad_name, ad_set_id, and either permalink or ad_code. Optional columns include app_link, app_id (for app events tracking), product_set_id (for Advantage+ Catalog), utm_parameters (in query string format, e.g., utm_source=instagram&utm_medium=paid), and testimonial.

Step 2 — The application reads the CSV and begins processing each row sequentially.

Step 3 — Upload video: If the media is a Reel, the application calls the /act_{ad_account_id}/advideos endpoint, passing the source_instagram_media_id to upload the creator's Reel into the brand's ad account video library.

Step 4 — Create ad creative: The application calls the /act_{ad_account_id}/adcreatives endpoint, constructing the creative payload with the source_instagram_media_id, the facebook_branded_content and instagram_branded_content sponsor fields, the configured CTA and URL, and the optional UTM tags and testimonial. If a product_set_id is provided, the degrees_of_freedom_spec and creative_sourcing_spec fields are also included to enable Advantage+ Catalog overlays.

Step 5 — Publish the ad: The application calls the /act_{ad_account_id}/ads endpoint to create the final ad object, linking the creative to the configured Ad Set.

The application outputs a CSV detailing the success or failure of each row, including the newly created ad ID and any error messages returned by the API. The ad is created in PAUSED status by default, allowing the team to review it in Meta Ads Manager before activating.

Developers are encouraged to run through the application flow at least once before building their own integration, as it provides a clear, visual understanding of how the API parameters map to the final ad output.

BONUS CHAPTER B: API COLLECTION

To accelerate development and testing, a comprehensive **Postman collection** has been created to accompany this guide. The collection, named Meta_Creator_Marketplace_Partnership_Ads.postman_collection.json, contains 25 pre-configured API calls covering the entire integration lifecycle — from creator discovery to ad creation and campaign reporting.

The source code is available on GitHub at:
https://github.com/MFranca/fbsamples/tree/main/Partnership%20Ads

17.1. Collection Structure

The Postman collection is organized into six logical folders, mirroring the workflows described in this guide:

Folder 1 — Authentication & Setup: Endpoints to retrieve Page Access Tokens and linked Instagram Account IDs. These calls are the starting point for any session and must be executed first to obtain the tokens required by all subsequent requests.

Folder 2 — Creator Discovery: Endpoints for searching Instagram and Facebook creators, and retrieving their insights and recent media. Includes both the Instagram Creator Marketplace search (by country, interest, and follower count) and the Facebook Creator Discovery search (by semantic query and category).

Folder 3 — Permissions Management: Endpoints to request, view, and revoke account-level partnership ad permissions. Covers both the by-ID and by-username variants of the permission request, plus the revocation call.

Folder 4 — Advertisable Media Management: Endpoints to fetch eligible media in multiple ways — paginated (all media), filtered by creator username, by ad code (shortcode), or by permalink. Also includes the media engagement metrics call (likes and comments) used to rank posts before boosting.

Folder 5 — Ad Creation: Endpoints to upload videos, create ad creatives (including the Advantage+ Catalog variant and the full CTA + UTM + Testimonial variant), and publish the final ad. Both the permalink flow and the ad_code flow are represented.

Folder 6 — Campaign Reporting & Insights: Endpoints to retrieve ad performance data filtered specifically for Instagram Reels placements, and to list Business Manager assets such as ad accounts, product catalogs, and Meta Pixels.

17.2. How to Import and Configure the Collection

To use the collection, you must first import it into your Postman workspace. Follow these steps:

Step 1 — Import: Open Postman and click the Import button in the top-left corner. Select the file Meta_Creator_Marketplace_Partnership_Ads.postman_collection.json from your local machine. The collection will appear in your Collections sidebar.

Step 2 — Open the Variables tab: Click on the collection name in the sidebar to open its overview panel. Navigate to the Variables tab. You will see a list of all pre-defined collection variables.

Step 3 — Fill in your values: For each variable, enter your specific account details in the Current Value column. The Initial Value column is intentionally left blank for security — never store live tokens in the Initial Value field, as that value may be shared if you export the collection.

Step 4 — Save: Click Save (or Ctrl+S / Cmd+S) to persist your variable values. You are now ready to execute requests.

17.3. Required Variables — What You Must Provide

The following variables are critical and must be configured before executing any request. Leaving them empty will result in authentication errors or malformed API calls.

page_access_token: Your valid Page Access Token. This is the most important variable in the entire collection. It must be a token generated for a Facebook Page that is linked to the brand's Instagram Professional Account, and it must carry all the permissions described in Chapter 4 of this guide. Without a valid token, no API call will succeed. Refer to Chapter 5 (Authentication & Access Tokens) for step-by-step instructions on how to generate this token.

ig_user_id: The numeric Instagram Professional Account ID of the brand. This is not the Instagram username — it is a numeric identifier (e.g., 99941405309211999). You can retrieve it using the 'Get Linked Instagram Account ID' request in Folder 1 of the collection.

brand_ig_id: The Instagram Account ID of the brand used specifically in the permissions and ad creative endpoints. In most cases, this is the same value as ig_user_id.

ad_account_id: Your Ad Account ID, without the act_ prefix (e.g., 123456789). You can find this in Meta Ads Manager or by using the 'List Business Owned Ad Accounts' request in Folder 6.

brand_page_id: The numeric Facebook Page ID of the brand. Required for ad creative creation. Retrieve it from the 'Get Page Access Tokens' response in Folder 1 — it is the id field in the data array.

business_id: Your Business Manager ID. Required for the Business Manager asset listing calls in Folder 6. Find it in Meta Business Suite under Business Settings > Business Info.

17.4. Recommended Execution Order

While each request in the collection can be executed independently, the following order is recommended for a complete end-to-end test run:

Step 1 — Run 'Get Page Access Tokens' in Folder 1 to confirm authentication and retrieve your page_id. Then run 'Get Linked Instagram Account ID' to confirm your ig_user_id.

Step 2 — Run the Instagram or Facebook creator search in Folder 2 to identify a creator. Copy the creator's Instagram ID or username into the relevant variables.

Step 3 — Run 'Request Account-Level Permission' in Folder 3 to send a permission request to the creator. Run 'View Account-Level Permissions' to confirm the status is APPROVED before proceeding.

Step 4 — Run 'Fetch Advertisable Media (Filtered by Creator Username)' in Folder 4 to retrieve the list of eligible posts. Copy the id of the desired media into the ig_media_id variable.

Step 5 — Run 'Upload Instagram Video for Partnership Ad' in Folder 5, then 'Create Ad Creative — Boost Existing Post', and finally 'Publish the Ad' to complete the ad creation flow.

Step 6 — After the campaign has been running, use 'Ad Account Insights — Reels Placement Breakdown' in Folder 6 to measure performance by placement.

Each request in the collection includes a Sample Response tab, which shows the expected JSON structure for that endpoint. Developers are strongly encouraged to review these sample responses before making live calls, as they provide a clear picture of the data model and the fields that need to be extracted and passed to subsequent requests.

END OF DOCUMENT