# Automating ESS Job Submission with OIC and the ERP Cloud Adapter

## Introduction

Oracle Enterprise Scheduling Service (ESS) is the native job scheduling engine embedded in Oracle Fusion Cloud (SaaS). It allows you to run background processes such as data imports, exports, and batch operations. In this article, I will walk you through how to trigger an ESS job programmatically using Oracle Integration Cloud (OIC), using the **Upload Comma-Separated Values File** job as a real-world example.

The use case is simple but powerful: a file (test.txt) has already been uploaded to Oracle UCM (Universal Content Management), and we want to trigger the ESS job that processes it — all orchestrated from OIC without any manual intervention from the SaaS UI.

## Integration Flow Overview

The integration is built as a REST-triggered OIC flow. The overall logic is:

1. A REST trigger starts the flow (GET)
2. Initialize a variable **vResult** to an empty string
3. Call the ERP Cloud adapter to submit the ESS job (**submitESSJobRequest**)
4. Enter a While loop that polls the job status every 30 seconds
5. Inside the loop: get the job status, assign it to **vResult**, and wait 30 seconds
6. Exit the loop when the status reaches **SUCCEEDED**

## Step-by-Step Configuration

### Step 1 — REST Trigger

The integration is triggered by a simple REST endpoint:

- HTTP Method: GET

No request payload is needed. This is intentional for testing purposes — the job parameters are hardcoded in the mapper.




## Step 2 — Initialize the Variable

Before the While loop, add an **Assign** action named AssignVar to initialize the polling variable:

- **Variable name:** vResult
- **Value:** "" (empty string)

This variable will hold the ESS job status and control the loop condition.




## Step 3 — Configure the Oracle ERP Cloud Invoke (SubmitEssJob)

Add an **Oracle ERP Cloud** invoke connection and configure it as follows:

- **Endpoint name:** SubmitEssJob
- **Action:** Query, Create, Update or Delete Information
- **Browse by:** Services
- **Business Service:** ErpIntegrationService
- **Operation:** submitESSJobRequest

This operation is the standard web service provided by Oracle ERP Cloud to submit ESS jobs externally.






## Step 4 — Map the SubmitEssJob Request

In the mapper **Map to SubmitEssJob**, set the following hardcoded values on the target fields:

| Target Field | Value |
|---|---|
| Job Package Name | /oracle/apps/ess/fnd/applcore/ |
| Job Definition Name | FndApplCoreUploadServiceJob |
| Param List (1 of 3) | test.txt *(the file name in UCM)* |
| Param List (2 of 3) | fin/generalLedger/import *(UCM account)* |

Param List (3 of 3) RELATEDVALUESETVALUES *(File type, matching the SaaS process parameter)*




***N.B*** These three parameters correspond exactly to the **Basic Options** visible in the SaaS UI when submitting the "Upload Comma-Separated Values File" process manually: **File Name**, **Account**, and **File Type**.



## Step 5 — While Loop Condition

Add a **While** action named **WhileEssJobStatusNotSucceeded**. Set the loop condition as follows:

**vResult != 'SUCCEEDED'**

**OR vResult = 'WAIT'**

**OR vResult = 'RUNNING'**

**OR vResult = 'READY'**

**OR vResult = 'COMPLETED'**

The loop continues as long as the job has not reached a terminal successful state.




## Step 6 — Inside the Loop: Get ESS Job Status

Inside the While loop, add another **Oracle ERP Cloud** invoke named GetEssJobStatus:

- **Business Object:** ErpIntegrationService
- **Operation:** getESSJobStatus

Map the job request ID returned by submitESSJobRequest as input to getESSJobStatus.




What would you like to do with Oracle ERP Cloud Adapter?

Query, Create, Update or Delete Information




GetEssJobStatus

Description

Business Object
ErpIntegrationService

Operation
getESSJobStatus

## Step 7 — Assign the Job Status

After the invoke, add an **Assign** action named AssignEssJobStatus:

- **Variable:** vResult
- **Value:** result (mapped from the response of getESSJobStatus)

This updates the loop control variable with the latest job status.




## Step 8 — Wait 30 Seconds

Add a **Wait** action named Wait1 with a duration of **30 seconds**.

This prevents hammering the ERP Cloud API and gives the ESS job time to progress between polls.




## Final Flow Summary







## Testing the Integration

### Prerequisites for Testing

Before running the integration, ensure the following are in place:

- The file *test.txt* has been successfully uploaded to Oracle UCM
- The Oracle ERP Cloud connection in OIC is active and authenticated
- The integration is activated in OIC




**To verify In SaaS - Tools → Scheduled Processes**

| Process ID | Name | Status | Submission Time |
|---|---|---|---|
| 4397143 | Upload Comma-Separated Values File | Succeeded | 25/04/26 21:54 CEST |