



BLOCK 1 - P.7 - Authorship



BLOCK 1 - P.3 - Product Form



BLOCK 1 - P.11 - Extents
and Other Content

| ProductIllustrations |
|--|
| integer* :Not NULL |
| char (2) :NULL |
| ustrations : integer :NULL |
| ote : varchar (256) :NULL |
| es Products Illustration specified by ONIX 3.0 tags 7. |

| ProductExtents |
|--|
| ProductId : integer* :Not NULL |
| ExtentType : char (2) :Not NULL |
| ExtentValue : numeric (10) :Not NULL |
| ExtentValueRoman : varchar (16) :NULL |
| ExtentUnit : char (2) :Not NULL |
| This table stores the Product Extents as specified by ONIX 3.0 tags P.11.1 to P.11.4. |

Products_ProductsIllustrations

FK_Products_ProductsExtents

FK_Products_ProductEditions

BLOCK 1 - P.9 - Edition
BLOCK 1 - P.10 - Language

| ProductEditions |
|--|
| ProductId : integer* :Not NULL |
| EditionType : char (3) :NULL |
| EditionNumber : integer :NULL |
| VersionNumber : integer :NULL |
| Statement : varchar (256) :NULL |
| This table stores the Edition related info carried on by ONIX 3.0 tags P.9.1 to P.9.4. |

| ProductLanguages |
|---|
| ProductId : integer* :Not NULL |
| LanguageRole : char (2) :Not NULL |
| LanguageCode : char (2) :Not NULL |
| CountryCode : char (2) :NULL |
| ScriptCode : char (4) :NULL |
| This table stores Product Languages as indicated by ONIX 3.0 tags P.10.1 to P.10.4. |

FK_Products_ProductLanguages

utors

BLOCK 1 - P.12 - Subject

| Subjects |
|---|
| SubjectId : integer :Not NULL |
| Title : varchar (256) :Not NULL |
| FlagFixed : boolean :Not NULL |
| ShadowTitle : varchar (256) :Not NULL |
| ReplaceWithThisId : integer :NULL |
| FlagInvisible : boolean :Not NULL |
| FlagDeleted : boolean :Not NULL |
| CreationDate : timestamp :Not NULL |
| LastUpdateDate : timestamp :NULL |
| DeletionDate : timestamp :NULL |
| This table stores the Subject entities as implied by ONIX 3.0 tags P.12.2 to P.12.6. This entities are auto-generated from the Product references when needed. |

The texts for the Subjects go into the
EntityTexts table with EntityType = "SUBJ".

This is to facillitate one implementation of
"text edition".

FK_Subjects_SubjectIdentifiers

FK_Subjects_ProductSubjects

| Products |
|-----------------------------------|
| ProductId : integer :Not NULL |
| LanguageCode : char (2) :Not NULL |
| ReplaceWithThisId : integer :NULL |
| FlagInvisible : boolean :Not NULL |

| |
|---|
| EntryOrder : integer :Not NULL Type : char (2) :Not NULL Status : char (2) :Not NULL |
| This table records part of the factual description of the product. It corresponds with the tags P.3.17 and P.3.18 of ONIX 3.0 |

| |
|---|
| ProductFormContentTypes ProductId : int* :Not NULL ContentType : char (2) :Not NULL |
| This table records parts of the factual description of the product. It corresponds with the tag P.3.11 defined in ONIX 3.0. |

| |
|---|
| CountryOfManufacture : char (2) :NULL MapScale : numeric (7) :NULL |
| This table records part of the factual description of the product. It corresponds with many of the tags defined in ONIX 3.0 as group P.3. |

| |
|--|
| ProductId : int* :Not NULL MeasureType : char (2) :Not NULL Measurement : numeric (10) :Not NULL UnitCode : char (2) :Not NULL |
| This table records part of the factual description of the product. It corresponds with the tags defined in ONIX 3.0 as P.3.12 to P.3.14. |

| |
|---|
| CollectionIdentifiers IdentifierTypeId : integer :Not NULL IDValue : varchar (256) :Not NULL CollectionId : integer* :Not NULL FlagPrimary : boolean :Not NULL |
| This table describes the Ids for Collection entities. It is self-populated by fields P.5.3 to P.5.5 as a result of ONIX 3.0 file processing. |

| |
|---|
| Collections CollectionId : integer :Not NULL CollectionType : char (2) :Not NULL SourceName : varchar (64) :NULL Name : varchar (256) :Not NULL ReplaceWithThisId : integer :NULL FlagInvisible : boolean :Not NULL FlagDeleted : boolean :Not NULL CreationDate : timestamp :Not NULL LastUpdateDate : timestamp :NULL DeletionDate : timestamp :NULL |
| This table describes the Collection entities. It is self-populated as a result of ONIX 3.0 file processing, but it can also be manually created and maintained. When auto-generated, the data comes from ONIX Group P.5. |

| |
|--|
| CollectionTitleElements CollectionId : integer* :Not NULL TitleType : char (2)* :Not NULL EntryOrder : integer :Not NULL LanguageCode : char (2) :Not NULL TitleElementLevel : char (2) :Not NULL PartNumber : varchar (64) :NULL YearOfAnnual : varchar (64) :NULL TitleText : varchar (512) :NULL TitlePrefix : varchar (64) :NULL TitleWithoutPrefix : varchar (512) :NULL Subtitle : varchar (512) :NULL |
| This table describes titles for the Collection entities. It is self-populated as a result of ONIX 3.0 file processing, but it can also be manually created and maintained. When auto-generated, the data comes from ONIX tags P.5.7 to P.5.13. |

| |
|---|
| CollectionTitles CollectionId : integer* :Not NULL TitleType : char (2) :Not NULL EffectiveLanguageCode : char (2) :Not NULL EffectiveTitle : varchar (1024) :Not NULL FlagFixed : boolean :Not NULL ShadowEffectiveLanguageCode : char (2) :Not NULL ShadowEffectiveTitle : varchar (1024) :Not NULL |
| This table describes titles for the Collection entities. It is self-populated as a result of ONIX 3.0 file processing, but it can also be manually created and maintained. When auto-generated, the data comes from ONIX tag P.5.6. |

BLOCK 1 - P.5 - Collection

The texts for the Collections go into the EntityTexts table with EntityType = "COLL".

This is to facilitate one implementation of "text edition".

| |
|--|
| ProductCollections ProductId : integer* :Not NULL CollectionId : integer* :Not NULL OriginalCollectionId : integer :NULL |
| This table holds the relation between Products and the Collections they belong to. It is formed by the ONIX tags in group P.5. |

