```
msf6 auxiliary(scanner/portscan/tcp) > show options

Module options (auxiliary/scanner/portscan/tcp):

   Name         Current Setting  Required  Description
   ----         ---------------  --------  -----------
   CONCURRENCY  10               yes       The number of concurrent ports to check per host
   DELAY        0                yes       The delay between connections, per thread, in milliseconds
   JITTER       0                yes       The delay jitter factor (maximum value by which to +/- DELAY) in milliseconds.
   PORTS        1-10000          yes       Ports to scan (e.g. 22-25,80,110-900)
   RHOSTS       68.66.247.187    yes       The target host(s), see https://github.com/rapid7/metasploit-framework/wiki/Using-Metasploit
   THREADS      1                yes       The number of concurrent threads (max one per host)
   TIMEOUT      1000             yes       The socket connect timeout in milliseconds

msf6 auxiliary(scanner/portscan/tcp) > run

[+] 68.66.247.187:        - 68.66.247.187:21 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:25 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:53 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:80 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:110 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:143 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:443 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:465 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:587 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:993 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:995 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2079 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2078 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2080 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2077 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2082 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2087 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2083 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2086 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2096 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2095 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:2525 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:3306 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:5432 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:6556 - TCP OPEN
[+] 68.66.247.187:        - 68.66.247.187:7822 - TCP OPEN
[*] 68.66.247.187:        - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/portscan/tcp) >
```

```
   Name                 Current Setting  Required  Description
   ----                 ---------------  --------  -----------
   ABORT_ON_LOCKOUT     false            yes       Abort the run when an account lockout is detected
   BLANK_PASSWORDS      false            no        Try blank passwords for all users
   BRUTEFORCE_SPEED     5                yes       How fast to bruteforce, from 0 to 5
   DB_ALL_CREDS         false            no        Try each user/password couple stored in the current database
   DB_ALL_PASS          false            no        Add all passwords in the current database to the list
   DB_ALL_USERS         false            no        Add all users in the current database to the list
   DB_SKIP_EXISTING     none             no        Skip existing credentials stored in the current database (Accepted: none, user, user&realm)
   DETECT_ANY_AUTH      false            no        Enable detection of systems accepting any authentication
   DETECT_ANY_DOMAIN    false            no        Detect if domain is required for the specified user
   PASS_FILE                             no        File containing passwords, one per line
   PRESERVE_DOMAINS     true             no        Respect a username that contains a domain name.
   Proxies                               no        A proxy chain of format type:host:port[,type:host:port][ ... ]
   RECORD_GUEST         false            no        Record guest-privileged random logins to the database
   RHOSTS                                yes       The target host(s), see https://github.com/rapid7/metasploit-framework/wiki/Using-Metasploit
   RPORT                445              yes       The SMB service port (TCP)
   SMBDomain            .                no        The Windows domain to use for authentication
   SMBPass                               no        The password for the specified username
   SMBUser                               no        The username to authenticate as
   STOP_ON_SUCCESS      false            yes       Stop guessing when a credential works for a host
   THREADS              1                yes       The number of concurrent threads (max one per host)
   USERPASS_FILE                         no        File containing users and passwords separated by space, one pair per line
   USER_AS_PASS         false            no        Try the username as the password for all users
   USER_FILE                             no        File containing usernames, one per line
   VERBOSE              true             yes       Whether to print output for all attempts

msf6 auxiliary(scanner/smb/smb_login) > set RHOST 68.66.247.187
RHOST => 68.66.247.187
msf6 auxiliary(scanner/smb/smb_login) > run

[*] 68.66.247.187:445    - 68.66.247.187:445 - Starting SMB login bruteforce
[!] 68.66.247.187:445    - Error: 68.66.247.187: Metasploit::Framework::LoginScanner::Invalid Cred details can't be blank, Cred details can't be blank (Metasploit::Framework::LoginScanner::SMB)
[*] 68.66.247.187:445    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/smb/smb_login) > back
msf6 > use auxiliary/scanner/vnc/vnc_none_auth
msf6 auxiliary(scanner/vnc/vnc_none_auth) > show options

Module options (auxiliary/scanner/vnc/vnc_none_auth):

   Name     Current Setting  Required  Description
   ----     ---------------  --------  -----------
   RHOSTS                    yes       The target host(s), see https://github.com/rapid7/metasploit-framework/wiki/Using-Metasploit
   RPORT    5900             yes       The target port (TCP)
   THREADS  1                yes       The number of concurrent threads (max one per host)

msf6 auxiliary(scanner/vnc/vnc_none_auth) > set RHOSTS 68.66.247.187
RHOSTS => 68.66.247.187
msf6 auxiliary(scanner/vnc/vnc_none_auth) > set THREADS 50
THREADS => 50
msf6 auxiliary(scanner/vnc/vnc_none_auth) > run

[*] 68.66.247.187:5900    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/vnc/vnc_none_auth) >
```

```
msf6 auxiliary(scanner/mysql/mysql_login) > show options

Module options (auxiliary/scanner/mysql/mysql_login):

   Name              Current Setting                 Required  Description
   ----              ---------------                 --------  -----------
   BLANK_PASSWORDS   true                            no        Try blank passwords for all users
   BRUTEFORCE_SPEED  5                               yes       How fast to bruteforce, from 0 to 5
   DB_ALL_CREDS      false                           no        Try each user/password couple stored in the current da
                                                               tabase
   DB_ALL_PASS       false                           no        Add all passwords in the current database to the list
   DB_ALL_USERS      false                           no        Add all users in the current database to the list
   DB_SKIP_EXISTING  none                            no        Skip existing credentials stored in the current databa
                                                               se (Accepted: none, user, user&realm)
   PASSWORD                                          no        A specific password to authenticate with
   PASS_FILE         /home/kali/Desktop/passwords.tx  no        File containing passwords, one per line
                     t
   Proxies                                           no        A proxy chain of format type:host:port[,type:host:port
                                                               ][ ... ]
   RHOSTS            68.66.247.187                   yes       The target host(s), see https://github.com/rapid7/meta
                                                               sploit-framework/wiki/Using-Metasploit
   RPORT             3306                            yes       The target port (TCP)
   STOP_ON_SUCCESS   false                           yes       Stop guessing when a credential works for a host
   THREADS           1                               yes       The number of concurrent threads (max one per host)
   USERNAME          root                            no        A specific username to authenticate as
   USERPASS_FILE                                     no        File containing users and passwords separated by space
                                                               , one pair per line
   USER_AS_PASS      false                           no        Try the username as the password for all users
   USER_FILE                                         no        File containing usernames, one per line
   VERBOSE           true                            yes       Whether to print output for all attempts

msf6 auxiliary(scanner/mysql/mysql_login) > run

[-] 68.66.247.187:3306    - 68.66.247.187:3306 - Unsupported target version of MySQL detected. Skipping.
[*] 68.66.247.187:3306    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/mysql/mysql_login) > run

[-] 68.66.247.187:3306    - 68.66.247.187:3306 - Unable to connect: The connection with (68.66.247.187:3306) timed out.
[*] 68.66.247.187:3306    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/mysql/mysql_login) >
```

```
       =[ metasploit v6.1.14-dev                          ]
+ -- --=[ 2180 exploits - 1155 auxiliary - 399 post       ]
+ -- --=[ 592 payloads - 45 encoders - 10 nops            ]
+ -- --=[ 9 evasion                                       ]

Metasploit tip: Search can apply complex filters such as
search cve:2009 type:exploit, see all the filters
with help search

msf6 > use auxiliary/scanner/mysql/mysql_login
msf6 auxiliary(scanner/mysql/mysql_login) > set rhosts 68.66.247.187
rhosts => 68.66.247.187
msf6 auxiliary(scanner/mysql/mysql_login) > run

[-] 68.66.247.187:3306    - 68.66.247.187:3306 - Unsupported target version of MySQL detected. Skipping.
[*] 68.66.247.187:3306    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/mysql/mysql_login) > run

[-] 68.66.247.187:3306    - 68.66.247.187:3306 - Unable to connect: The connection with (68.66.247.187:3306) timed out.
[*] 68.66.247.187:3306    - Scanned 1 of 1 hosts (100% complete)
[*] Auxiliary module execution completed
msf6 auxiliary(scanner/mysql/mysql_login) >
```

```
└─$ hydra -L /home/kali/Desktop/usernames.txt -P /home/kali/Desktop/passwords.txt ftp://68.66.247.187            255 ×
Hydra v9.1 (c) 2020 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations,
or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2022-02-01 07:15:37
[DATA] max 16 tasks per 1 server, overall 16 tasks, 10000000 login tries (l:10/p:1000000), ~625000 tries per task
[DATA] attacking ftp://68.66.247.187:21/
[STATUS] 61.00 tries/min, 61 tries in 00:01h, 9999939 to do in 2732:14h, 16 active
```

```
└─$ hydra -L /home/kali/Desktop/usernames.txt -P /home/kali/Desktop/passwords.txt ftp://68.66.247.187
Hydra v9.1 (c) 2020 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations,
or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2022-02-01 07:27:22
[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session found, t
o prevent overwriting, ./hydra.restore
[DATA] max 16 tasks per 1 server, overall 16 tasks, 10000000 login tries (l:10/p:1000000), ~625000 tries per task
[DATA] attacking ftp://68.66.247.187:21/
[STATUS] 32.00 tries/min, 32 tries in 00:01h, 9999984 to do in 5208:20h, 16 active
[STATUS] 32.00 tries/min, 96 tries in 00:03h, 9999937 to do in 5208:19h, 16 active
[STATUS] 32.00 tries/min, 224 tries in 00:07h, 9999809 to do in 5208:15h, 16 active
[STATUS] 30.87 tries/min, 463 tries in 00:15h, 9999570 to do in 5399:21h, 16 active
[STATUS] 30.13 tries/min, 934 tries in 00:31h, 9999099 to do in 5531:16h, 16 active
```

```
└─$ nmap 68.66.247.187 -A
Starting Nmap 7.92 ( https://nmap.org ) at 2022-01-26 08:12 EST
Stats: 0:07:53 elapsed; 0 hosts completed (1 up), 1 undergoing Script Scan
NSE Timing: About 95.83% done; ETC: 08:20 (0:00:16 remaining)
Nmap scan report for 68.66.247.187.static.a2webhosting.com (68.66.247.187)
Host is up (0.034s latency).
Not shown: 988 filtered tcp ports (no-response)
PORT     STATE SERVICE  VERSION
21/tcp   open  ftp      Pure-FTPd
25/tcp   open  smtp?
|_smtp-commands: Couldn't establish connection on port 25
53/tcp   open  domain   ISC BIND 9.11.4-P2 (RedHat Enterprise Linux 7)
80/tcp   open  http     Apache httpd (W3 Total Cache/0.9.4.6.4)
|_http-server-header: imunify360-webshield/1.18
110/tcp  open  pop3     Dovecot pop3d
|_tls-alpn: ERROR: Script execution failed (use -d to debug)
|_tls-nextprotoneg: ERROR: Script execution failed (use -d to debug)
|_ssl-cert: ERROR: Script execution failed (use -d to debug)
|_ssl-date: ERROR: Script execution failed (use -d to debug)
|_sslv2: ERROR: Script execution failed (use -d to debug)
|_pop3-capabilities: CAPA STLS USER RESP-CODES SASL(PLAIN LOGIN) TOP PIPELINING UIDL AUTH-RESP-CODE
143/tcp  open  imap     Dovecot imapd
|_tls-alpn: ERROR: Script execution failed (use -d to debug)
|_ssl-cert: ERROR: Script execution failed (use -d to debug)
|_sslv2: ERROR: Script execution failed (use -d to debug)
|_tls-nextprotoneg: ERROR: Script execution failed (use -d to debug)
|_imap-capabilities: ID have Pre-login LOGIN-REFERRALS OK listed post-login NAMESPACE LITERAL+ STARTT
LS IMAP4rev1 more IDLE ENABLE AUTH=PLAIN SASL-IR capabilities AUTH=LOGINA0001
|_ssl-date: ERROR: Script execution failed (use -d to debug)
|_imap-ntlm-info: ERROR: Script execution failed (use -d to debug)
443/tcp  open  ssl/http Apache httpd (W3 Total Cache/0.9.4.6.4)
| ssl-cert: Subject: commonName=tech-sourcery.co.uk
| Subject Alternative Name: DNS:tech-sourcery.co.uk, DNS:autodiscover.tech-sourcery.co.uk, DNS:cpanel
.tech-sourcery.co.uk, DNS:cpcalendars.tech-sourcery.co.uk, DNS:cpcontacts.tech-sourcery.co.uk, DNS:ma
il.tech-sourcery.co.uk, DNS:webdisk.tech-sourcery.co.uk, DNS:webmail.tech-sourcery.co.uk, DNS:www.tec
h-sourcery.co.uk
| Not valid before: 2021-12-12T00:00:00
|_Not valid after:  2022-03-12T23:59:59
|_ssl-date: TLS randomness does not represent time
| tls-alpn:
|   h2
|_  http/1.1
|_http-server-header: imunify360-webshield/1.18
|_http-title: Site doesn't have a title (application/octet-stream).
| tls-nextprotoneg:
|   h2
|_  http/1.1
465/tcp  open  ssl/smtp Exim smtpd 4.94.2
|_smtp-commands: Couldn't establish connection on port 465
587/tcp  open  smtp     Exim smtpd 4.94.2
|_smtp-commands: nl1-ss5.a2hosting.com Hello ip-95-223-75-187.hsi16.unitymediagroup.de [95.223.75.187
], SIZE 78643200, 8BITMIME, PIPELINING, PIPE_CONNECT, AUTH PLAIN LOGIN, STARTTLS, HELP
|_smtp-ntlm-info: ERROR: Script execution failed (use -d to debug)
993/tcp  open  ssl/imap Dovecot imapd
995/tcp  open  ssl/pop3 Dovecot pop3d
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName
=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
3306/tcp open  mysql    MySQL 5.5.5-10.3.23-MariaDB-cll-lve
|_ssl-date: ERROR: Script execution failed (use -d to debug)
|_tls-nextprotoneg: ERROR: Script execution failed (use -d to debug)
|_sslv2: ERROR: Script execution failed (use -d to debug)
|_tls-alpn: ERROR: Script execution failed (use -d to debug)
Service Info: Host: nl1-ss5.a2hosting.com; OS: Linux; CPE: cpe:/o:redhat:enterprise_linux:7

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 527.51 seconds
```

```
└─# nmap -sU 68.66.247.187
Starting Nmap 7.92 ( https://nmap.org ) at 2022-01-26 08:18 EST
Nmap scan report for 68.66.247.187.static.a2webhosting.com (68.66.247.187)
Host is up (0.0072s latency).
Not shown: 999 open|filtered udp ports (no-response)
PORT    STATE SERVICE
53/udp open  domain
```

```
└─$ whatweb 68.66.247.187
http://68.66.247.187 [200 OK] Bootstrap[3.3.6,3.3.7], Cookies[cl-bypass-cache], Country
[UNITED STATES][US], HTML5, HTTPServer[imunify360-webshield/1.18], HttpOnly[cl-bypass-c
ache], IP[68.66.247.187], JQuery[1.12.4], PoweredBy[Imunify360], Script, Title[Captcha]
, UncommonHeaders[cf-edge-cache]
```

```
└─$ nmap -sV  -p-  -A  --reason loadedwithstuff.co.uk
Starting Nmap 7.92 ( https://nmap.org ) at 2022-01-26 08:20 EST
Nmap scan report for loadedwithstuff.co.uk (68.66.247.187)
Host is up, received syn-ack (0.026s latency).
rDNS record for 68.66.247.187: 68.66.247.187.static.a2webhosting.com
Not shown: 65508 filtered tcp ports (no-response)
PORT      STATE SERVICE        REASON  VERSION
21/tcp    open  ftp            syn-ack Pure-FTPd
|_ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
25/tcp    open  smtp?          syn-ack
| fingerprint-strings:
|   JavaRMI, Kerberos, LANDesk-RC, LDAPBindReq, NCP, NotesRPC, SIPOptions, SMBProgNeg, TerminalServer, WMSRequest, afp, giop, ms-sql-s, oracle-tns
:
|_    421 Too many concurrent SMTP connections; please try again later.
|_smtp-commands: SMTP EHLO loadedwithstuff.co.uk: failed to receive data: connection closed
53/tcp    open  domain         syn-ack ISC BIND 9.11.4-P2 (RedHat Enterprise Linux 7)
| dns-nsid:
|_  bind.version: 9.11.4-P2-RedHat-9.11.4-26.P2.el7_9.8
80/tcp    open  http           syn-ack Apache httpd (W3 Total Cache/0.9.4.6.4)
|_http-title: Did not follow redirect to https://loadedwithstuff.co.uk/
|_http-server-header: Apache
110/tcp   open  pop3           syn-ack Dovecot pop3d
|_ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
|_pop3-capabilities: UIDL STLS CAPA USER SASL(PLAIN LOGIN) PIPELINING AUTH-RESP-CODE RESP-CODES TOP
143/tcp   open  imap           syn-ack Dovecot imapd
|_ssl-date: TLS randomness does not represent time
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
|_imap-capabilities: AUTH=LOGINA0001 more SASL-IR Pre-login ENABLE capabilities listed AUTH=PLAIN IDLE NAMESPACE ID IMAP4rev1 post-login STARTTLS
have LOGIN-REFERRALS LITERAL+ OK
443/tcp   open  ssl/http       syn-ack Apache httpd (W3 Total Cache/0.9.4.6.4)
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
|_ssl-date: TLS randomness does not represent time
|_http-server-header: Apache
|_http-generator: Loaded Commerce Community Edition v6.6
|_http-title: Loaded Commerce 6.6  - Powerful Ecommerce Shopping Cart
465/tcp   open  ssl/smtp       syn-ack Exim smtpd 4.94.2
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
| smtp-commands: nl1-ss5.a2hosting.com Hello ip-95-223-75-187.hsi16.unitymediagroup.de [95.223.75.187], SIZE 78643200, 8BITMIME, PIPELINING, PIPE_
CONNECT, AUTH PLAIN LOGIN, HELP
|_ Commands supported: AUTH HELO EHLO MAIL RCPT DATA BDAT NOOP QUIT RSET HELP
587/tcp   open  smtp           syn-ack Exim smtpd 4.94.2
|_smtp-commands: SMTP EHLO loadedwithstuff.co.uk: failed to receive data: connection closed
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
993/tcp   open  ssl/imap       syn-ack Dovecot imapd
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
|_ssl-date: TLS randomness does not represent time
```

```
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
993/tcp   open  ssl/imap       syn-ack Dovecot imapd
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
|_ssl-date: TLS randomness does not represent time
|_imap-capabilities: AUTH=LOGINA0001 more SASL-IR Pre-login ENABLE capabilities listed AUTH=PLAIN IDLE NAMESPACE ID IMAP4rev1 post-login LITERAL+
have LOGIN-REFERRALS OK
995/tcp   open  ssl/pop3       syn-ack Dovecot pop3d
|_ssl-date: TLS randomness does not represent time
|_pop3-capabilities: UIDL PIPELINING SASL(PLAIN LOGIN) USER CAPA AUTH-RESP-CODE RESP-CODES TOP
| ssl-cert: Subject: commonName=*.a2hosting.com/organizationName=A2 Hosting, Inc./stateOrProvinceName=Michigan/countryName=US
| Subject Alternative Name: DNS:*.a2hosting.com, DNS:a2hosting.com
| Not valid before: 2021-05-05T00:00:00
|_Not valid after:  2022-06-05T23:59:59
2077/tcp  open  tsrmagt?       syn-ack
| fingerprint-strings:
|   SIPOptions:
|     HTTP/1.1 302 Moved
|     Date: Wed, 26 Jan 2022 14:37:47 GMT
|     Server: cPanel
|     Persistent-Auth: false
|     Host: nl1-ss5.a2hosting.com:2077
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Connection: close
|     Location: https://nl1-ss5.a2hosting.com:2078sip:nm
|     Vary: Accept-Encoding
|     Expires: Fri, 01 Jan 1990 00:00:00 GMT
|_    X-Redirect-Reason: requiressl
2078/tcp  open  ssl/http       syn-ack cPanel httpd (unauthorized)
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
|_http-server-header: cPanel
| http-methods:
|_  Potentially risky methods: PROPFIND LOCK COPY MKCOL PROPPATCH DELETE MOVE PUT UNLOCK
|_http-title: Site doesn't have a title (text/html; charset="utf-8").
| http-webdav-scan:
|   Server Date: Wed, 26 Jan 2022 14:38:39 GMT
|   Allowed Methods: OPTIONS, PROPFIND, GET, LOCK, COPY, MKCOL, PROPPATCH, DELETE, MOVE, PUT, UNLOCK, HEAD, POST
|   Server Type: cPanel
|_  WebDAV type: Unknown
| http-auth:
| HTTP/1.1 401 Unauthorized\x0D
|_  Basic realm=Restricted Area
2079/tcp  open  idware-router? syn-ack
| fingerprint-strings:
|   SIPOptions:
|     HTTP/1.1 302 Moved
|     Date: Wed, 26 Jan 2022 14:37:48 GMT
|     Server: cPanel
|     Persistent-Auth: false
|     Host: nl1-ss5.a2hosting.com:2079
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Connection: close
|     Location: https://nl1-ss5.a2hosting.com:2080sip:nm
|     Vary: Accept-Encoding
|     Expires: Fri, 01 Jan 1990 00:00:00 GMT
|_    X-Redirect-Reason: requiressl
2080/tcp  open  ssl/http       syn-ack cPanel httpd (unauthorized)
| http-auth:
| HTTP/1.1 401 Unauthorized\x0D
|_  Basic realm=Horde DAV Server
|_http-server-header: cPanel
|_http-title: Site doesn't have a title (text/html; charset="utf-8").
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
```

```
File  Actions  Edit  View  Help
|_    X-Redirect-Reason: requiressl
2080/tcp  open  ssl/http       syn-ack cPanel httpd (unauthorized)
| http-auth:
| HTTP/1.1 401 Unauthorized\x0D
|_  Basic realm=Horde DAV Server
|_http-server-header: cPanel
|_http-title: Site doesn't have a title (text/html; charset="utf-8").
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
2082/tcp  open  infowave?      syn-ack
| fingerprint-strings:
|   SIPOptions:
|     HTTP/1.1 301 Moved
|     Content-length: 127
|     Location: https://nl1-ss5.a2hosting.com:2083/sip%3anm
|     Content-type: text/html; charset="utf-8"
|     Cache-Control: no-cache, no-store, must-revalidate, private
|_    <html><head><META HTTP-EQUIV="refresh" CONTENT="2;URL=https://nl1-ss5.a2hosting.com:2083/sip%3anm"></head><body></body></html>
2083/tcp  open  ssl/radsec?    syn-ack
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:34 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: cprelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|     Set-Cookie: cpsession=%3alnxwQPN7AveJX4_8%2c4900cc6bfda40197587e54237f883359; HttpOnly; path=/; port=2083; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|     Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-
|   HTTPOptions:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:34 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: cprelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|     Set-Cookie: cpsession=%3axIBML46hv0OJdCGf%2c4a28991c0de1dabdfffddd6b59882302; HttpOnly; path=/; port=2083; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2083; secure
|_    Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-
2086/tcp  open  gnunet?        syn-ack
| fingerprint-strings:
|   SIPOptions:
|     HTTP/1.1 301 Moved
|     Content-length: 127
|     Location: https://nl1-ss5.a2hosting.com:2087/sip%3anm
|     Content-type: text/html; charset="utf-8"
|     Cache-Control: no-cache, no-store, must-revalidate, private
|_    <html><head><META HTTP-EQUIV="refresh" CONTENT="2;URL=https://nl1-ss5.a2hosting.com:2087/sip%3anm"></head><body></body></html>
2087/tcp  open  ssl/eli?       syn-ack
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:34 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
```

```
|_    <html><head><META HTTP-EQUIV="refresh" CONTENT="2;URL=https://nl1-ss5.a2hosting.com:2087/sip%3anm"></head><body></body></html>
2087/tcp  open  ssl/eli?       syn-ack
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:34 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: whostmgrrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|     Set-Cookie: whostmgrsession=%3aE_yREMzzM2tf6La8%2c0dcd4df8a903c8ba04e8e02c4b7e2cd1; HttpOnly; path=/; port=2087; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|     Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expi
|   HTTPOptions:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:34 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: whostmgrrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|     Set-Cookie: whostmgrsession=%3aPA28594J1FNLM8VI%2cb4a8df05812a8707a87c5480445cf1a1; HttpOnly; path=/; port=2087; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2087; secure
|_    Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expi
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
2095/tcp  open  nbx-ser?       syn-ack
| fingerprint-strings:
|   SIPOptions:
|     HTTP/1.1 301 Moved
|     Content-length: 127
|     Location: https://nl1-ss5.a2hosting.com:2096/sip%3anm
|     Content-type: text/html; charset="utf-8"
|     Cache-Control: no-cache, no-store, must-revalidate, private
|_    <html><head><META HTTP-EQUIV="refresh" CONTENT="2;URL=https://nl1-ss5.a2hosting.com:2096/sip%3anm"></head><body></body></html>
2096/tcp  open  ssl/nbx-dir?   syn-ack
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:35 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: webmailrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: webmailsession=%3a9eU1Wce5EuITmSAl%2c48e002af009b3972e53a0c37f9f9da61; HttpOnly; path=/; port=2096; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expire
|   HTTPOptions:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:35 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: webmailrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
```

```
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expire
|   HTTPOptions:
|     HTTP/1.0 200 OK
|     Connection: close
|     Content-Type: text/html; charset="utf-8"
|     Date: Wed, 26 Jan 2022 14:36:35 GMT
|     Cache-Control: no-cache, no-store, must-revalidate, private
|     Pragma: no-cache
|     Set-Cookie: webmailrelogin=no; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: webmailsession=%3a6nq9MPsOUO_VVZyF%2ce4c1df11223f7b7af7f4b853cfc233b0; HttpOnly; path=/; port=2096; secure
|     Set-Cookie: roundcube_sessid=expired; HttpOnly; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|     Set-Cookie: roundcube_sessauth=expired; HttpOnly; domain=nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; se
cure
|     Set-Cookie: Horde=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expires=Thu, 01-Jan-1970 00:00:01 GMT; path=/; port=2096; secure
|_    Set-Cookie: horde_secret_key=expired; HttpOnly; domain=.nl1-ss5.a2hosting.com; expire
2525/tcp  open  smtp          syn-ack Exim smtpd 4.94.2
| smtp-commands: nl1-ss5.a2hosting.com Hello ip-95-223-75-187.hsi16.unitymediagroup.de [95.223.75.187], SIZE 78643200, 8BITMIME, PIPELINING, PIPE_
CONNECT, AUTH PLAIN LOGIN, STARTTLS, HELP
|_ Commands supported: AUTH STARTTLS HELO EHLO MAIL RCPT DATA BDAT NOOP QUIT RSET HELP
| ssl-cert: Subject: commonName=loadedwithstuff.co.uk
| Subject Alternative Name: DNS:loadedwithstuff.co.uk, DNS:autodiscover.loadedwithstuff.co.uk, DNS:cpanel.loadedwithstuff.co.uk, DNS:cpcalendars.l
oadedwithstuff.co.uk, DNS:cpcontacts.loadedwithstuff.co.uk, DNS:loadedwithstuff.tech-sourcery.co.uk, DNS:mail.loadedwithstuff.co.uk, DNS:webdisk.l
oadedwithstuff.co.uk, DNS:webmail.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.co.uk, DNS:www.loadedwithstuff.tech-sourcery.co.uk
| Not valid before: 2022-01-06T00:00:00
|_Not valid after:  2022-04-06T23:59:59
3306/tcp  open  mysql         syn-ack MySQL 5.5.5-10.3.23-MariaDB-cll-lve
| mysql-info:
|   Protocol: 10
|   Version: 5.5.5-10.3.23-MariaDB-cll-lve
|   Thread ID: 2949587
|   Capabilities flags: 63486
|   Some Capabilities: ConnectWithDatabase, FoundRows, Support41Auth, SupportsTransactions, Speaks41ProtocolNew, DontAllowDatabaseTableColumn, Ign
oreSpaceBeforeParenthesis, ODBCClient, InteractiveClient, IgnoreSigpipes, SupportsCompression, SupportsLoadDataLocal, Speaks41ProtocolOld, LongCol
umnFlag, SupportsMultipleResults, SupportsMultipleStatments, SupportsAuthPlugins
|   Status: Autocommit
|   Salt: Kv10=~*N-6g6#zaWoKe>
|_  Auth Plugin Name: mysql_native_password
5432/tcp  open  postgresql    syn-ack PostgreSQL DB 9.6.0 or later
| fingerprint-strings:
|   SMBProgNeg:
|     SFATAL
|     VFATAL
|     C0A000
|     Munsupported frontend protocol 65363.19778: server supports 1.0 to 3.0
|     Fpostmaster.c
|     L2050
|_    RProcessStartupPacket
6556/tcp  open  tcpwrapped    syn-ack
7822/tcp  open  ssh           syn-ack OpenSSH 7.4 (protocol 2.0)
| ssh-hostkey:
|   2048 1c:b6:64:a3:ad:9a:91:94:11:9e:25:48:9f:28:66:54 (RSA)
|   256 c5:0b:b3:0e:50:52:60:65:3c:88:f6:4c:1d:86:95:fa (ECDSA)
|_  256 e1:21:f6:ab:04:e1:4e:c5:5b:a9:88:ba:e8:af:3c:2d (ED25519)
52224/tcp open  unknown       syn-ack
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.1 301 Moved Permanently
|     Date: Wed, 26 Jan 2022 14:36:20 GMT
|     Content-Type: text/html; charset=UTF-8
|     Content-Length: 0
|     Connection: close
|     X-Powered-By: W3 Total Cache/0.9.4.6.4
|     X-Redirect-By: WordPress
|     Strict-Transport-Security: max-age=63072000; includeSubDomains
|     X-Frame-Options: SAMEORIGIN
|     X-Content-Type-Options: nosniff
|     Location: https://tech-sourcery.co.uk/
|     Cache-Control: max-age=30
|     Expires: Wed, 26 Jan 2022 14:36:49 GMT
|     Vary: User-Agent
|     Server: imunify360-webshield/1.18
|   HTTPOptions:
|     HTTP/1.1 200 OK
|     Date: Wed, 26 Jan 2022 14:36:21 GMT
```

```
|_  256 e1:21:f6:ab:04:e1:4e:c5:5b:a9:88:ba:e8:af:3c:2d (ED25519)
52224/tcp open  unknown        syn-ack
| fingerprint-strings:
|   GetRequest:
|     HTTP/1.1 301 Moved Permanently
|     Date: Wed, 26 Jan 2022 14:36:20 GMT
|     Content-Type: text/html; charset=UTF-8
|     Content-Length: 0
|     Connection: close
|     X-Powered-By: W3 Total Cache/0.9.4.6.4
|     X-Redirect-By: WordPress
|     Strict-Transport-Security: max-age=63072000; includeSubDomains
|     X-Frame-Options: SAMEORIGIN
|     X-Content-Type-Options: nosniff
|     Location: https://tech-sourcery.co.uk/
|     Cache-Control: max-age=30
|     Expires: Wed, 26 Jan 2022 14:36:49 GMT
|     Vary: User-Agent
|     Server: imunify360-webshield/1.18
|   HTTPOptions:
|     HTTP/1.1 200 OK
|     Date: Wed, 26 Jan 2022 14:36:21 GMT
|     Content-Type: text/html; charset=UTF-8
|     Connection: close
|     X-Powered-By: W3 Total Cache/0.9.4.6.4
|     Link: <https://tech-sourcery.co.uk/wp-json/>; rel="https://api.w.org/", <https://tech-sourcery.co.uk/wp-json/wp/v2/pages/7>; rel="alternate"
; type="application/json", <https://tech-sourcery.co.uk/>; rel=shortlink
|     Strict-Transport-Security: max-age=63072000; includeSubDomains
|     X-Frame-Options: SAMEORIGIN
|     X-Content-Type-Options: nosniff
|     Cache-Control: max-age=30
|     Expires: Wed, 26 Jan 2022 14:36:50 GMT
|     Vary: Accept-Encoding,User-Agent
|     Server: imunify360-webshield/1.18
|     <!DOCTYPE html><html
|     lang="en-US" class="no-js"><head><meta
|     charset="UTF-8"><meta
|     name="viewport" content="width=device-width, initial-scale=1"><link
|     rel="profile" href="http://gmpg.org/xfn/11"><script>(function(html){html.className=html.className.replace(/bno-jsb/,'
|   RPCCheck:
|     HTTP/1.1 400 Bad Request
|     Date: Wed, 26 Jan 2022 14:36:21 GMT
|     Content-Type: text/html
|     Content-Length: 154
|     Connection: close
|     Server: imunify360-webshield/1.18
|     <html>
|     <head><title>400 Bad Request</title></head>
|     <body>
|     <center><h1>400 Bad Request</h1></center>
|     <hr><center>openresty</center>
|     </body>
|     </html>
|   RTSPRequest:
|     <html>
|     <head><title>400 Bad Request</title></head>
|     <body>
|     <center><h1>400 Bad Request</h1></center>
|     <hr><center>openresty</center>
|     </body>
|_    </html>
9 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at https://nmap.org/cgi-
bin/submit.cgi?new-service :
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port25-TCP:V=7.92%I=7%D=1/26%Time=61F15C9B%P=x86_64-pc-linux-gnu%r(Kerb
SF:eros,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20pl
SF:ease\x20try\x20again\x20later\.\r\n")%r(SMBProgNeg,43,"421\x20Too\x20ma
SF:ny\x20concurrent\x20SMTP\x20connections;\x20please\x20try\x20again\x20l
SF:ater\.\r\n")%r(LDAPBindReq,43,"421\x20Too\x20many\x20concurrent\x20SMTP
SF:\x20connections;\x20please\x20try\x20again\x20later\.\r\n")%r(SIPOption
SF:s,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20pleas
SF:e\x20try\x20again\x20later\.\r\n")%r(LANDesk-RC,43,"421\x20Too\x20many\
SF:x20concurrent\x20SMTP\x20connections;\x20please\x20try\x20again\x20late
SF:r\.\r\n")%r(TerminalServer,43,"421\x20Too\x20many\x20concurrent\x20SMTP
SF:\x20connections;\x20please\x20try\x20again\x20later\.\r\n")%r(NCP,43,"4
SF:21\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20please\x20tr
```

```
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port25-TCP:V=7.92%I=7%D=1/26%Time=61F15C9B%P=x86_64-pc-linux-gnu%r(Kerb
SF:eros,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20pl
SF:ease\x20try\x20again\x20later\.\r\n")%r(SMBProgNeg,43,"421\x20Too\x20ma
SF:ny\x20concurrent\x20SMTP\x20connections;\x20please\x20try\x20again\x20l
SF:ater\.\r\n")%r(LDAPBindReq,43,"421\x20Too\x20many\x20concurrent\x20SMTP
SF:\x20connections;\x20please\x20try\x20again\x20later\.\r\n")%r(SIPOption
SF:s,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20pleas
SF:e\x20try\x20again\x20later\.\r\n")%r(LANDesk-RC,43,"421\x20Too\x20many\
SF:x20concurrent\x20SMTP\x20connections;\x20please\x20try\x20again\x20late
SF:r\.\r\n")%r(TerminalServer,43,"421\x20Too\x20many\x20concurrent\x20SMTP
SF:\x20connections;\x20please\x20try\x20again\x20later\.\r\n")%r(NCP,43,"4
SF:21\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20please\x20tr
SF:y\x20again\x20later\.\r\n")%r(NotesRPC,43,"421\x20Too\x20many\x20concur
SF:rent\x20SMTP\x20connections;\x20please\x20try\x20again\x20later\.\r\n")
SF:%r(JavaRMI,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;
SF:\x20please\x20try\x20again\x20later\.\r\n")%r(WMSRequest,43,"421\x20Too
SF:\x20many\x20concurrent\x20SMTP\x20connections;\x20please\x20try\x20agai
SF:n\x20later\.\r\n")%r(oracle-tns,43,"421\x20Too\x20many\x20concurrent\x2
SF:0SMTP\x20connections;\x20please\x20try\x20again\x20later\.\r\n")%r(ms-s
SF:ql-s,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connections;\x20pl
SF:ease\x20try\x20again\x20later\.\r\n")%r(afp,43,"421\x20Too\x20many\x20c
SF:oncurrent\x20SMTP\x20connections;\x20please\x20try\x20again\x20later\.\
SF:r\n")%r(giop,43,"421\x20Too\x20many\x20concurrent\x20SMTP\x20connection
SF:s;\x20please\x20try\x20again\x20later\.\r\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2077-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,167,"HTTP/1\.1\x20302\x20Moved\r\nDate:\x20Wed,\x2026\x20Jan\x
SF:202022\x2014:37:47\x20GMT\r\nServer:\x20cPanel\r\nPersistent-Auth:\x20f
SF:alse\r\nHost:\x20nl1-ss5\.a2hosting\.com:2077\r\nCache-Control:\x20no-c
SF:ache,\x20no-store,\x20must-revalidate,\x20private\r\nConnection:\x20clo
SF:se\r\nLocation:\x20https://nl1-ss5\.a2hosting\.com:2078sip:nm\r\nVary:\
SF:x20Accept-Encoding\r\nExpires:\x20Fri,\x2001\x20Jan\x201990\x2000:00:00
SF:\x20GMT\r\nX-Redirect-Reason:\x20requiressl\r\n\r\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2079-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,167,"HTTP/1\.1\x20302\x20Moved\r\nDate:\x20Wed,\x2026\x20Jan\x
SF:202022\x2014:37:48\x20GMT\r\nServer:\x20cPanel\r\nPersistent-Auth:\x20f
SF:alse\r\nHost:\x20nl1-ss5\.a2hosting\.com:2079\r\nCache-Control:\x20no-c
SF:ache,\x20no-store,\x20must-revalidate,\x20private\r\nConnection:\x20clo
SF:se\r\nLocation:\x20https://nl1-ss5\.a2hosting\.com:2080sip:nm\r\nVary:\
SF:x20Accept-Encoding\r\nExpires:\x20Fri,\x2001\x20Jan\x201990\x2000:00:00
SF:\x20GMT\r\nX-Redirect-Reason:\x20requiressl\r\n\r\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2082-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,148,"HTTP/1\.1\x20301\x20Moved\r\nContent-length:\x20127\r\nLo
SF:cation:\x20https://nl1-ss5\.a2hosting\.com:2083/sip%3anm\r\nContent-typ
SF:e:\x20text/html;\x20charset=\"utf-8\"\r\nCache-Control:\x20no-cache,\x2
SF:0no-store,\x20must-revalidate,\x20private\r\n\r\n<html><head><META\x20H
SF:TTP-EQUIV=\"refresh\"\x20CONTENT=\"2;URL=https://nl1-ss5\.a2hosting\.co
SF:m:2083/sip%3anm\"></head><body></body></html>\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2083-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C72%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20cprelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x200
SF:0:00:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20cp
SF:session=%3alnxwQPN7AveJX4_8%2c4900cc6bfda40197587e54237f883359;\x20Http
SF:Only;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20roundcube_se
SF:ssid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x
SF:20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20roundcube_s
SF:essauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\.com;\x20exp
SF:ires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2083;\x
SF:20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20domain=\.nl1-
SF:ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;
SF:\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20horde_secret_key=
SF:expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=T
SF:hu,\x2001-")%r(HTTPOptions,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\
SF:x20close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x
SF:20Wed,\x2026\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-
SF:cache,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cac
SF:he\r\nSet-Cookie:\x20cprelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-J
SF:an-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-C
SF:ookie:\x20cpsession=%3axIBML46hv0OJdCGf%2c4a28991c0de1dabdfffddd6b59882
```

```
File  Actions  Edit  View  Help
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2083-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C72%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20cprelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x200
SF:0:00:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20cp
SF:session=%3alnxwQPN7AveJX4_8%2c4900cc6bfda40197587e54237f883359;\x20Http
SF:Only;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20roundcube_se
SF:ssid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x
SF:20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20roundcube_s
SF:essauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\.com;\x20exp
SF:ires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2083;\x
SF:20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20domain=\.nl1-
SF:ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;
SF:\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20horde_secret_key=
SF:expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=T
SF:hu,\x2001-")%r(HTTPOptions,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\
SF:x20close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x
SF:20Wed,\x2026\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-
SF:cache,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cac
SF:he\r\nSet-Cookie:\x20cprelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-J
SF:an-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-C
SF:ookie:\x20cpsession=%3axIBML46hv0OJdCGf%2c4a28991c0de1dabdfffddd6b59882
SF:302;\x20HttpOnly;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20
SF:roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x
SF:2000:00:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x2
SF:0roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\
SF:.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20
SF:port=2083;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20d
SF:omain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:0
SF:0:01\x20GMT;\x20path=/;\x20port=2083;\x20secure\r\nSet-Cookie:\x20horde
SF:_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\
SF:x20expires=Thu,\x2001-");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2086-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,148,"HTTP/1\.1\x20301\x20Moved\r\nContent-length:\x20127\r\nLo
SF:cation:\x20https://nl1-ss5\.a2hosting\.com:2087/sip%3anm\r\nContent-typ
SF:e:\x20text/html;\x20charset=\"utf-8\"\r\nCache-Control:\x20no-cache,\x2
SF:0no-store,\x20must-revalidate,\x20private\r\n\r\n<html><head><META\x20H
SF:TTP-EQUIV=\"refresh\"\x20CONTENT=\"2;URL=https://nl1-ss5\.a2hosting\.co
SF:m:2087/sip%3anm\"></head><body></body></html>\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2087-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C72%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,9A62,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20whostmgrrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-197
SF:0\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:
SF:\x20whostmgrsession=%3aE_yREMzzM2tf6La8%2c0dcd4df8a903c8ba04e8e02c4b7e2
SF:cd1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20
SF:roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x
SF:2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x2
SF:0roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\
SF:.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20
SF:port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20d
SF:omain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:0
SF:0:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20horde
SF:_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\
SF:x20expi")%r(HTTPOptions,9A62,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20
SF:close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20W
SF:ed,\x2026\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cac
SF:he,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\
SF:r\nSet-Cookie:\x20whostmgrrelogin=no;\x20HttpOnly;\x20expires=Thu,\x200
SF:1-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSe
SF:t-Cookie:\x20whostmgrsession=%3aPA28594J1FNLM8VI%2cb4a8df05812a8707a87c
SF:5480445cf1a1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Co
SF:okie:\x20roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-J
SF:an-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-C
SF:ookie:\x20roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a
SF:2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20pa
SF:th=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpO
SF:nly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-197
SF:0\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:
```

```
SF:m:2087/sip%3anm\"></head><body></body></html>\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2087-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C72%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,9A62,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20whostmgrrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-197
SF:0\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:
SF:\x20whostmgrsession=%3aE_yREMzzM2tf6La8%2c0dcd4df8a903c8ba04e8e02c4b7e2
SF:cd1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20
SF:roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x
SF:2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x2
SF:0roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\
SF:.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20
SF:port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20d
SF:omain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:0
SF:0:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20horde
SF:_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\
SF:x20expi")%r(HTTPOptions,9A62,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20
SF:close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20W
SF:ed,\x2026\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cac
SF:he,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\
SF:r\nSet-Cookie:\x20whostmgrrelogin=no;\x20HttpOnly;\x20expires=Thu,\x200
SF:1-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSe
SF:t-Cookie:\x20whostmgrsession=%3aPA28594J1FNLM8VI%2cb4a8df05812a8707a87c
SF:5480445cf1a1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Co
SF:okie:\x20roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-J
SF:an-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-C
SF:ookie:\x20roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a
SF:2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20pa
SF:th=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpO
SF:nly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-197
SF:0\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:
SF:\x20horde_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosti
SF:ng\.com;\x20expi");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2095-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,148,"HTTP/1\.1\x20301\x20Moved\r\nContent-length:\x20127\r\nLo
SF:cation:\x20https://nl1-ss5\.a2hosting\.com:2096/sip%3anm\r\nContent-typ
SF:e:\x20text/html;\x20charset=\"utf-8\"\r\nCache-Control:\x20no-cache,\x2
SF:0no-store,\x20must-revalidate,\x20private\r\n\r\n<html><head><META\x20H
SF:TTP-EQUIV=\"refresh\"\x20CONTENT=\"2;URL=https://nl1-ss5\.a2hosting\.co
SF:m:2096/sip%3anm\"></head><body></body></html>\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2096-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C73%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:35\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20webmailrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970
SF:\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\
SF:x20webmailsession=%3a9eU1Wce5EuITmSAl%2c48e002af009b3972e53a0c37f9f9da6
SF:1;\x20HttpOnly;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20ro
SF:undcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x20
SF:00:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20r
SF:oundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\.c
SF:om;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20po
SF:rt=2096;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20dom
SF:ain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:
SF:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20horde_s
SF:ecret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x2
SF:0expire")%r(HTTPOptions,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20
SF:close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20W
SF:ed,\x2026\x20Jan\x202022\x2014:36:35\x20GMT\r\nCache-Control:\x20no-cac
SF:he,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\
SF:r\nSet-Cookie:\x20webmailrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001
SF:-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet
SF:-Cookie:\x20webmailsession=%3a6nq9MPsOUO_VVZyF%2ce4c1df11223f7b7af7f4b8
SF:53cfc233b0;\x20HttpOnly;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cook
SF:ie:\x20roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan
SF:-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Coo
SF:kie:\x20roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2h
SF:osting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path
SF:=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnl
SF:y;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\
```

```
SF:\x20whostmgrsession=%3aE_yREMzzM2tf6La8%2c0dcd4df8a903c8ba04e8e02c4b7e2
SF:cd1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20
SF:roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x
SF:2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x2
SF:0roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\
SF:.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20
SF:port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20d
SF:omain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:0
SF:0:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20horde
SF:_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\
SF:x20expi")%r(HTTPOptions,9A62,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20
SF:close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20W
SF:ed,\x2026\x20Jan\x202022\x2014:36:34\x20GMT\r\nCache-Control:\x20no-cac
SF:he,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\
SF:r\nSet-Cookie:\x20whostmgrrelogin=no;\x20HttpOnly;\x20expires=Thu,\x200
SF:1-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSe
SF:t-Cookie:\x20whostmgrsession=%3aPA28594J1FNLM8VI%2cb4a8df05812a8707a87c
SF:5480445cf1a1;\x20HttpOnly;\x20path=/;\x20port=2087;\x20secure\r\nSet-Co
SF:okie:\x20roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-J
SF:an-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-C
SF:ookie:\x20roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a
SF:2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20pa
SF:th=/;\x20port=2087;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpO
SF:nly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-197
SF:0\x2000:00:01\x20GMT;\x20path=/;\x20port=2087;\x20secure\r\nSet-Cookie:
SF:\x20horde_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosti
SF:ng\.com;\x20expi");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2095-TCP:V=7.92%I=7%D=1/26%Time=61F15CBC%P=x86_64-pc-linux-gnu%r(SI
SF:POptions,148,"HTTP/1\.1\x20301\x20Moved\r\nContent-length:\x20127\r\nLo
SF:cation:\x20https://nl1-ss5\.a2hosting\.com:2096/sip%3anm\r\nContent-typ
SF:e:\x20text/html;\x20charset=\"utf-8\"\r\nCache-Control:\x20no-cache,\x2
SF:0no-store,\x20must-revalidate,\x20private\r\n\r\n<html><head><META\x20H
SF:TTP-EQUIV=\"refresh\"\x20CONTENT=\"2;URL=https://nl1-ss5\.a2hosting\.co
SF:m:2096/sip%3anm\"></head><body></body></html>\n");
==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============
SF-Port2096-TCP:V=7.92%T=SSL%I=7%D=1/26%Time=61F15C73%P=x86_64-pc-linux-gn
SF:u%r(GetRequest,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20close\r\n
SF:Content-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20Wed,\x2026
SF:\x20Jan\x202022\x2014:36:35\x20GMT\r\nCache-Control:\x20no-cache,\x20no
SF:-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\r\nSet-Co
SF:okie:\x20webmailrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970
SF:\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\
SF:x20webmailsession=%3a9eU1Wce5EuITmSAl%2c48e002af009b3972e53a0c37f9f9da6
SF:1;\x20HttpOnly;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20ro
SF:undcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan-1970\x20
SF:00:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20r
SF:oundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2hosting\.c
SF:om;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20po
SF:rt=2096;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnly;\x20dom
SF:ain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:
SF:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20horde_s
SF:ecret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting\.com;\x2
SF:0expire")%r(HTTPOptions,4000,"HTTP/1\.0\x20200\x20OK\r\nConnection:\x20
SF:close\r\nContent-Type:\x20text/html;\x20charset=\"utf-8\"\r\nDate:\x20W
SF:ed,\x2026\x20Jan\x202022\x2014:36:35\x20GMT\r\nCache-Control:\x20no-cac
SF:he,\x20no-store,\x20must-revalidate,\x20private\r\nPragma:\x20no-cache\
SF:r\nSet-Cookie:\x20webmailrelogin=no;\x20HttpOnly;\x20expires=Thu,\x2001
SF:-Jan-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet
SF:-Cookie:\x20webmailsession=%3a6nq9MPsOUO_VVZyF%2ce4c1df11223f7b7af7f4b8
SF:53cfc233b0;\x20HttpOnly;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cook
SF:ie:\x20roundcube_sessid=expired;\x20HttpOnly;\x20expires=Thu,\x2001-Jan
SF:-1970\x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Coo
SF:kie:\x20roundcube_sessauth=expired;\x20HttpOnly;\x20domain=nl1-ss5\.a2h
SF:osting\.com;\x20expires=Thu,\x2001-Jan-1970\x2000:00:01\x20GMT;\x20path
SF:=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x20Horde=expired;\x20HttpOnl
SF:y;\x20domain=\.nl1-ss5\.a2hosting\.com;\x20expires=Thu,\x2001-Jan-1970\
SF:x2000:00:01\x20GMT;\x20path=/;\x20port=2096;\x20secure\r\nSet-Cookie:\x
SF:20horde_secret_key=expired;\x20HttpOnly;\x20domain=\.nl1-ss5\.a2hosting
SF:\.com;\x20expire");
Service Info: Host: nl1-ss5.a2hosting.com; OS: Linux; CPE: cpe:/o:redhat:enterprise_linux:7

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 4828.65 seconds
```

```
└─$ sqlmap -u  loadedwithstuff.co.uk                                    2 ×
        ___
       __H__
 ___ ___[)]_____ ___ ___  {1.5.11#stable}
|_ -| . [(]     | .'| . |
|___|_  ["]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual con
sent is illegal. It is the end user's responsibility to obey all applicable local, s
tate and federal laws. Developers assume no liability and are not responsible for an
y misuse or damage caused by this program

[*] starting @ 06:41:32 /2022-02-08/

[06:41:32] [INFO] testing connection to the target URL
got a 301 redirect to 'https://loadedwithstuff.co.uk/'. Do you want to follow? [Y/n]
 y
you have not declared cookie(s), while server wants to set its own ('lcsid=09f717d4a
70...ea83cbe3d3'). Do you want to use those [Y/n] y
[06:41:45] [CRITICAL] previous heuristics detected that the target is protected by s
ome kind of WAF/IPS
[06:41:45] [INFO] testing if the target URL content is stable
[06:42:05] [CRITICAL] WAF/IPS identified as 'Imunify360 (CloudLinux)'
[06:42:05] [WARNING] potential CAPTCHA protection mechanism detected
[06:42:05] [WARNING] it appears that you have been blocked by the target server
[06:42:05] [CRITICAL] no parameter(s) found for testing in the provided data (e.g. GET
 parameter 'id' in 'www.site.com/index.php?id=1'). You are advised to rerun with '--fo
rms --crawl=2'

[*] ending @ 06:42:05 /2022-02-08/
```

```
└─$ sqlmap loadedwithstuff.co.uk -a
        ___
       __H__
 ___ ___[(]_____ ___ ___  {1.5.11#stable}
|_ -| . [,]     | .'| . |
|___|_  [(]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's
 responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsi
ble for any misuse or damage caused by this program

[*] starting @ 06:36:06 /2022-02-08/

[06:36:07] [INFO] testing connection to the target URL
got a 301 redirect to 'https://loadedwithstuff.co.uk/'. Do you want to follow? [Y/n] y
you have not declared cookie(s), while server wants to set its own ('lcsid=00f186341e8...41309c93cd'). Do you want to use
 those [Y/n] y
[06:36:30] [CRITICAL] previous heuristics detected that the target is protected by some kind of WAF/IPS
[06:36:30] [INFO] testing if the target URL content is stable
[06:36:52] [CRITICAL] WAF/IPS identified as 'Imunify360 (CloudLinux)'
[06:36:52] [WARNING] potential CAPTCHA protection mechanism detected
[06:36:52] [WARNING] it appears that you have been blocked by the target server
[06:36:52] [CRITICAL] no parameter(s) found for testing in the provided data (e.g. GET parameter 'id' in 'www.site.com/in
dex.php?id=1'). You are advised to rerun with '--forms --crawl=2'

[*] ending @ 06:36:52 /2022-02-08/
```

```
└─$ sqlmap -u  loadedwithstuff.co.uk -a --dbms=MariaDB                    1 ×
        ___
       __H__
 ___ ___[(]_____ ___ ___  {1.5.11#stable}
|_ -| . [)]     | .'| . |
|___|_  [,]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual conse
nt is illegal. It is the end user's responsibility to obey all applicable local, state
 and federal laws. Developers assume no liability and are not responsible for any misu
se or damage caused by this program

[*] starting @ 06:57:46 /2022-02-08/

[06:57:46] [INFO] testing connection to the target URL
[06:57:47] [CRITICAL] WAF/IPS identified as 'Imunify360 (CloudLinux)'
[06:57:47] [WARNING] potential CAPTCHA protection mechanism detected
[06:57:47] [WARNING] it appears that you have been blocked by the target server
you have not declared cookie(s), while server wants to set its own ('cl-bypass-cache=y
es'). Do you want to use those [Y/n] y
[06:57:50] [CRITICAL] previous heuristics detected that the target is protected by som
e kind of WAF/IPS
[06:57:50] [INFO] testing if the target URL content is stable
[06:57:50] [INFO] target URL content is stable
[06:57:50] [CRITICAL] no parameter(s) found for testing in the provided data (e.g. GET
 parameter 'id' in 'www.site.com/index.php?id=1'). You are advised to rerun with '--fo
rms --crawl=2'

[*] ending @ 06:57:50 /2022-02-08/
```

```
└─$ sqlmap -u  loadedwithstuff.co.uk --random-agent
        ___
       __H__
 ___ ___[(]_____ ___ ___  {1.5.11#stable}
|_ -| . [)]     | .'| . |
|___|_  [(]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual conse
nt is illegal. It is the end user's responsibility to obey all applicable local, state
 and federal laws. Developers assume no liability and are not responsible for any misu
se or damage caused by this program

[*] starting @ 06:43:07 /2022-02-08/

[06:43:07] [INFO] fetched random HTTP User-Agent header value 'Mozilla/5.0 (Windows; U
; Windows NT 6.0; sv-SE; rv:1.8.1.15) Gecko/20080623 Firefox/2.0.0.15' from file '/usr
/share/sqlmap/data/txt/user-agents.txt'
[06:43:07] [INFO] testing connection to the target URL
[06:43:07] [CRITICAL] WAF/IPS identified as 'Imunify360 (CloudLinux)'
[06:43:07] [WARNING] potential CAPTCHA protection mechanism detected
[06:43:07] [WARNING] it appears that you have been blocked by the target server
you have not declared cookie(s), while server wants to set its own ('cl-bypass-cache=y
es'). Do you want to use those [Y/n] y
[06:43:13] [CRITICAL] previous heuristics detected that the target is protected by som
e kind of WAF/IPS
[06:43:13] [INFO] testing if the target URL content is stable
[06:43:13] [INFO] target URL content is stable
[06:43:13] [CRITICAL] no parameter(s) found for testing in the provided data (e.g. GET
 parameter 'id' in 'www.site.com/index.php?id=1'). You are advised to rerun with '--fo
rms --crawl=2'

[*] ending @ 06:43:13 /2022-02-08/
```


sqlmap -u loadedwithstuff.co.uk --forms --crawl=2
{1.5.11#stable}
https://sqlmap.org
[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this program
[*] starting @ 06:44:59 /2022-02-08/
do you want to check for the existence of site's sitemap(.xml) [y/N] y
[06:45:05] [CRITICAL] WAF/IPS identified as 'Imunify360 (CloudLinux)'
[06:45:05] [WARNING] potential CAPTCHA protection mechanism detected
[06:45:05] [WARNING] it appears that you have been blocked by the target server
[06:45:05] [INFO] no links found
[06:45:05] [INFO] starting crawler for target URL 'http://loadedwithstuff.co.uk'
[06:45:05] [INFO] searching for links with depth 1
[06:45:05] [INFO] searching for links with depth 2
please enter number of threads? [Enter for 1 (current)] 1
[06:45:18] [WARNING] running in a single-thread mode. This could take a while
do you want to normalize crawling results [Y/n] y
[*] ending @ 06:45:27 /2022-02-08/


NeuraLegion
Scans
Projects
Authentications
Repeaters
Storage
Accounting and billing
Organization
Activity log
Scans ▸ Scan 4rS6v5hymvNEDkAjRZbTAr
Refresh
SCAN PROGRESS
Elapsed time
0s
Pending
Overall progress
0%
Average scan speed
N/A
Average response time
N/A
COVERAGE
Discovery of entry points
N/A
0
Entry points
0
Parameters
TOTAL FOUND ISSUES
0
High
0
Medium
0
Low
TOTAL TESTED SCENARIOS
0
Total requests
0
Test related requests
SCAN INFO
Configuration
Issues
Progress
Engine notifications
Entry points
Sitemap
Network
Tech stack
Engine log
Comments
Search
Copy
Parameter
Value
Activated modules
DAST
Discovery types
Crawler
Scanned hosts
loadedwithstuff.co.uk
Start Time
N/A
Initiated by
Michael Geiger
Scheduling & Recurrence
N/A
Scan template
N/A
Project
Default
Authentication object
N/A
Recording / Schema filename
N/A
Delete after scan
N/A
Hosts
N/A
Crawler targets
https://loadedwithstuff.co.uk/
Ignored URLs (regex)
N/A
Ignored parameter names (regex)
N/A
Open API link
N/A
WebSocket payload extractors
N/A
WebSocket request ID XPath
N/A


Scan wgkfCfGinHzwoJ2QePLxxB
Loaded Commerce 6.6 - Power
https://app.neuralegion.com/scans/wgkfCfGinHzwoJ2QePLxxB
NeuraLegion
Scans
Projects
beta
Authentications
beta
Repeaters
Storage
Accounting and billing
Organization
Activity log
Scans ▸ Scan wgkfCfGinHzwoJ2QePLxxB
Refresh
Scan Name: https://loadedwithstuff.co.uk/
Scan ID: wgkfCfGinHzwoJ2QePLxxB
SCAN PROGRESS
Elapsed time
19h 40m 9s
Running
Overall progress
95.13%
Average scan speed
17.7req/s
Average response time
N/A
COVERAGE
Discovery of entry points
In progress
1295
Entry points
772
Parameters
TOTAL FOUND ISSUES
0
High
0
Medium
0
Low
TOTAL TESTED SCENARIOS
1253431
Total requests
127022
Test related requests
SCAN INFO
Configuration
Issues
Progress
Engine notifications
Entry points
Sitemap
Network
Tech stack
Engine log
Comments
Test name
Zur Suche Text hier eingeben
7°C Bewölkt
09:27
09.02.2022


Scan wgkfCfGinHzwoJ2QePLxxB
Seiten-Ladefehler
https://app.neuralegion.com/scans/wgkfCfGinHzwoJ2QePLxxB
NeuraLegion
Scans
Projects
beta
Authentications
beta
Repeaters
Storage
Accounting and billing
Organization
Activity log
Scans ▸ Scan wgkfCfGinHzwoJ2QePLxxB
Refresh
Scan Name: https://loadedwithstuff.co.uk/
Scan ID: wgkfCfGinHzwoJ2QePLxxB
SCAN PROGRESS
Elapsed time
1d 10h 38m 31s
Disrupted
Overall progress
96.82%
Average scan speed
12.2req/s
Average response time
N/A
COVERAGE
Discovery of entry points
Stopped
1451
Entry points
989
Parameters
TOTAL FOUND ISSUES
0
High
0
Medium
0
Low
TOTAL TESTED SCENARIOS
1522433
Total requests
172800
Test related requests
SCAN INFO
Configuration
Issues
Progress
Engine notifications
Entry points
Sitemap
Network
Tech stack
Engine log
Comments
Search
Copy
Zur Suche Text hier eingeben
2°C Bewölkt
09:16
10.02.2022


Scan wgkfCfGinHzwoJ2QePLxxB
Seiten-Ladefehler
https://app.neuralegion.com/scans/wgkfCfGinHzwoJ2QePLxxB
NeuraLegion
Scans
Projects
Authentications
Repeaters
Storage
Accounting and billing
Organization
Activity log
Scan Name: https://loadedwithstuff.co.uk/
SCAN PROGRESS
Disrupted
Overall progress
96.82%
COVERAGE
Discovery of entry points
Stopped
1451
989
TOTAL FOUND ISSUES
TOTAL TESTED SCENARIOS
1522433
172800
SCAN INFO
Broken SAML SSO Authentication
Brute Force Login
CSRF
Cross-Site Scripting
Client-Side XSS
File Upload
Full Path Disclosure
LDAP Injection
Local File Inclusion
Open Buckets Test
Open Database
Zur Suche Text hier eingeben
2°C Bewölkt
09:17
10.02.2022


Scan wgkfCfGinHzwoJ2QePLxxB
Seiten-Ladefehler
https://app.neuralegion.com/scans/wgkfCfGinHzwoJ2QePLxxB
NeuraLegion
Scans
Projects
Authentications
Repeaters
Storage
Accounting and billing
Organization
Activity log
Scan Name: https://loadedwithstuff.co.uk/
SCAN PROGRESS
Disrupted
Overall progress
96.82%
COVERAGE
Discovery of entry points
Stopped
1451
989
TOTAL FOUND ISSUES
TOTAL TESTED SCENARIOS
1522433
172800
SCAN INFO
Open Buckets Test
Open Database
Operating System Injection
Prototype Pollution
RFI
Server Side Template Injection
Server Side Request Forgery
SQLi
Unvalidated Redirect
XML External Entity
XPath Injection
Broken JWT Authentication & User Bypass
Common Files
Zur Suche Text hier eingeben
2°C Bewölkt
09:17
10.02.2022