

API Integration Guide: Order Tracking

1. Introduction

The Order Tracking API provides a way to fetch the current status and scan history of your shipments. By sending an order_no or awb, you can retrieve detailed tracking information including courier assignment and scan stages.

2. API Endpoint Details

- **Method:** POST
- **Content-Type:** application/json
- **Endpoint:** [https://shipcorrect.com/api/trackOrder.php]
- **Authentication:** Pass your unique api_key in the JSON request body.

3. Request Parameters

Send a JSON object with the following fields in the body:

Parameter	Required	Type	Description
api_key	Yes	String	Your unique seller API key.
order_no	Conditional	String	ShipCorrect order number (required if AWB is missing).
awb	Conditional	String	The AWB number generated by the courier (required if Order No is missing).

4. Integration Request Example

Send a POST request with a JSON body:

JSON

```
{  
  "api_key": "YOUR_API_KEY_HERE",  
  "order_no": "ORD-999-XYZ"  
}
```

5. API Response Examples

Success Response

When the order is found, the API returns the order status and a list of tracking stages:

JSON

```
{
  "order_no": "ORD-999-XYZ",
  "awb": "90548354758",
  "courier_name": "Bluedart-Air",
  "tacking_status": "In Transit",
  "scan_stages": [
    {
      "activity": "Shipment Picked Up",
      "date": "2026-06-05 10:00:00",
      "location": "Mumbai"
    },
    {
      "activity": "In Transit",
      "date": "2026-06-06 09:00:00",
      "location": "Delhi"
    }
  ],
  "status": "success"
}
```

Error Responses

Invalid API Key:

JSON

```
{
  "status": "error",
  "error_message": "Invalid API key"
}
```

Order Not Found:

JSON

```
{  
  "status": "error",  
  "error_message": "Failed to fetch the order"  
}
```

6. Technical Implementation Note

The API uses `mysqli_real_escape_string` for security, protecting your database against injection. Ensure your JSON payload is correctly formatted and that the content-type header is set to `application/json` in your request headers.