HEALTH RISK ASSESSMENT REPORT

Roundup UltraMAX Herbicide liquid

THE HAZARD 2 Moderate	THE RISK 1 Low	Controls Requi		alth Surveillance: —	Respiratory Protection Factor: 4
INGREDIENTS	C	AS NO	%	8HR OEL	15 MIN OEL
acetone	6	7-64-1	51	1185 mg/m3	2375 mg/m3
ethanol	6	4-17-5	19	1880 mg/m3	_
water	7	732-18-5	30	_	_

Chemwatch Hazard Ratings

	Min Max	i
Flammability	0	
Toxicity	1	0 = Minimum
Body Contact	2	1 = Low
Reactivity	0	2 = Moderate 3 = High
Chronic	4	3 = HigH 4 = Extreme

Hazard statement(s):

- Causes serious eye irritation.
- · May cause drowsiness or dizziness.
- · Repeated exposure may cause skin dryness and cracking.

- Those with eye complaints
- · Those working in confined spaces

Respirator is always a last resort!

PERSONAL PROTECTIVE EQUIPMENT











EMERGENCY

HEALTH HAZARDS



Harmful/irr





FIRST AID





Persons Potentially At Risk are:

Precautionary statement(s): Prevention

- · Use only outdoors or in a well-ventilated area.
- Avoid breathing mist/vapours/spray.
- Wear protective gloves, protective clothing, eye protection and face protection.
- · Wash all exposed external body areas thoroughly after handling.

Precautionary statement(s): Response

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
- If eye irritation persists: Get medical advice/attention.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

OPERATING TEMPERATURE	VOLATILITY/DUSTINESS		SCALE OF USE	FREQUENCY OF USE
0 C°	powder		grams	weekly
Code:	Assessed By:	Approved By:		OPERATING PROCEDURE:
Job name:	Signed:	Signed:		
Date:				
Version number: 0				
Reassess:				
No. Persons Exposed:				