<u>Dashboard</u> / <u>My courses</u> / <u>CS23333-OOPUJ-2023</u> / <u>Lab-07-Interfaces</u> / <u>Lab-07-Logic Building</u>

Status	Finished
Started	Thursday, 3 October 2024, 12:42 PM
Completed	Thursday, 3 October 2024, 1:09 PM
ъ .:	27 . 45

Duration 27 mins 15 secs

```
Question 1
Correct
Marked out of 5.00
```

RBI issues all national banks to collect interest on all customer loans.

Create an RBI interface with a variable String parentBank="RBI" and abstract method rateOfInterest().

RBI interface has two more methods default and static method.

```
default void policyNote() {
```

System.out.println("RBI has a new Policy issued in 2023.");
}

static void regulations(){

 $System.out.println ("RBI \ has \ updated \ new \ regulations \ on \ 2024.");$

}

Create two subclasses SBI and Karur which implements the RBI interface.

Provide the necessary code for the abstract method in two sub-classes.

Sample Input/Output:

RBI has a new Policy issued in 2023

RBI has updated new regulations in 2024.

SBI rate of interest: 7.6 per annum.

Karur rate of interest: 7.4 per annum.

For example:

Test	Result
1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024.
	SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.

Answer: (penalty regime: 0 %)

```
1 ▼ interface RBI{
        String parentBank ="RBI";
 2
3
        double rateofInterest();
4
        default void policyNote() {
5
           System.out.println("RBI has updated new regulations in 2024.");}
 6 ,
        static void regulations() {
7
            System.out.println("RBI has a new Policy issued in 2023");}
9 v class SBI implements RBI{
10
      public double rateofInterest() {
11
             return 7.6;
12
13
   class Karur implements RBI {
14
15 🔻
        public double rateofInterest() {
16
            return 7.4;
17
18
19 v public class Main {
    public static void main(String[] args) {
20 •
21
        RBI.regulations();
22
    SBI sbiBank =new SBI();
23
    Karur karurBank =new Karur();
24
    sbiBank.policyNote();
    System.out.println("SBI rate of interest: "+ sbiBank.rateofInterest()+" per annum.");
25
26
    System.out.println("Karur rate of interest: "+karurBank.rateofInterest()+" per annum.");
27
   }
28
```

	Test	Expected	Got	
~	1	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	RBI has a new Policy issued in 2023 RBI has updated new regulations in 2024. SBI rate of interest: 7.6 per annum. Karur rate of interest: 7.4 per annum.	~

Passed all tests! ✓

```
Question 2
Correct
Marked out of 5.00
```

create an interface Playable with a method play() that takes no arguments and returns void. Create three classes Football, Volleyball, and Basketball that implement the Playable interface and override the play() method to play the respective sports.

```
interface Playable {
    void play();
}

class Football implements Playable {
    String name;
    public Football(String name){
        this.name=name;
    }
    public void play() {
        System.out.println(name+" is Playing football");
    }
}
```

Similarly, create Volleyball and Basketball classes.

Sample output:

```
Sadhvin is Playing football
Sanjay is Playing volleyball
Sruthi is Playing basketball
```

For example:

Test	Input	Result
1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball
2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball

Answer: (penalty regime: 0 %)

```
1 v import java.util.Scanner;
 2 v interface Playable {
 3
        void play();
4
    }
 5
    class Football implements Playable {
        String name;
6
7 ,
        public Football(String name) {
8
            this.name = name;
9
10
        public void play() {
11
            System.out.println(name + " is Playing football");
12
13
    }
14
    class Volleyball implements Playable {
15
        String name;
        public Volleyball(String name) {
16
17
            this.name = name;
18
19
        public void play() {
20
            System.out.println(name + " is Playing volleyball");
21
22
23
    class Basketball implements Playable {
24
        String name;
25
        public Basketball(String name) {
26
            this.name = name;
27
28
        public void play() {
29
            System.out.println(name + " is Playing basketball");
30
31
    }
    public class Main {
32 ,
        public static void main(String[] args) {
```

```
34
            Scanner scanner = new Scanner(System.in);
             // Reading names from input dynamically
35
36
            String footballPlayerName = scanner.nextLine();
            String volleyballPlayerName = scanner.nextLine();
37
38
            String basketballPlayerName = scanner.nextLine();
             // Create players dynamically based on input
39
40
            Football footballPlayer = new Football(footballPlayerName);
            Volleyball volleyballPlayer = new Volleyball(volleyballPlayerName);
41
             Basketball basketballPlayer = new Basketball(basketballPlayerName);
42
            // Play the respective sports
footballPlayer.play();
43
44
45
            volleyballPlayer.play();
             basketballPlayer.play();
46
47
             scanner.close();
48
49
```

	Test	Input	Expected	Got	
~	1	Sadhvin Sanjay Sruthi	Sadhvin is Playing football Sanjay is Playing volleyball Sruthi is Playing basketball	, , , ,	~
~	2	Vijay Arun Balaji	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	Vijay is Playing football Arun is Playing volleyball Balaji is Playing basketball	~

Passed all tests! <

1

```
Question 3
Correct
Marked out of 5.00
```

Create interfaces shown below.

```
interface Sports {
public void setHomeTeam(String name);
public void setVisitingTeam(String name);
}
interface Football extends Sports {
public void homeTeamScored(int points);
public void visitingTeamScored(int points);}
```

create a class College that implements the Football interface and provides the necessary functionality to the abstract methods.

sample Input:

Rajalakshmi

Saveetha

22 21

Output:

Rajalakshmi 22 scored

Saveetha 21 scored

Rajalakshmi is the Winner!

For example:

Test	Input	Result
1	Rajalakshmi	Rajalakshmi 22 scored
	Saveetha	Saveetha 21 scored
	22	Rajalakshmi is the winner!
	21	

Answer: (penalty regime: 0 %)

Reset answer

```
1 ▼ import java.util.Scanner;
   // Sports Interface
3 v interface Sports {
        public void setHomeTeam(String name);
4
        public void setVisitingTeam(String name);
6
 7
    // Football Interface extending Sports
8 * interface Football extends Sports {
9
        public void homeTeamScored(int points);
10
        public void visitingTeamScored(int points);
11
    // College class implementing Football interface
12
13 v class College implements Football {
14
        private String homeTeam;
15
        private String visitingTeam;
16
        private int homeTeamPoints;
17
        private int visitingTeamPoints;
18
        // Implementing setHomeTeam method
19
        @Override
        public void setHomeTeam(String name) {
20
21
            this.homeTeam = name;
22
23
        // Implementing setVisitingTeam method
24
        @Override
25
        public void setVisitingTeam(String name) {
26
            this.visitingTeam = name;
27
28
        // Implementing homeTeamScored method
29
        @Override
30
        public void homeTeamScored(int points) {
31
            this.homeTeamPoints = points;
32
33
        // Implementing visitingTeamScored method
34
        @Override
35
        public void visitingTeamScored(int points) {
```

```
36
              this.visitingTeamPoints = points;
37
38
         // Method to display the result
         public void displayResult() {
39
             System.out.println(homeTeam + " " + homeTeamPoints + " scored");
System.out.println(visitingTeam + " " + visitingTeamPoints + " scored");
40
41
42
             if (homeTeamPoints > visitingTeamPoints) {
                  System.out.println(homeTeam + " is the winner!");
43
44
              } else if (visitingTeamPoints > homeTeamPoints) {
45
                  System.out.println(visitingTeam + " is the winner!");
46
              } else {
47
                  System.out.println("It's a tie match.");
48
49
50
    // Main class to execute the program
51
52 v public class Main {
```

	Test	Input	Expected	Got	
~	1	Rajalakshmi	Rajalakshmi 22 scored	Rajalakshmi 22 scored	~
		Saveetha	Saveetha 21 scored	Saveetha 21 scored	
		22	Rajalakshmi is the winner!	Rajalakshmi is the winner!	
		21			
~	2	Anna	Anna 21 scored	Anna 21 scored	~
		Balaji	Balaji 21 scored	Balaji 21 scored	
		21	It's a tie match.	It's a tie match.	
		21			
~	3	SRM	SRM 20 scored	SRM 20 scored	~
		VIT	VIT 21 scored	VIT 21 scored	
		20	VIT is the winner!	VIT is the winner!	
		21			
	1	I			

Passed all tests! <

■ Lab-07-MCQ

Jump to...

Generate series and find Nth element ►

11