

```
$ args_demo.sh U X $ greet.sh U X
90DaysOfDevOps > 2026 > day-17 > $ greet.sh
```

```
1  #!/bin/bash
2
3  if [[ "$#" -eq 0 ]] ; then
4      echo "Usage: ./greet.sh <name>"
5  else
6      echo "Hello, $1!"
7
8  fi
```

```
$ args_demo.sh U X $ for_loop.sh U X
90DaysOfDevOps > 2026 > day-17 > $ for_loop.sh
```

```
1  #!/bin/bash
2
3  ARR=("apple" "banana" "orange" "grape" "mango")
4
5  for x in "${ARR[@]}"; do
6      echo "$x"
7  done
```

```
$ args_demo.sh U X $ countdown.sh U X
90DaysOfDevOps > 2026 > day-17 > $ countdown.sh
```

```
1  #!/bin/bash
2
3  read -p "Enter a starting number: " num
4  while [[ $num -ge 0 ]]; do
5      echo "$num"
6      num=$((num-1))
7
8  done
9
10 echo "Done!"
```

```
$ args_demo.sh U X $ count.sh U X
90DaysOfDevOps > 2026 > day-17 > $ count.sh
```

```
1  #!/bin/bash
2
3
4  for num in {1..10}; do
5      echo "$num"
6
7  done
```

```
90DaysOfDevOps > 2026 > day-17 > $ args_demo.sh
```

```
1  #!/bin/bash
2
3  echo "the name of the script is $0"
4  echo "The total number of arguments $#"
```

```
5  echo "Every single argument passed: $@"
```

```
ubuntu@devops-ai-powered:~/scripts$ vim day17task4install_packages.sh
ubuntu@devops-ai-powered:~/scripts$ sudo bash day17task4install_packages.sh
nginx is already installed.
curl is already installed.
wget is already installed.
ubuntu@devops-ai-powered:~/scripts$ vim day17task4install_packages.sh
ubuntu@devops-ai-powered:~/scripts$ bash day17task4install_packages.sh
Error: This script must be run as root! Use sudo.
ubuntu@devops-ai-powered:~/scripts$ cat day17task4install_packages.sh
#!/bin/bash

if [[ $EUID -ne 0 ]]; then
    echo "Error: This script must be run as root! Use sudo."
    exit 1
fi

ARR=("nginx" "curl" "wget")

for x in "${ARR[@]}; do
    if dpkg -s "$x" &> /dev/null; then
        echo "$x is already installed."
    else
        echo "Installing $x..."
        apt-get install -y "$x"
    fi
done
ubuntu@devops-ai-powered:~/scripts$
```