Parklux

Token

POST Access Token

https://pms-future.herokuapp.com/oauth/token

HEADERS

Content-Type

application/x-www-form-urlencoded

BODY urlencoded

username

admin@mail.com

password

master

grant_type

password

Example Request

Access Token

```
POST /oauth/token HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/x-www-form-urlencoded


username=admin@mail.com&password=master&grant_type=password
```

POST Refresh Token

https://pms-future.herokuapp.com/oauth/token

BODY urlencoded

grant_type

refresh_token

refresh_token

2f80ed09-a5d8-4937-9071-64f526749752

Example Request

Refresh Token

```
POST /oauth/token HTTP/1.1
Host: pms-future.herokuapp.com


grant_type=refresh_token&refresh_token=2f80ed09-a5d8-4937-9071-64f526749752
```

Booking

Admin

GET Find Past Booking ParkingZone

http://pms-future.herokuapp.com/api2/booking/past/parking-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82&page=0

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

page

0

Example Request

Find Past Booking ParkingZone

```
GET /api2/booking/past/parking-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82&page=0 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Find Ongoing Booking ParkingZone

http://pms-future.herokuapp.com/api2/booking/ongoing/parking-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82&page=0

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

page

0

Example Request

Find Ongoing Booking ParkingZone

```
GET /api2/booking/ongoing/parking-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82&page=0 HTTP/1.1
Host: pms-future.herokuapp.com
```

Customer

GET Find Booking Customer Paging

http://pms-future.herokuapp.com/api/booking/customer?access_token=e929a3ce-b373-406e-9301-1bfabed991dd&page=0

HEADERS

Content-Type

application/x-www-form-urlencoded

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

page

0

Example Request

Find Booking Customer Paging

```
GET /api/booking/customer?access_token=e929a3ce-b373-406e-9301-1bfabed991dd&page=0 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/x-www-form-urlencoded
```

GET Find Ongoing Booking Customer

https://pms-future.herokuapp.com/api/booking/customer/ongoing?access_token=e929a3ce-b373-406e-9301-1bfabed991dd

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

Example Request

Find Ongoing Booking Customer

```
GET /api/booking/customer/ongoing?access_token=e929a3ce-b373-406e-9301-1bfabed991dd HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Booking Receipt

https://pms-future.herokuapp.com/api/booking/5e344aecdaaece00045fa85d/receipt?access_token=e929a3ce-b373-406e-9301-1bfabed991dd

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

Example Request

Booking Receipt

```
GET /api/booking/5e344aecdaaece00045fa85d/receipt?access_token=e929a3ce-b373-406e-9301-1bfabed991dd HTTP/1.1
Host: pms-future.herokuapp.com
```

POST Create Booking

http://pms-future.herokuapp.com/api/booking/5e3544979134f60004f0885c/e07xS78xqd8:APA91bEVHzENzrThnI6cDnCfb2ovqdeOzoF_8FtRVSGgP8M1T_bK6jV0pD3lI1-vFBhOIxx
78kRtJzLwreM85X63pXX8gz-ERe3v55P9FX8v5fFl8J4VyJq1b8PSIv7YNBZLJemgNaFd?access_token=97dd5017-c2f4-48de-8cd7-46e78c47a4dd

PARAMS

access_token

97dd5017-c2f4-48de-8cd7-46e78c47a4dd

Example Request

Create Booking

```
POST /api/booking/5e3544979134f60004f0885c/e07xS78xqd8:APA91bEVHzENzrThnI6cDnCfb2ovqdeOzoF_8FtRVSGgP8M1T_bK6jV0pD3lI1-vFBhOlxx78kRtJzLwreM85X63pXX8gz-
Host: pms-future.herokuapp.com
```

POST Checkout Booking

http://pms-future.herokuapp.com/api/booking/checkout?access_token=97dd5017-c2f4-48de-8cd7-46e78c47a4dd

PARAMS

access_token

97dd5017-c2f4-48de-8cd7-46e78c47a4dd

Example Request

Checkout Booking

```
POST /api/booking/checkout?access_token=97dd5017-c2f4-48de-8cd7-46e78c47a4dd HTTP/1.1
Host: pms-future.herokuapp.com
```

SuperAdmin

GET Load All

http://pms-future.herokuapp.com/api3/booking?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&filter=all

HEADERS

Content-Type

application/json

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

page

0

filter

all

Example Request

Load All

```
GET /api3/booking?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&filter=all HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json
```

GET Find Booking by Id

```
http://pms-future.herokuapp.com/api3/booking/5e333656daaece00045fa823?access_token=71faf9d6-3e97-4185-91be-49e523b58793
```

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Find Booking by Id

```
GET /api3/booking/5e333656daaece00045fa823?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Booking Receipt by Id

http://pms-future.herokuapp.com/api3/booking/5e333656daaece00045fa823/receipt?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Booking Receipt by Id

```
GET /api3/booking/5e333656daaece00045fa823/receipt?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

POST Checkout Booking by Id SuperAdmin

http://pms-future.herokuapp.com/api3/booking/5e3547749134f60004f08862/checkout?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Checkout Booking by Id SuperAdmin

```
POST /api3/booking/5e3547749134f60004f08862/checkout?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

Customer

Customer

GET Get User Detail

http://pms-future.herokuapp.com/api/customer/detail?access_token=e929a3ce-b373-406e-9301-1bfabed991dd

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

Example Request

Get User Detail

```
GET /api/customer/detail?access_token=e929a3ce-b373-406e-9301-1bfabed991dd HTTP/1.1
Host: pms-future.herokuapp.com
```

PUT Update Customer

http://pms-future.herokuapp.com/api/customer/update/?access_token=e929a3ce-b373-406e-9301-1bfabed991dd

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

BODY formdata

customer

{ "name":"Minatozaki Sana (Android 1)", "email":"android@mail.com", "phoneNumber":"081234561", "password":"master" }

Example Request

Update Customer

```
PUT /api/customer/update/?access_token=e929a3ce-b373-406e-9301-1bfabed991dd HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW


----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="customer"


{
"name":"Minatozaki Sana (Android 1)",
"email":"android@mail.com",
```

POST Create Customer

http://pms-future.herokuapp.com/customer/create

HEADERS

Content-Type

application/json

BODY raw

```
{
    "name" : "Zedd",
    "email" : "zedd@mail.com",
    "phoneNumber" : "08123456123",
    "password" : "master"
}
```

Example Request

Create Customer

```
POST /customer/create HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json


{
    "name" : "Zedd",
    "email" : "zedd@mail.com",
    "phoneNumber" : "08123456123",
    "password" : "master"
}
```

Super Admin

GET Load All Search by Name

http://pms-future.herokuapp.com/api3/customer?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&name=android

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

page

0

name

android

Example Request

Load All Search by Name

```
GET /api3/customer?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&name=android HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get User Detail by Id SuperAdmin

http://pms-future.herokuapp.com/api3/customer/5e22e83a3516c80004e3efbb/detail?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Get User Detail by Id SuperAdmin

```
GET /api3/customer/5e22e83a3516c80004e3efbb/detail?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

PUT Update Customer by Id SuperAdmin

http://pms-future.herokuapp.com/api3/customer/5e22e83a3516c80004e3efbb/update/?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

BODY formdata

customer

{ "name":"Minatozaki Sana (Android 1)", "email":"android@mail.com", "phoneNumber":"081234561", "password":"master" }

Example Request

Update Customer by Id SuperAdmin

```
PUT /api3/customer/5e22e83a3516c80004e3efbb/update/?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW


----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="customer"


{
"name":"Minatozaki Sana (Android 1)",
"email":"android@mail.com",
```

POST Ban Customer

http://pms-future.herokuapp.com/api3/5e354cbc9134f60004f08865/customer/ban?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Ban Customer

```
POST /api3/5e354cbc9134f60004f08865/customer/ban?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

Generate QR

Admin

GET Generate Qr

```
http://pms-future.herokuapp.com/api2/e07xS78xqd8:APA91bEVHzENzrThnI6cDnCfb2ovqdeOzoF_8FtRVSGgP8M1T_bK6jV0pD3lI1-vFBhOlxx78kRtJzLwreM85X63pXX8gz-ERe3v55
P9FX8v5fFl8J4VyJq1b8PSIv7YNBZLJemgNaFd/qr?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82
```

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Generate Qr

```
GET /api2/e07xS78xqd8:APA91bEVHzENzrThnI6cDnCfb2ovqdeOzoF_8FtRVSGgP8M1T_bK6jV0pD3lI1-vFBhOlxx78kRtJzLwreM85X63pXX8gz-ERe3v55P9FX8v5fFl8J4VyJq1b8PSIv7YM
Host: pms-future.herokuapp.com
```

Parking Zone

Admin

GET Get Parking Zone Detail

http://pms-future.herokuapp.com/api2/parking-zone/detail?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Get Parking Zone Detail

```
GET /api2/parking-zone/detail?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

POST Add Parking Level

http://pms-future.herokuapp.com/api2/parking-zone/add-level?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

HEADERS

Content-Type

application/json

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY raw

```
Level 2
```

Example Request

Add Parking Level

```
POST /api2/parking-zone/add-level?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json


Level 2
```

GET Get Levels

http://pms-future.herokuapp.com/api2/parking-zone/levels?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Get Levels

```
GET /api2/parking-zone/levels?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get Parking Level Booking Layout

http://pms-future.herokuapp.com/api2/parking-zone/5e354f5b9134f60004f08867/level-layout?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Get Parking Level Booking Layout

```
GET /api2/parking-zone/5e354f5b9134f60004f08867/level-layout?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get Section Details

http://pms-future.herokuapp.com/api2/parking-zone/5e354f5b9134f60004f08867/section-details?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Get Section Details

```
GET /api2/parking-zone/5e354f5b9134f60004f08867/section-details?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

POST Edit Mode Parking Level

http://pms-future.herokuapp.com/api2/parking-zone/level/edit-mode/5e354f5b9134f60004f08867/EditMode?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

Example Request

Edit Mode Parking Level

```
POST /api2/parking-zone/level/edit-mode/5e354f5b9134f60004f08867/EditMode?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

PUT Update Parking Zone Picture

http://pms-future.herokuapp.com/api2/parking-zone/update-zone/picture?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY formdata

file

Example Request

Update Parking Zone Picture

```
PUT /api2/parking-zone/update-zone/picture?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW


----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="file"; filename="2-Sihyeon-577x800.jpg"
Content-Type: image/jpeg


(data)
----WebKitFormBoundary7MA4YWxkTrZu0gW
```

PUT Update Parking Level

http://pms-future.herokuapp.com/api2/parking-zone/update-level?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

HEADERS

Content-Type

application/json

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY raw

```
{
    "idLevel" : "5e354f5b9134f60004f08867",
    "levelName" : "lEVEL",
    "status" : "A"
}
```

Example Request

Update Parking Level

```
PUT /api2/parking-zone/update-level?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json

{
    "idLevel" : "5e354f5b9134f60004f08867",
    "levelName" : "lEVEL",
    "status" : "A"
}
```

POST Update Level

```
http://pms-future.herokuapp.com/api2/parking-zone/update-level/5e354f5b9134f60004f08867?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82
```

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY raw

"BBBBBBBBBBBBBBBBBBOOOOOOOOOOOOOOOBBOBEEOBEEEBEEEOBBOEOOOOOOOOOOOOOBBOSRBBBEEDBOBEOBBOOOOOOBEEBOBEOBBOEVEEOOOOOOOOOOBBOEEDEOBBBBQBBBBBOOOOOOBO

Example Request

Update Level

```
POST /api2/parking-zone/update-level/5e354f5b9134f60004f08867?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
```

"BBBBBBBBBBBBBBBBBBOOOOOOOOOOOOOOOBBOBEEOBEEEBEEEOBBOEOOOOOOOOOOOOOBBOSRBBBEEDBOBEOBBOOOOOOBEEBOBEOBBOEVEEOOOOOOOOOBBOEEDEOBBBBQBBBBBOOOOOOBOOOOOOOOOBOEEDI

POST Update Parking Section

http://pms-future.herokuapp.com/api2/parking-zone/update-section?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY raw

```
"5e354f5b9134f60004f08868"
```

Example Request

Update Parking Section

```
POST /api2/parking-zone/update-section?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com


"5e354f5b9134f60004f08868"
```

PUT Update Parking Zone

http://pms-future.herokuapp.com/api2/parking-zone/update-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82

PARAMS

access_token

71b23aa8-47d3-4f69-a625-8c7bef1e4d82

BODY formdata

parkingZone

{ "emailAdmin": "admin@mail.com", "password": "master", "name": "Senayan City", "price": 71000.0, "openHour": "09:25 - 08:09", "address": "Jl. Asia Afrika No.19, RT.1/RW.3, Gelora, Kecamatan Tanah Abang, Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10270", "phoneNumber": "02172781000", "imageUrl": "https://s3.ap-southeast-1.amazonaws.com/pms-future/admin@mail.com.png" }

Example Request

Update Parking Zone

```
PUT /api2/parking-zone/update-zone?access_token=71b23aa8-47d3-4f69-a625-8c7bef1e4d82 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW


----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="parkingZone"


{
    "emailAdmin": "admin@mail.com",
    "password": "master",
```

Customer

GET Get Parking Booking Layout

http://pms-future.herokuapp.com/api/parking-zone/5e344aecdaaece00045fa85d/parking-layout?access_token=e929a3ce-b373-406e-9301-1bfabed991dd

PARAMS

access_token

e929a3ce-b373-406e-9301-1bfabed991dd

Example Request

Get Parking Booking Layout

```
GET /api/parking-zone/5e344aecdaaece00045fa85d/parking-layout?access_token=e929a3ce-b373-406e-9301-1bfabed991dd HTTP/1.1
Host: pms-future.herokuapp.com
```

Super Admin

GET Load All Search by Name

http://pms-future.herokuapp.com/api3/parking-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&name=a

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

page

0

name

a

Example Request

Load All Search by Name

```
GET /api3/parking-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0&name=a HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get Admin by Id SuperAdmin

http://pms-future.herokuapp.com/api3/5e22df8d3516c80004e3efb4/parking-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Get Admin by Id SuperAdmin

```
GET /api3/5e22df8d3516c80004e3efb4/parking-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

PUT Update Admin

http://pms-future.herokuapp.com/api3/parking-zone/5e22df8d3516c80004e3efb4/update-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

BODY formdata

parkingZone

{ "emailAdmin": "admin@mail.com", "password": "master", "name": "Senayan City", "price": 71000.0, "openHour": "09:25 - 08:09", "address": "Jl. Asia Afrika No.19, RT.1/RW.3, Gelora, Kecamatan Tanah Abang, Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10270", "phoneNumber": "02172781000", "imageUrl": "https://s3.ap-southeast-1.amazonaws.com/pms-future/admin@mail.com.png" }

Example Request

Update Admin

```
PUT /api3/parking-zone/5e22df8d3516c80004e3efb4/update-zone?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: multipart/form-data; boundary=----WebKitFormBoundary7MA4YWxkTrZu0gW


----WebKitFormBoundary7MA4YWxkTrZu0gW
Content-Disposition: form-data; name="parkingZone"


{
    "emailAdmin": "admin@mail.com",
    "password": "master",
```

User

Super Admin

GET Load All Super Admin

http://pms-future.herokuapp.com/api3/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

page

0

Example Request

Load All Super Admin

```
GET /api3/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793&page=0 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get User

http://pms-future.herokuapp.com/api3/user/me?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Get User

```
GET /api3/user/me?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get Email

http://pms-future.herokuapp.com/api3/user/email?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Get Email

```
GET /api3/user/email?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

GET Get User by Id Super Admin

http://pms-future.herokuapp.com/api3/5e22e6ed3516c80004e3efb7/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Get User by Id Super Admin

```
GET /api3/5e22e6ed3516c80004e3efb7/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```

POST Create User

http://pms-future.herokuapp.com/api3/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793

HEADERS

Content-Type

application/json

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

BODY raw

```
{
    "email" : "master3@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

Example Request

Create User

```
POST /api3/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json

{
    "email" : "master3@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

PUT Update User

http://pms-future.herokuapp.com/api3/user?access_token=fa86fe7b-10eb-4ae2-9a90-d989ec6a9a99

HEADERS

Content-Type

application/json

PARAMS

access_token

fa86fe7b-10eb-4ae2-9a90-d989ec6a9a99

BODY raw

```
{
    "email" : "master@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

Example Request

Update User

```
PUT /api3/user?access_token=fa86fe7b-10eb-4ae2-9a90-d989ec6a9a99 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json

{
    "email" : "master@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

PUT Update User From List

http://pms-future.herokuapp.com/api3/5e355d2f9134f60004f08871/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793

HEADERS

Content-Type

application/json

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

BODY raw

```
{
    "email" : "master3@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

Example Request

Update User From List

```
PUT /api3/5e355d2f9134f60004f08871/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
Content-Type: application/json


{
    "email" : "master3@mail.com",
    "password" : "master",
    "role" : "ROLE_SUPER_ADMIN"
}
```

DEL Delete Super Admin

http://pms-future.herokuapp.com/api3/5e355d2f9134f60004f08871/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793

PARAMS

access_token

71faf9d6-3e97-4185-91be-49e523b58793

Example Request

Delete Super Admin

```
DELETE /api3/5e355d2f9134f60004f08871/user?access_token=71faf9d6-3e97-4185-91be-49e523b58793 HTTP/1.1
Host: pms-future.herokuapp.com
```