

МІНІСТЕРСТВО ОСВІТИ І НАУКИ УКРАЇНИ
НАЦІОНАЛЬНИЙ ТЕХНІЧНИЙ УНІВЕРСИТЕТ
«ДНІПРОВСЬКА ПОЛІТЕХНІКА»



ФАКУЛЬТЕТ ІНФОРМАЦІЙНИХ ТЕХНОЛОГІЙ
Кафедра системного аналізу та управління

Звіт з практичної роботи №4
з дисципліни
«Аналіз програмного забезпечення»

Виконав:

студент групи 122-23-1

Гедо Максим Олександрович

Перевірили:

доц. Мінеєв О.С.

ас. Шевченко Ю.О.

Дніпро
2026


ПРАКТИЧНА РОБОТА №4

Тема: Amazon Simple Storage Service (AWS S3).

Мета: закріпити теоретичні знання і розвинути практичні навички із створення AWS S3. За результатами виконання практичної роботи здобувачі мають набути вміння у створення і розміщенні власної статичної веб-сторінки на сервіс зберігання даних AWS S3.

Виконання:

1. Реєстрація власного акаунт в системі AWS:



2. Створення S3 бакету:

1)Створення бакету

Create bucket [Info](#)
Buckets are containers for data stored in S3.

General configuration

AWS Region
Europe (Stockholm) eu-north-1

Bucket type [Info](#)

☒ **General purpose**
Recommended for most use cases and access patterns. General purpose buckets are the original S3 bucket type. They allow a mix of storage classes that redundantly store objects across multiple Availability Zones.

☐ **Directory**
Recommended for low-latency use cases. These buckets use only the S3 Express One Zone storage class, which provides faster processing of data within a single Availability Zone.

Bucket namespace
Choose the namespace where you want to create your bucket. [Learn more](#)

☒ **Global namespace**
By default, S3 creates general purpose buckets in the global namespace.

☐ **Account Regional namespace (recommended)**
General purpose buckets created in your account Regional namespace are unique to your account. These buckets can never be created by another AWS account.

Bucket name [Info](#)


Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-). [Learn more](#)

Copy settings from existing bucket - optional
Only the bucket settings in the following configuration are copied.

Format: s3://bucket/prefix


Object Ownership [Info](#)

2)Створений бакет




3. Створення і розміщення статичної веб-сторінки на AWS:


1) Створення файлу



2) Доданий файл до бакета



3) Редагування доступу



4. Налаштування хостингу і отримання публічної адреси сторінки:

1) Налаштування доступу до бакету

Edit static website hosting
Info

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

Static website hosting

☐ Disable
☒ Enable

Hosting type

☒ Host a static website
 Use the bucket endpoint as the web address. [Learn more](#)
☐ Redirect requests for an object
 Redirect requests to another bucket or domain. [Learn more](#)

For your customers to access content at the website endpoint, you must make all your content publicly readable. To do so, you can edit the S3 Block Public Access settings for the bucket. For more information, see [Using Amazon S3 Block Public Access](#)

Index document

Specify the home or default page of the website.

Error document - optional

This is returned when an error occurs.

2) Результат змін доступу

Static website hosting

Use this bucket to host a website or redirect requests. [Learn more](#)

We recommend using [AWS Amplify Hosting for static website hosting](#)
 Deploy a fast, secure, and reliable website quickly with AWS Amplify Hosting. [Learn more about Amplify Hosting](#) or [View your existing Amplify apps](#)

Create Amplify app

S3 static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. [Learn more](#)

<http://hedomaskym-bucket-apz.s3-website-eu-north-1.amazonaws.com>

3) Готовий результат

Гедо Максим Олександрович

група 122-23-1

Посилання: <http://hedomaksym-bucket-apz.s3-website.eu-north-1.amazonaws.com/>