UNIVERSITÄT
LEIPZIG

Beamer theme

Leipzig

Leipzig, October 9, 2018
Author

Table of contents

Leipzig

The **leipzig** theme is a Beamer theme that complies with the corporate design of the Leipzig University.

Enable the theme by loading

```
\documentclass{beamer}
\usetheme{leipzig}
```

Note that this package only works with XeTeX/XeLaTeX.

Package Options

`noserifmath` displays math using Arial

`nosectionpages` hides section pages.

The theme is suitable for 16:9 as well as 4:3 aspect ratios.

Title Page Macros

The usual title page macros such as author, date, title and subtitle are supported. Additional options include:

– short title for use in the header: \title[short title]{long title} (analogous for subtitle)
– institution for use in the footer: \institute{institution}
– additional graphics on the title page: \titlegraphic{filename}
– location of the talk: \location{location}

Thanks Page Macros

A "Thank You!"-Page can be displayed using `\makethanks`. The displayed information can be specified using:

- `\thankstitle{}` for a customized thank-you text, default is "Vielen Dank"
- `\address{}`
- `\email{}`
- `\phone{}`
- `\website{}` - default is `www.uni-leipzig.de`, leave empty to disable

Typography

```
You can \emph{emphasize} text, \alert{accent}
parts or show \textbf{bold} results.
```

becomes

You can *emphasize* text, **accent** parts or show **bold** results.[1]

---

[1] Footnotes work as well.

Font features

– Regular
– *Italic*
– **Bold**
– ***Bold Italic***
– `Monospace`
– `Monospace Italic`
– `Monospace Bold`
– `Monospace Bold Italic`

Lists

Items	Enumerations	Descriptions
– Item	1. First	**Caption** Text
– Item	2. Second	**Caption** Text
– Item	3. Last	**Caption** Text

Figures

Figure 1: Standard deviation from texample.net.

Tables

Table 1: Largest cities in the world (source: Wikipedia)

City	Population
Mexico City	20,116,842
Shanghai	19,210,000
Peking	15,796,450
Istanbul	14,160,467

Blocks

Three different block environments are pre-defined.

Default

Block content.

Alert

Block content.

Example

Block content.

Math

$$\frac{1}{\sigma\sqrt{2\pi}} \exp\left(\frac{-x^2}{2\sigma^2}\right)$$

Citations

For a general introduction to creating slides with Beamer, refer to the Beamer manual.[1] To split your bibliography into multiple frames, use the [allowframebreaks] option.

THANK YOU!

Author
Institute

Beethovenstraße 15, 04107 Leipzig
+49 1234 5678910

example@uni-leipzig.de
www.uni-leipzig.de

📄 The beamer class - user guide for version 3.50.
**http:
//tug.ctan.org/macros/latex/contrib/beamer/doc/beameruserguide.pdf**.
Accessed: 2018-04-05.

Appendix

Things that differ in the LaTeX version compared to the original `.pptx` style:

– the footer does not include the university wordmark, as a vector-based graphic file of such is not obtainable from the university
– the frame titles are not converted to uppercase, as this introduces a bug with the `[allowframebreaks]` option