

Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

Assignment (4.1)

Browse to:

`tasks/4_microservices_development/day_1_microservices/docker_compose_example`

Next you will:

- Start the system using docker-compose so that it runs in background,
- Visit <http://127.0.0.1/> to see WordPress installation panel,
- See the system logs
- Add a PHPMyAdmin service from <https://hub.docker.com/r/phpmyadmin/phpmyadmin/> so that you can manage the raw database contents.

Solution

1. To run compose in background we **-d** so the command is **docker compose up -d**


```
sabih@sheikh-muhammad-sabih:~/Documents/emeritus/may_4/assignments/docker_compose_example$ docker compose up -d
[+] Running 2/2
 ✓ Container docker_compose_example-wordpress-1 Started
 ✓ Container docker_compose_example-db-1 Started
```

Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

2. WordPress installation penal is on <http://127.0.0.1/>.



3. Now we can see the system logs by **docker compose logs**.

```
sabihshetkh-muhammad-sabih:~/documents/assignments/docker_compose_exam: $ docker compose logs
ssage
docker_compose_exam-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.20.0.3. Set the 'ServerName' directive globally to suppress this me
docker_compose_exam-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.20.0.3. Set the 'ServerName' directive globally to suppress this me
ssage
docker_compose_exam-wordpress-1 | [Thu May 04 10:21:26.675370 2023] [mpm_prefork:notice] [pid 1] AH00163: Apache/2.4.56 (Debian) PHP/8.0.28 configured -- resuming normal operations
docker_compose_exam-wordpress-1 | [Thu May 04 10:21:26.675389 2023] [core:notice] [pid 1] AH00094: Command line: 'apache2 -D FOREGROUND'
docker_compose_exam-db-1 | 2023-05-04 10:21:26+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4+maria-focal started.
docker_compose_exam-db-1 | 2023-05-04 10:21:26+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
docker_compose_exam-db-1 | 2023-05-04 10:21:26+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4+maria-focal started.
docker_compose_exam-db-1 | 2023-05-04 10:21:26 0 [Note] mysqld (server 10.6.4-MariaDB-1:10.6.4+maria-focal) starting as process 1 ...
docker_compose_exam-db-1 | 2023-05-04 10:21:26 0 [Note] InnoDB: compressed tables use zlib 1.2.11
docker_compose_exam-db-1 | 2023-05-04 10:21:26 0 [Note] InnoDB: Number of pools: 1
docker_compose_exam-db-1 | 2023-05-04 10:21:26 0 [Note] InnoDB: Using crc32 + pclmulqdq instructions
docker_compose_exam-db-1 | 2023-05-04 10:21:26 0 [Note] mysqld: 0_TMPFILE is not supported on /tmp (disabling future attempts)
docker_compose_exam-wordpress-1 | [Thu May 04 10:27:05.469815 2023] [mpm_prefork:notice] [pid 1] AH00170: caught SIGMINCH, shutting down gracefully
docker_compose_exam-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.20.0.3. Set the 'ServerName' directive globally to suppress this me
ssage
docker_compose_exam-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.20.0.3. Set the 'ServerName' directive globally to suppress this me
ssage
docker_compose_exam-wordpress-1 | [Thu May 04 10:27:18.835913 2023] [core:notice] [pid 1] AH00094: command line: 'apache2 -D FOREGROUND'
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:55 +0000] "GET / HTTP/1.1" 302 400 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safa
rt/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:55 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-includes/css/buttons.min.css?ver=6.2 HTTP/1.1" 200 1791 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11
; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-includes/css/dashicons.min.css?ver=6.2 HTTP/1.1" 200 36068 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (
X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-admin/css/110n.min.css?ver=6.2 HTTP/1.1" 200 1022 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linu
x x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Using Linux native AIO
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Initializing buffer pool, total size = 134217728, chunk size = 134217728
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Completed initialization of buffer pool
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: 128 rollback segments are active.
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Creating shared tablespace for temporary tables
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...
docker_compose_exam-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-admin/css/install.min.css?ver=6.2 HTTP/1.1" 200 2125 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; L
inux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-admin/css/forms.min.css?ver=6.2 HTTP/1.1" 200 6731 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Lin
ux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_exam-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:56 +0000] "GET /wp-includes/js/jquery/jquery.min.js?ver=3.6.3 HTTP/1.1" 200 31403 "http://127.0.0.1/wp-admin/install.php" Mozilla/5
.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
```

Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

```
docker_compose_example-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:57 +0000] "GET /favicon.ico HTTP/1.1" 302 399 "http://127.0.0.1/wp-admin/install.php" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
37.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.20.0.1 - - [04/May/2023:10:30:57 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "http://127.0.0.1/wp-admin/install.php" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 127.0.0.1 - - [04/May/2023:10:31:05 +0000] "OPTIONS * HTTP/1.0" 200 126 "-" "Apache/2.4.56 (Debian) PHP/8.0.28 (internal dummy connection)"
docker_compose_example-wordpress-1 | 127.0.0.1 - - [04/May/2023:10:31:06 +0000] "OPTIONS * HTTP/1.0" 200 126 "-" "Apache/2.4.56 (Debian) PHP/8.0.28 (internal dummy connection)"
docker_compose_example-db-1 | 2023-05-04 10:21:27 0 [Note] Server socket created on IP: '::'.
docker_compose_example-db-1 | 2023-05-04 10:21:27 0 [Warning] 'proxies_priv' entry '@% root@466995176a97' ignored in --skip-name-resolve mode.
docker_compose_example-db-1 | 2023-05-04 10:21:27 0 [Note] InnoDB: Buffer pool(s) load completed at 230504 10:21:27
docker_compose_example-db-1 | 2023-05-04 10:21:27 0 [Note] mysqld: ready for connections.
docker_compose_example-db-1 | Version: '10.6.4-MariaDB-1:10.6.4-maria-focal' socket: '/run/mysqld/mysqld.sock' port: 3306 mariadb.org binary distribution
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] mysqld (initiated by: unknown): Normal shutdown
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: FTS optimize thread exiting.
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: Starting shutdown...
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: Dumping buffer pool(s) to /var/lib/mysql/ib_buffer_pool
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: Buffer pool(s) dump completed at 230504 10:27:05
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: Removed temporary tablespace data file: './ibtmp1'
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] InnoDB: Shutdown completed; log sequence number 42395; transaction id 15
docker_compose_example-db-1 | 2023-05-04 10:27:05 0 [Note] mysqld: Shutdown complete
docker_compose_example-db-1 |
docker_compose_example-db-1 | 2023-05-04 10:27:18+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4-maria-focal started.
docker_compose_example-db-1 | 2023-05-04 10:27:18+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
docker_compose_example-db-1 | 2023-05-04 10:27:18+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4-maria-focal started.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] mysqld (server 10.6.4-MariaDB-1:10.6.4-maria-focal) starting as process 1 ...
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Compressed tables use zlib 1.2.11
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Number of pools: 1
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Using crc32 + pclmulqdq instructions
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] mysqld: 0.TMPFILE is not supported on /tmp (disabling future attempts)
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Using Linux native AIO
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Initializing buffer pool, total size = 134217728, chunk size = 134217728
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Completed initialization of buffer pool
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: 128 rollback segments are active.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Creating shared tablespace for temporary tables
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: 10.6.4 started; log sequence number 42395; transaction id 14
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] Plugin 'FEEDBACK' is disabled.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Warning] 'default-authentication-plugin' is MySQL 5.6 / 5.7 compatible option. To be implemented in later versions.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Warning] You need to use --log-bin to make --expire-logs-days or --binlog-expire-logs-seconds work.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] Server socket created on IP: '0.0.0.0'.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] Server socket created on IP: '::'.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Warning] 'proxies_priv' entry '@% root@466995176a97' ignored in --skip-name-resolve mode.
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] InnoDB: Buffer pool(s) load completed at 230504 10:27:19
docker_compose_example-db-1 | 2023-05-04 10:27:19 0 [Note] mysqld: ready for connections.
docker_compose_example-db-1 | Version: '10.6.4-MariaDB-1:10.6.4-maria-focal' socket: '/run/mysqld/mysqld.sock' port: 3306 mariadb.org binary distribution
sabih@sheikh-muhammad-sabih: ~/Documents/emertus/nay_4/assignments/docker_compose_example$
```

4. Now we down the docker compose.

```
sabih@sheikh-muhammad-sabih:~/Documents/emertus/nay_4/assignments/docker_compose_example$ docker compose down
[+] Running 3/3
✓ Container docker_compose_example-wordpress-1 Removed
✓ Container docker_compose_example-db-1 Removed
✓ Network docker_compose_example_default Removed
```

Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

5. Now we have to use **PHPMyAdmin**, so we edit **docker compose file**.

```
1 services:
2   db:
3     image: mariadb:10.6.4-focal
4     command: '--default-authentication-plugin=mysql_native_password'
5     volumes:
6       - db_data:/var/lib/mysql
7     restart: always
8     environment:
9       - MYSQL_ROOT_PASSWORD=somewordpress
10      - MYSQL_DATABASE=wordpress
11      - MYSQL_USER=wordpress
12      - MYSQL_PASSWORD=wordpress
13     expose:
14       - 3306
15   wordpress:
16     image: wordpress:latest
17     volumes:
18       - wp_data:/var/www/html
19     ports:
20       - 80:80
21     restart: always
22     environment:
23       - WORDPRESS_DB_HOST=db
24       - WORDPRESS_DB_USER=wordpress
25       - WORDPRESS_DB_PASSWORD=wordpress
26       - WORDPRESS_DB_NAME=wordpress
27   phpmyadmin:
28     image: phpmyadmin
29     restart: always
30     ports:
31       - 8080:80
32     environment:
33       - PMA_ARBITRARY=1
34 volumes:
35   db_data:
36   wp_data:
```

Peer Assignment


Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

- Then we run the composer by **docker composer up -d**, and download phpmyadmin and run all containers.

```
sabih@sheikh-muhammad-sabih:~/Documents/emeritus/may_4/assignments/docker_compose_example$ docker compose up -d
[+] Running 19/19
✓ phpmyadmin 18 layers [████████████████████████████████████████] 0B/0B Pulled
✓ 9e3ea8720c6d Already exists
✓ 07353b772b5e Already exists
✓ 5908153120ba Already exists
✓ 8681ad2eeea6 Already exists
✓ 92711ce78973 Already exists
✓ bf1c5be6427e Already exists
✓ 1d02a81768ed Already exists
✓ c8420254580a Pull complete
✓ 6fd27a4d09cf Pull complete
✓ a29c35a490e4 Pull complete
✓ c9a85b880f67 Pull complete
✓ 824952b7d7d7 Pull complete
✓ 6a39856c44f2 Pull complete
✓ 3d8017e4b7c2 Pull complete
✓ 4518e6286ae0 Pull complete
✓ 86266c3e57e9 Pull complete
✓ 3da618c159ba Pull complete
✓ 73d267243680 Pull complete
[+] Running 4/4
✓ Network docker_compose_example_default Created
✓ Container docker_compose_example-db-1 Started
✓ Container docker_compose_example-wordpress-1 Started
✓ Container docker_compose_example-phpmyadmin-1 Started
```

- Now we have reached the phpMyAdmin **login page** where we enter 'db' for the server, 'wordpress' for the username, and 'wordpress' for the password. Then we land on **phpMyAdmin home page**.



Peer Assignment
Sheikh Muhammad Sabih (2303.KHI.DEG.010)
M Humza Moeen (2303.KHI.DEG.019)

8. And the logs are.

```
sabih@sheikh-muhammad-sabih:~/documents/assignments/docker_compose_example$ docker compose logs
docker_compose_example-db-1 | 2023-05-04 11:37:08+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4+maria-focal started.
docker_compose_example-db-1 | 2023-05-04 11:37:09+00:00 [Note] [Entrypoint]: Switching to dedicated user 'mysql'
docker_compose_example-db-1 | 2023-05-04 11:37:09+00:00 [Note] [Entrypoint]: Entrypoint script for MariaDB Server 1:10.6.4+maria-focal started.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] mysqld (server 10.6.4-MariaDB-1:10.6.4+maria-focal) starting as process 1 ...
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Compressed tables use zlib 1.2.11
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Number of pools: 1
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Using crc32 + pclmulqdq instructions
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] mysqld: 0 TMPFILE is not supported on /tmp (disabling future attempts)
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Using Linux native AIO
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Initializing buffer pool, total size = 134217728, chunk size = 134217728
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Completed initialization of buffer pool
docker_compose_example-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.21.0.3. Set the 'ServerName' directive globally to suppress this message
docker_compose_example-wordpress-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.21.0.3. Set the 'ServerName' directive globally to suppress this message
docker_compose_example-wordpress-1 | [Thu May 04 11:37:08.860445 2023] [mpm_prefork:notice] [pid 1] AH00163: Apache/2.4.56 (Debian) PHP/8.0.28 configured -- resuming normal operations
docker_compose_example-wordpress-1 | [Thu May 04 11:37:08.860476 2023] [core:notice] [pid 1] AH00094: Command line: 'apache2 -D FOREGROUND'
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:02 +0000] "GET / HTTP/1.1" 302 400 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:02 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4618 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:04 +0000] "GET /favicon.ico HTTP/1.1" 302 399 "http://localhost/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:04 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4618 "http://localhost/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:10 +0000] "GET /8080 HTTP/1.1" 302 400 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:10 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4618 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:12 +0000] "GET /favicon.ico HTTP/1.1" 302 399 "http://localhost/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:39:12 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4618 "http://localhost/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:40:02 +0000] "-" 408 0 "-" "-"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:42:54 +0000] "GET / HTTP/1.1" 302 400 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:42:54 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:42:55 +0000] "GET /favicon.ico HTTP/1.1" 302 399 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:42:55 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [04/May/2023:11:43:45 +0000] "-" 408 0 "-" "-"
docker_compose_example-phpmyadmin-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.21.0.2. Set the 'ServerName' directive globally to suppress this message
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:23:10 +0000] "GET /favicon.ico HTTP/1.1" 302 400 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:23:10 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | AH00558: apache2: Could not reliably determine the server's fully qualified domain name, using 172.21.0.2. Set the 'ServerName' directive globally to suppress this message
docker_compose_example-phpmyadmin-1 | [Thu May 04 11:37:08.856502 2023] [mpm_prefork:notice] [pid 1] AH00163: Apache/2.4.56 (Debian) PHP/8.1.18 configured -- resuming normal operations
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: 128 rollback segments are active.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Creating shared tablespace for temporary tables
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Setting file './ibtmp1' size to 12 MB. Physically writing the file full; Please wait ...
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: File './ibtmp1' size is now 12 MB.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: 10.6.4 started; log sequence number 42407; transaction id 14
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] Plugin 'FEDBACK' is disabled.
docker_compose_example-phpmyadmin-1 | [Thu May 04 11:37:08.856591 2023] [core:notice] [pid 1] AH00094: Command line: 'apache2 -D FOREGROUND'
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET / HTTP/1.1" 200 6194 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /themes/pnahomme/jquery/jquery-ui.css HTTP/1.1" 200 8023 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/lib/codemirror.css?v=5.2.1 HTTP/1.1" 200 2848 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/hint/show-hint.css?v=5.2.1 HTTP/1.1" 200 608 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/lint/lint.css?v=5.2.1 HTTP/1.1" 200 1634 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery-migrate.min.js?v=5.2.1 HTTP/1.1" 200 5176 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /themes/pnahomme/css/theme.css?v=5.2.1 HTTP/1.1" 200 63093 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/sprintf.js?v=5.2.1 HTTP/1.1" 200 2982 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/keyhandler.js?v=5.2.1 HTTP/1.1" 200 1123 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/ajax.js?v=5.2.1 HTTP/1.1" 200 8165 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/name-conflict-fixes.js?v=5.2.1 HTTP/1.1" 200 338 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/js.cookie.js?v=5.2.1 HTTP/1.1" 200 1876 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery.validate.min.js?v=5.2.1 HTTP/1.1" 200 8268 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/bootstrap/bootstrap.bundle.min.js?v=5.2.1 HTTP/1.1" 200 23663 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery.debounce-1.0.6.js?v=5.2.1 HTTP/1.1" 200 976 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:23:12 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:23:13 +0000] "GET /favicon.ico HTTP/1.1" 302 399 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:23:13 +0000] "GET /wp-admin/install.php HTTP/1.1" 200 4622 "http://127.0.0.1/wp-admin/install.php" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:24:01 +0000] "-" 408 0 "-" "-"
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] InnoDB: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Warning] 'default-authentication-plugin' is MySQL 5.6 / 5.7 compatible option. To be implemented in later versions.
```

Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

```
docker_compose_example-wordpress-1 | 172.21.0.1 - - [05/May/2023:03:24:01 +0000] "-" 408 0 "-" "-"
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] Innodb: Loading buffer pool(s) from /var/lib/mysql/ib_buffer_pool
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Warning] 'default-authentication-plugin' is MySQL 5.6 / 5.7 compatible option. To be implemented in later versions.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Warning] You need to use --log-bin to make --expire-logs-days or --binlog-expire-logs-seconds work.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] Server socket created on IP: '0.0.0.0'.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] Server socket created on IP: '127.0.0.1'.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Warning] 'proxies_priv' entry '@% root@466995176a97' ignored in --skip-name-resolve mode.
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] Innodb: Buffer pool(s) load completed at 230504 11:37:09
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery-ui-timepicker-addon.js?v=5.2.1 HTTP/1.1" 200 19282 "-" "Mozilla/5.0 (X11; Linux x86_64) App
leWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery-ui.min.js?v=5.2.1 HTTP/1.1" 200 68348 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.
36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/menu_resizer.js?v=5.2.1 HTTP/1.1" 200 2277 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/cross_framing_protection.js?v=5.2.1 HTTP/1.1" 200 613 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.
36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/config.js?v=5.2.1 HTTP/1.1" 200 6724 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like G
ecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/doclinks.js?v=5.2.1 HTTP/1.1" 200 4088 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/common.js?v=5.2.1 HTTP/1.1" 200 1892 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like G
ecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/indexes.js?v=5.2.1 HTTP/1.1" 200 6668 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/navigation.js?v=5.2.1 HTTP/1.1" 200 11804 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, l
ike Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/page_settings.js?v=5.2.1 HTTP/1.1" 200 1027 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-db-1 | 2023-05-04 11:37:09 0 [Note] mysqld: ready for connections.
docker_compose_example-db-1 | Version: '10.6.4-MariaDB-1:10.6.4-maria-focal' socket: '/run/mysqld/mysqld.sock' port: 3306 mariadb.org binary distribution
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/functions.js?v=5.2.1 HTTP/1.1" 200 38352 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, li
ke Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/runmode/runmode.js?v=5.2.1 HTTP/1.1" 200 1502 "-" "Mozilla/5.0 (X11; Linux x86_64) Apple
WebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/mode/sql/sql.js?v=5.2.1 HTTP/1.1" 200 17192 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/5
37.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/messages.php?l=en&v=5.2.1&lang=en HTTP/1.1" 200 8249 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KH
TML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/hint/sql-hint.js?v=5.2.1 HTTP/1.1" 200 3104 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWe
bKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/codemirror/addon/lint/sql-lint.js?v=5.2.1 HTTP/1.1" 200 797 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/hint/show-hint.js?v=5.2.1 HTTP/1.1" 200 5890 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleW
ebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/lint/lint.js?v=5.2.1 HTTP/1.1" 200 3320 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit
/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/error_report.js?v=5.2.1 HTTP/1.1" 200 3035 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML,
like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/shortcuts_handler.js?v=5.2.1 HTTP/1.1" 200 1191 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KH
```

```
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/shortcuts_handler.js?v=5.2.1 HTTP/1.1" 200 1191 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KH
TML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/drag_drop_import.js?v=5.2.1 HTTP/1.1" 200 3807 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHT
ML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/tracekit.js?v=5.2.1 HTTP/1.1" 200 11963 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, l
ike Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/dist/console.js?v=5.2.1 HTTP/1.1" 200 10536 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like
Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/codemirror/addon/lb/codemirror.js?v=5.2.1 HTTP/1.1" 200 107227 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebk
it/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /themes/pnahomme/Lng/logo_right.png HTTP/1.1" 200 4592 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTM
L, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /themes/dot.gif HTTP/1.1" 200 325 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome
/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:17 +0000] "GET /js/vendor/jquery/jquery.min.js?v=5.2.1 HTTP/1.1" 200 31433 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36
(KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:18 +0000] "GET /themes/pnahomme/Lng/b_help.png HTTP/1.1" 200 989 "http://localhost:8080/themes/pnahomme/css/theme.css?v=5.2.1" "Moz
illa/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:39:18 +0000] "GET /favicon.ico HTTP/1.1" 200 22788 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 127.0.0.1 - - [04/May/2023:11:39:24 +0000] "OPTIONS * HTTP/1.0" 200 126 "-" "Apache/2.4.56 (Debian) PHP/8.1.18 (internal dummy connection)"
docker_compose_example-phpmyadmin-1 | 127.0.0.1 - - [04/May/2023:11:39:25 +0000] "OPTIONS * HTTP/1.0" 200 126 "-" "Apache/2.4.56 (Debian) PHP/8.1.18 (internal dummy connection)"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:43:20 +0000] "POST /index.php?route=/ HTTP/1.1" 200 6217 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) C
hrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:43:21 +0000] "GET /js/messages.php?l=en&v=5.2.1 HTTP/1.1" 200 8249 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, lik
e Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:43:21 +0000] "GET /themes/pnahomme/Lng/s_error.png HTTP/1.1" 200 898 "http://localhost:8080/themes/pnahomme/css/theme.css?v=5.2.1" "Mo
zilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:44:12 +0000] "-" 408 0 "-" "-"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:44:32 +0000] "POST /index.php?route=/ HTTP/1.1" 200 6218 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) C
hrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:45:23 +0000] "-" 408 0 "-" "-"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:48:00 +0000] "POST /index.php?route=/ HTTP/1.1" 200 6219 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) C
hrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:48:28 +0000] "POST /index.php?route=/ HTTP/1.1" 200 6222 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) C
hrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:49:20 +0000] "-" 408 0 "-" "-"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "POST /index.php?route=/ HTTP/1.1" 302 1029 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) C
hrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "GET /index.php?route=/&route=x2f HTTP/1.1" 200 18489 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, lik
e Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "GET /js/dist/home.js?v=5.2.1 HTTP/1.1" 200 1995 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gec
ko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "GET /themes/pnahomme/Lng/logo_left.png HTTP/1.1" 200 2998 "-" "Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML
, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "GET /themes/pnahomme/Lng/logo_left.png HTTP/1.1" 200 1018 "http://localhost:8080/themes/pnahomme/css/theme.css?v=5.2.1" "Mo
zilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
docker_compose_example-phpmyadmin-1 | 172.21.0.1 - - [04/May/2023:11:51:19 +0000] "GET /themes/pnahomme/Lng/s_loggoff.png HTTP/1.1" 200 911 "http://localhost:8080/themes/pnahomme/css/theme.css?v=5.2.1" "
Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0.0 Safari/537.36"
```


Peer Assignment

Sheikh Muhammad Sabih (2303.KHI.DEG.010)

M Humza Moeen (2303.KHI.DEG.019)

[illegible]

```

docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:32 +0000] "GET /themes/pmahome/ing/b_events.png HTTP/1.1" 200 988 "http://localhost:8080/themes/pmahome/css/theme.css?v=5.2.1" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:32 +0000] "GET /themes/pmahome/ing/b_triggers.png HTTP/1.1" 200 731 "http://localhost:8080/themes/pmahome/css/theme.css?v=5.2.1" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:32 +0000] "GET /themes/pmahome/ing/b_table_add.png HTTP/1.1" 200 855 "http://localhost:8080/themes/pmahome/css/theme.css?v=5.2.1" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:32 +0000] "GET /themes/pmahome/ing/b_edit.png HTTP/1.1" 200 661 "http://localhost:8080/themes/pmahome/css/theme.css?v=5.2.1" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:32 +0000] "GET /index.php?ajax_request=true&ajax_page_request=true&nocache=1683201095038121922&token=6823652535b53e2c5a714a5a65454 HTTP/1.1" 200 9629 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:35 +0000] "POST /index.php?route=version-check HTTP/1.1" 200 1044 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:35 +0000] "OPTIONS * HTTP/1.1" 200 126 "-" Apache/2.4.56 (Debian) PHP/8.1.18 (internal dummy connection)"
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:11:51:59 +0000] "GET /themes/pmahome/Lngs/unLink.png HTTP/1.1" 200 874 "http://localhost:8080/themes/pmahome/css/theme.css?v=5.2.1" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:12:15:30 +0000] "POST /index.php?route=/ HTTP/1.1" 200 2363 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:12:38:05 +0000] "POST /index.php?route=/ HTTP/1.1" 200 2361 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:13:00:18 +0000] "POST /index.php?route=/ HTTP/1.1" 200 2357 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:13:22:08 +0000] "POST /index.php?route=/ HTTP/1.1" 200 2353 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [04/May/2023:13:43:37 +0000] "POST /index.php?route=/ HTTP/1.1" 200 2357 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:07 +0000] "GET /index.php HTTP/1.1" 200 6065 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:07 +0000] "GET /js/messages.php?len&v=5.2.1 HTTP/1.1" 200 8249 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=/ HTTP/1.1" 302 1025 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "GET /index.php?route=/ HTTP/1.1" 200 18495 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=/config/get HTTP/1.1" 200 2472 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=/navigation&ajax_request=1 HTTP/1.1" 200 2943 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=/config/get HTTP/1.1" 200 2467 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=version-check HTTP/1.1" 200 1044 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:23 +0000] "POST /index.php?route=/config/set HTTP/1.1" 200 2365 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:36 +0000] "GET /themes/pmahome/jquery/images/ui-bg_highlight-solt-75_ffffff_1x100.png HTTP/1.1" 200 406 "http://localhost:8080/themes/pmahome/jquery/jquery-ui.css" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:36 +0000] "GET /themes/pmahome/jquery/images/ui-icons_222222_256x240.png HTTP/1.1" 200 4050 "http://localhost:8080/themes/pmahome/jquery/jquery-ui.css" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:41 +0000] "GET /index.php?route=/ajax_request=true&ajax_page_request=true&nocache=1683257021509923889&token=713967724621583762213 HTTP/1.1" 200 9629 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36
docker compose example phpmyadmin-1 | 172.21.0.1 - [05/May/2023:03:23:41 +0000] "POST /index.php?route=version-check HTTP/1.1" 200 1044 "-" Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/112.0.0 Safari/537.36

```