

HW_Developer Role_Mock 3

Anusha Ralla | 10 Jun 2024



Overall Status: Completed Detailed Status: Test-taker Completed

Test Finish Time: June 10, 2024 12:27:01 PM IST



Anusha Ralla
anusha.ralla@accenture.com

I read and agree the terms and conditions: Yes
Test-Taker ID: - 132815205


Overall Summary

4 Marks Scored
out of 10

40 % 35.71 percentile
out of 42 Test Takers

12m 38s Time taken
of 15mins

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 10 question(s).



This shows the correctness of questions attempted by the test taker

Correct	4 Ques	4/4 Marks
Incorrect	6 Ques	0/6 Marks
Partially Correct	0 Ques	0/0 Marks
Not Attempted	0 Ques	0/0 Marks

Q.

1

▼ Question 1

🕒 Time taken: 3m 28s

Marks Scored: 0/1

Select the MQL command to find the object of type Part along with printing their object id and state.

Response:

OPTIONS	RESPONSE	ANSWER
temp query bus Part * * select id current dump ;		✔
temp query bus * Part * select id current;		
print bus * Part * select id current;		
print bus Part * * select id current dump ;	✔	

Q.

2

▼ Question 2

🕒 Time taken: 1m 4s

Marks Scored: 0/1

What is a widget

Response:

OPTIONS	RESPONSE	ANSWER
Native Client for 3DExperiance		✔
Standalone applications which can be opened in 3DDashboard	✔	
Standalone applications which can be opened in 3DSpace		
Another name of 3DSpace		

What is the full form of AMD

Response:

OPTIONS	RESPONSE	ANSWER
Asynchronous Module Definition		✔
Advanced Module Definition	✔	
Asynchronous Module Declaration		
Advanced Module Declaration		

where can define business logic for widget?

Response:

OPTIONS	RESPONSE	ANSWER
JSP		
JPO	✔	
JAR		✔
HTML		

Select the MQL query to get the total count of the object of type Part

Response:

OPTIONS	RESPONSE	ANSWER
eval expr count true on temp query bus Part * *;		
exec expr count(true) on temp query bus Part * *;	✔	
eval expr count(true) on print bus Part * *;		
eval expr count(true) on temp query bus Part * *;		✔

It is possible to use external js libraries like vue js on widgets

Response:

OPTIONS	RESPONSE	ANSWER
True	✔	✔
false		

where can deploy the REST webservice code in a JAR

Response:

OPTIONS	RESPONSE	ANSWER
3dspace/webapps/web-inf/classes		
3dspace/webapps/web-inf/lib	✔	✔
None		
3dspace/webapps		

Widget source code may be hosted on:

Response:

OPTIONS	RESPONSE	ANSWER
. Internal Server only		
External Server only		
Internal Server or External Server	✔	✔
None		

Which is the DS provided module to interact between widgets

Response:

OPTIONS	RESPONSE	ANSWER
WAFData		
PlatformAPI		✔
Core		
InterCom	✔	

Query to print all the triggers available on a policy called "EC Part"

Response:

OPTIONS	RESPONSE	ANSWER
print policy "EC Part" select triggers;		
print policy "EC Part" select state.triggers;		
print policy "EC Part" select current.triggers;		
print policy "EC Part" select state.trigger;	✓	✓

About the Report

This Report is generated electronically on the basis of the inputs received from the assessment takers. This Report including the AI flags that are generated in case of availing of proctoring services, should not be solely used/relied on for making any business, selection, entrance, or employment-related decisions. Mettl accepts no liability from the use of or any action taken or refrained from or for any and all business decisions taken as a result of or reliance upon anything, including, without limitation, information, advice, or AI flags contained in this Report or sources of information used or referred to in this Report.

