

# HW\_Developer Role\_Mock 3

Gagan Shivanna Girish Kumar | 10 Jun 2024



Overall Status: Completed Detailed Status: Test-taker Completed

Test Finish Time: June 10, 2024 12:52:28 PM IST



Gagan Shivannna Girish Kumar  
gagan.girish@accenture.com

I read and agree the terms and conditions: Yes  
Test-Taker ID: - 132815203


Overall Summary

7 Marks Scored  
out of 10

70 % 88.37 percentile  
out of 43 Test Takers

2m 18s Time taken  
of 15mins

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 10 question(s).



This shows the correctness of questions attempted by the test taker

Correct	7 Ques	7/7 Marks
Incorrect	3 Ques	0/3 Marks
Partially Correct	0 Ques	0/0 Marks
Not Attempted	0 Ques	0/0 Marks

Q.

1

▼ Question 1

⌚ Time taken: 34s

Marks Scored: 0/1

where can define in preference in widget

Response:

OPTIONS	RESPONSE	ANSWER
JSP	✔	
HTML		✔
JSON		
CSS		

Q.

2

▼ Question 2

⌚ Time taken: 7s

Marks Scored: 1/1

What is the full form of AMD

Response:

OPTIONS	RESPONSE	ANSWER
Asynchronous Module Definition	✔	✔
Advanced Module Definition		
Asynchronous Module Declaration		
Advanced Module Declaration		

What is a widget

Response:

OPTIONS	RESPONSE	ANSWER
Native Client for 3DExperience	✔	✔
Standalone applications which can be opened in 3DDashboard		
Standalone applications which can be opened in 3DSpace		
Another name of 3DSpace		

Select the MQL command to create DateOfBirth attribute

Response:

OPTIONS	RESPONSE	ANSWER
add attribute DateOfBirth select type date;		
add attribute DateOfBirth date type;		
add attribute DateOfBirth type date;	✔	✔
create attribute DateOfBirth type date;		

It is possible to use external js libraries like vue js on widgets

Response:

OPTIONS	RESPONSE	ANSWER
True	✔	✔
false		

Widget source code may be hosted on:

Response:

OPTIONS	RESPONSE	ANSWER
. Internal Server only		
External Server only		
Internal Server or External Server	✓	✓
None		

where can define business logic for widget?

Response:

OPTIONS	RESPONSE	ANSWER
JSP		
JPO		
JAR	✓	✓
HTML		

Select the MQL query to get the total count of the object of type Part

Response:

OPTIONS	RESPONSE	ANSWER
eval expr count true on temp query bus Part * *;		
exec expr count(true) on temp query bus Part * *;		
eval expr count(true) on print bus Part * *;		
eval expr count(true) on temp query bus Part * *;	✔	✔

Query to get the first revision object ID of a Part object having type, name and revision as Part, 30345 and 05 respectively

Response:

OPTIONS	RESPONSE	ANSWER
print bus Part 30345 05 select id.first;		
print bus Part 30345 05 select id.initial;		
print bus Part 30345 05 select firstid;	✔	
print bus Part 30345 05 select first.id;		✔

Query to print all the triggers available on a policy called "EC Part"

Response:

OPTIONS	RESPONSE	ANSWER
print policy "EC Part" select triggers;		
print policy "EC Part" select state.triggers;	✓	
print policy "EC Part" select current.triggers;		
print policy "EC Part" select state.trigger;		✓



## About the Report

This Report is generated electronically on the basis of the inputs received from the assessment takers. This Report including the AI flags that are generated in case of availing of proctoring services, should not be solely used/relied on for making any business, selection, entrance, or employment-related decisions. Mettl accepts no liability from the use of or any action taken or refrained from or for any and all business decisions taken as a result of or reliance upon anything, including, without limitation, information, advice, or AI flags contained in this Report or sources of information used or referred to in this Report.

