

HW_Developer Role_Mock 3

Sneha B M | 10 Jun 2024



Overall Status: Completed Detailed Status: Test-taker Completed

Test Finish Time: June 10, 2024 01:06:23 PM IST



Sneha B M
sneha.b.m@accenture.com

I read and agree the terms and conditions: Yes
Test-Taker ID: - 132815206

Overall Summary

9

Marks Scored
out of 10


90 %

97.73 percentile
out of 44 Test Takers

6m 5s

Time taken
of 15mins

Marks Scored



Attempt Summary

Distribution of questions attempted in a total of 10 question(s).



| | | |
|-------------------|--------|-----------|
| Correct | 9 Ques | 9/9 Marks |
| Incorrect | 1 Ques | 0/1 Marks |
| Partially Correct | 0 Ques | 0/0 Marks |
| Not Attempted | 0 Ques | 0/0 Marks |

Q.

1

▼

Question 1

🕒

Time taken: 44s

Marks Scored: 1/1

From the below, which one is not a widget event

Response:

| OPTIONS | RESPONSE | ANSWER |
|-------------------|----------|--------|
| onload | | |
| onRefresh | | |
| onViewChange | | |
| None of the above | ✔ | ✔ |

Q.

2

▼

Question 2

🕒

Time taken: 27s

Marks Scored: 1/1

What is a widget

Response:

| OPTIONS | RESPONSE | ANSWER |
|--|----------|--------|
| Native Client for 3DExperiance | ✔ | ✔ |
| Standalone applications which can be opened in 3DDashboard | | |
| Standalone applications which can be opened in 3DSpace | | |
| Another name of 3DSpace | | |

where can define in preference in widget

Response:

| OPTIONS | RESPONSE | ANSWER |
|---------|----------|--------|
| JSP | | |
| HTML | | ✔ |
| JSON | ✔ | |
| CSS | | |

where can define business logic for widget?

Response:

| OPTIONS | RESPONSE | ANSWER |
|---------|----------|--------|
| JSP | | |
| JPO | | |
| JAR | ✔ | ✔ |
| HTML | | |

Select the MQL command to create an object having type, name and revision as T, N and R respectively

Response:

| OPTIONS | RESPONSE | ANSWER |
|---|----------|--------|
| add bus T N R policy "Test Part" vault "eService Production"; | ✔ | ✔ |
| add bus T N R; | | |
| add bus T N R vault "eService Production"; | | |
| add bus T N R add policy "Test Part" vault "eService Production"; | | |

Widget source code may be hosted on:

Response:

| OPTIONS | RESPONSE | ANSWER |
|------------------------------------|----------|--------|
| . Internal Server only | | |
| External Server only | | |
| Internal Server or External Server | ✔ | ✔ |
| None | | |

Select the MQL query to get the total count of the object of type Part

Response:

| OPTIONS | RESPONSE | ANSWER |
|---|----------|--------|
| eval expr count true on temp query bus Part * *; | | |
| exec expr count(true) on temp query bus Part * *; | | |
| eval expr count(true) on print bus Part * *; | | |
| eval expr count(true) on temp query bus Part * *; | ✔ | ✔ |

It is possible to use external js libraries like vue js on widgets

Response:

| OPTIONS | RESPONSE | ANSWER |
|---------|----------|--------|
| True | ✔ | ✔ |
| false | | |

Which is the DS provided module to interact between widgets

Response:

| OPTIONS | RESPONSE | ANSWER |
|-------------|----------|--------|
| WAFData | | |
| PlatformAPI | ✔ | ✔ |
| Core | | |
| InterCom | | |

What is the command to include other modules in JavaScript AMD?

Response:

| OPTIONS | RESPONSE | ANSWER |
|---------|----------|--------|
| Include | | |
| Require | ✔ | ✔ |
| Fetch | | |
| Import | | |

About the Report

This Report is generated electronically on the basis of the inputs received from the assessment takers. This Report including the AI flags that are generated in case of availing of proctoring services, should not be solely used/relied on for making any business, selection, entrance, or employment-related decisions. Mettl accepts no liability from the use of or any action taken or refrained from or for any and all business decisions taken as a result of or reliance upon anything, including, without limitation, information, advice, or AI flags contained in this Report or sources of information used or referred to in this Report.

