Use Case: Transaction Batch Processing

1. Overview

The Transaction Batch module lets authorised staff create a named batch of GL and customer account entries, check that it balances, and submit it for approval and posting. A batch can post once, or repeat on a schedule when it is marked Recurring. It replaces keying the same entries one at a time.

Purpose. Capture, review, submit and post groups of debit and credit items as one controlled unit. A summary proves the batch balances, and any item that fails to post is parked in a suspense GL until it is repaired, so the trial balance never goes out of balance.

Scope (in).

- Searching and listing batches (Transaction Batch screen).
- Creating and changing a batch header, with optional recurrence (Transaction Batch Input screen).
- Adding, changing, viewing, removing and repairing batch items (Batch Item screens, Main Information only).
- Viewing the batch summary by currency and value date (Transaction Batch Summary screen).
- Batch actions: Add, Modify, View, Submit, Reject, Remove, Summary, Copy, Print.
- Processing of one-off and recurring batches, including suspended items.

2. Actors and stakeholders

Actor	Role in the batch process
Batch Operator	Creates and changes batches and items, checks the summary, submits the batch and repairs Suspended items. Shown as “User” on the batch list.
Authoriser	Approves or rejects a submitted batch in the workflow. Recorded as “Authorised/Rejected By”.
Finance / GL Accountant	Owns the GL accounts used on batch items and the batch suspense GL, and reviews the entries that post.
Core system (posting service)	Posts items one at a time, suspends items that fail, advances the Next Posting Date on recurring batches and sets the batch status.
Workflow engine	Routes a submitted batch to the authoriser and returns the decision.

3. Preconditions and postconditions

Preconditions

- The user is signed in and has permission to the Transaction Batch function for their branch.
- The branch (Origin Branch), currencies, GL accounts and customer accounts used by the batch exist and are active.
- A workflow is configured for batch approval.
- A batch suspense GL account is configured.

Postconditions (success)

- A saved batch has a Batch Number and Code, status Inactive, and the creating user and date recorded.
- Saved items appear on the Batch Item list with their debit or credit amount.
- The summary shows Balanced = Yes for every currency and value date before the batch is submitted.
- After posting, every item is Posted. Items that failed are Suspended, with their entry held in the batch suspense GL.
- The batch status is Posted, or Partially Posted when any item is still Suspended.

Postconditions (failure)

- A failed save or submit changes nothing, and the user sees the reason.
- An item that fails to post is Suspended with a message in the Error column, and the rest of the batch carries on.

4. Use cases

Fourteen use cases cover the batch lifecycle.

ID	Use case	Primary actor	Trigger
UC-01	Search for batches	Batch Operator	Search on Transaction Batch
UC-02	Create a batch	Batch Operator	Add on Transaction Batch
UC-03	Modify a batch	Batch Operator	Modify on Transaction Batch
UC-04	Add batch items	Batch Operator	Batch Items on Transaction Batch Input, then Add
UC-05	Modify, view or remove a batch item	Batch Operator	Modify, View or Remove on Batch Item
UC-06	View the batch summary	Batch Operator	Summary on Transaction Batch or Batch Item
UC-07	Submit a batch	Batch Operator	Submit
UC-08	Reject a batch	Authoriser	Reject, or the workflow

ID	Use case	Primary actor	Trigger
UC-09	Remove a batch	Batch Operator	Remove on Transaction Batch
UC-10	Copy a batch	Batch Operator	Copy on Transaction Batch
UC-11	Print a batch	Any user	Print
UC-12	Repair a suspended item	Batch Operator	Repair on Batch Item
UC-13	Post a batch	Core system	Approval, or the Next Posting Date
UC-14	Import batch items	Batch Operator	Import on Batch Item

UC-01 Search for batches

Goal. Find batches that match the user's criteria.

Main flow

1. The user opens Transaction Batch. The screen shows Origin Branch and User already filled in with the user's own values (Figure 1).
2. The user optionally enters Batch Number, Code, From Date, To Date or picks a Status.
3. The user selects Search.
4. The system lists matching batches with Batch Number, Code, Description, Recurring, Posting Frequency, Next Posting Date, Expiry Date, Origin Branch, Created By, Created Date, Posted Date and Status.
5. The user can change the number of rows shown (Show entries), type in the grid Search box to narrow the rows, sort by any column heading, or page with Previous and Next.

Alternative flow. No batch matches: the grid shows no rows and the entry count reads "Showing 0 to 0 of 0 entries".

Exception. From Date later than To Date: the system blocks the search and shows a message.

UC-02 Create a batch

Goal. Save a batch header so that items can be added.

Main flow

1. On Transaction Batch the user selects Add. The system opens Transaction Batch Input (Figure 2) with Recurring unticked and Status showing Inactive. The user cannot change the Status.
2. The user enters a Description.
3. The user optionally enters an Effective Date.
4. The user selects Save.
5. The system validates the form, creates the batch with status Inactive, generates the Batch Number and Code, records the user as Created By and the date as Created Date, and reopens the screen with Code and Created Date filled in. The buttons change to Save, Batch Items, Submit and Close (Figure 3).

Alternative flow A: recurring batch

- At step 3 the user ticks Recurring. The system makes Posting Frequency (a number and a unit of days, weeks, months or years), Next Posting Date and Expiry Date mandatory.
- The user completes the three fields. Flow resumes at step 4.

Alternative flow B: cancel

- The user selects Close. Nothing is saved.

Exceptions. Description missing; Recurring ticked but Posting Frequency, Next Posting Date or Expiry Date missing; Expiry Date earlier than Next Posting Date: the system blocks Save and flags the field.

UC-03 Modify a batch

Main flow

1. On Transaction Batch the user selects a batch with the radio button and chooses Modify.
2. The system opens Transaction Batch Input (Figure 3) with the saved values.
3. The user changes Description, Recurring and its fields, or Effective Date, and selects Save.
4. The system saves the change.

Exception. The batch is Submitted, Active, Rejected, Posted or Partially Posted: Modify is not allowed. Only View opens it, read-only. A Rejected batch cannot be edited or submitted again. To correct it, the user copies it (UC-10).

UC-04 Add batch items

Goal. Add the debit and credit lines that make up the batch.

Main flow

1. On the saved batch (Figure 3) the user selects Batch Items. The system opens the Batch Item list for that batch (Figure 4).
2. The user selects Add. The system opens the Batch Item entry screen on the Main Information tab (Figure 6) with the Transaction Amount currency set to UGX, Narrative set to the batch description, Reference pre-filled, Value Date set to the business date and Status set to Active.
3. The user picks the Account Type: GL Account or Customer Account.
4. The user selects the Account with the search button. For GL Account the search lists GL accounts. For Customer Account the search lists deposit accounts and term deposit (TD) accounts only. Loan accounts are never listed. After the user picks an account, its name shows under the Account box (SUSAN NAMUKASA in the sample).
5. The user enters the Transaction Amount. Exchange/Cross Rates and Account Currency Equivalent fill in from the currency (UGX at a rate of 1.000000 in the sample).
6. The user picks the Transaction Type: Debit or Credit. The system fills the Debit Credit Indicator from the choice.
7. The user adjusts Narrative, Reference and Value Date if needed and selects Save.
8. The system saves the item and returns to the Batch Item list, where the item shows with its amount in the Debit Amount or Credit Amount column (Figure 5).

Alternative flow: add many items

- At step 7 the user selects Add Next. The system saves the item and opens a blank entry screen for the next item.

Alternative flow: foreign currency item

- When the Transaction Amount currency differs from the account currency, the Exchange/Cross Rates fields show the rate and Account Currency Equivalent shows the converted amount. The Rates button opens the rate lookup.

Exceptions. Account, Transaction Type, Narrative, Reference or Value Date missing; Transaction Amount zero or negative; account closed or blocked: the system blocks Save and shows a message.

UC-05 Modify, view or remove a batch item

Main flow

1. On the Batch Item list (Figure 5) the user selects an item with the radio button.
2. For Modify, the system opens the entry screen with the saved values; the user changes them and selects Save.
3. For View, the system opens the entry screen read-only.
4. For Remove, the system asks for confirmation and then removes the item.
5. The system refreshes the list.

Exceptions. The batch is no longer Inactive, or the item is Posted: Modify and Remove are not allowed. A Suspended item is changed only through Repair (UC-12).

UC-06 View the batch summary

Goal. Prove that the batch balances before it is submitted.

Main flow

1. The user selects Summary on Transaction Batch or on the Batch Item list.
2. The system opens Transaction Batch Summary (Figure 7) for the selected batch.
3. The system lists one row per currency and value date with Number of Debits, Number of Credits, Total Debits, Total Credits, Net Difference and Balanced.
4. The user reviews the rows and selects Close.

Rule shown. Balanced is Yes when Net Difference is zero, otherwise No. In the sample, one debit of UGX10,000.00 and no credit gives a Net Difference of UGX10,000.00, so Balanced is No.

UC-07 Submit a batch

Main flow

1. On Transaction Batch, or on the saved batch screen, the user selects Submit.
2. The system checks that the batch has at least one item and that every currency and value date is balanced.
3. The system sends the batch to the workflow and sets the status to Submitted.
4. The system confirms to the user.

Exceptions. No items, or Balanced is No on any summary row: the system refuses and states the reason. Batch already Submitted: the button has no effect.

UC-08 Reject a batch

Main flow

1. The authoriser rejects a Submitted batch in the workflow, or selects it on Transaction Batch and chooses Reject.
2. The system sets the status to Rejected and records the authoriser and date in Authorised/Rejected By and Authorised/Rejected Date.

Note. Rejected is final. The batch cannot be edited or submitted again. To correct it, the operator copies it (UC-10) and submits the copy.

UC-09 Remove a batch

Main flow

1. The user selects an Inactive batch and chooses Remove.
2. The system asks for confirmation, removes the batch and its items, and refreshes the list.

Exception. Batches that are Submitted, Active, Rejected, Posted or Partially Posted cannot be removed.

UC-10 Copy a batch

Main flow

1. The user selects a batch and chooses Copy.
2. The system creates a new batch with a new Batch Number and Code, the same header values and the same items, with status Inactive and the current user as Created By.
3. The user opens the new batch to adjust it.

UC-11 Print a batch

Main flow. The user selects a batch and chooses Print. The system produces a printable view of the batch header, its items and its totals.

UC-12 Repair a suspended item

Goal. Clear an item that failed to post.

Main flow

1. On the Batch Item list the user selects an item whose status is Suspended. The Repair button is available only for a Suspended item.
2. The user fixes the cause (for example the account or its status) and selects Repair.
3. The system applies the normal validation to the item.
4. The system posts the item’s entry against the batch suspense GL, which clears the suspense entry, and sets the item to Posted.

5. When the last Suspended item of a Partially Posted batch is repaired, the system sets the batch to Posted.

Exception. The validation fails (for example the account would be overdrawn): the system throws an exception, the repair fails and the item stays Suspended.

UC-13 Post a batch

Goal. Post an approved batch to the ledger.

Main flow (one-off batch)

1. The workflow approves the batch. The status becomes Active and the system posts the batch straight away, including when the Effective Date has already passed.
2. The system posts the items one at a time (see section 6).
3. When all items are Posted the batch becomes Posted. When any item is Suspended the batch becomes Partially Posted. The system records Posted/Processed By and Posted/Processed Date.

Main flow (recurring batch)

1. The workflow approves the batch once. The status becomes Active and stays Active between runs.
2. On each Next Posting Date the system posts all items again, one at a time, with the item Value Date set to the run date.
3. After each run the system moves Next Posting Date forward by the Posting Frequency.
4. The last run is on the Expiry Date. After it the batch becomes Posted, or Partially Posted when any item is Suspended.

Alternative flow: an item fails

- The item becomes Suspended with a message in the Error column and its entry is posted to the batch suspense GL. The rest of the batch carries on.

UC-14 Import batch items

Goal. Load many items into a batch from a prepared file instead of keying them one at a time.

Main flow

1. On the Batch Item list (Figure 4 or Figure 5) of an Inactive batch the user selects Import. On an empty list the button sits between Add and Close. When the list already has items it takes the place of Print.
2. The system opens a file browser. The user picks a CSV or Excel (.xlsx) file that has been filled in beforehand.
3. The system reads the file. Each row is one item, with the columns Account Type, Account Number, Transaction Type (Debit or Credit), Amount, Currency, Narrative, Reference and Value Date.
4. The system validates every row with the same rules as a manually entered item (UC-04).
5. When all rows pass, the system inserts them as items with the status Active, refreshes the Batch Item list and shows how many items were imported.

6. The user checks the totals with Summary (UC-06) and then submits the batch.

Exceptions. The file is not a CSV or Excel file, is empty, or lacks a required column: the system rejects it and shows a message. One or more rows fail validation (for example an unknown or closed account, a loan account, a zero or negative amount, or an invalid Transaction Type): no item is imported and the system lists each failed row with its reason. The batch is no longer Inactive: Import is not available.


Note. The list of accepted columns and the maximum number of rows are to be confirmed (see open questions).

5. Screen and field specifications

The diagrams are drawn as Word shapes. Click a screen once to select it as a whole, click again to pick a section, and click again to pick a single field, button or column. Press Delete to remove the part you selected. In Word, Home, Select, Selection Pane lists every part by name.

5.1 Transaction Batch (list)

Figure 1. Transaction Batch list screen.




Element	Type	Behaviour
Origin Branch	Dropdown	Filled in with the user's branch (HEAD OFFICE in the sample).
User	Dropdown	Filled in with the signed-in user (Herbert, Ruhunde in the sample).
Batch Number, Code	Text	Optional filters.

Element	Type	Behaviour
From Date, To Date	Date	Optional date range (assumed to be on Created Date).
Status	Dropdown	Active, Inactive, Partially Posted, Posted, Rejected, Submitted. Blank means all.
Search	Button	Refreshes the grid with the filters.
Show entries, Search box	Dropdown, text	Rows per page (50 in the sample) and a quick filter on the rows shown.
Grid columns	Read-only	Batch Number, Code, Description, Recurring (Yes or No), Posting Frequency, Next Posting Date, Expiry Date, Origin Branch, Created By, Created Date, Posted Date, Status. Click a heading to sort.
Radio button	Select	Chooses the batch the buttons act on.
Buttons	Buttons	Add, Modify, View, Submit, Reject, Remove, Summary, Copy, Print, Close. Each is enabled only for a valid status.

5.2 Transaction Batch Input (Add)

Figure 2. Transaction Batch Input screen opened by Add.




Field	Type	Req.	Behaviour
Description	Multi-line text	Yes	Name of the batch.
Recurring	Checkbox	No	Unticked by default. Ticking it makes the three fields below mandatory.
Effective Date	Date	No	Date from which the batch is effective.

Field	Type	Req.	Behaviour
Posting Frequency	Number and unit dropdown	If Recurring	How often the batch posts. Units: days, weeks, months, years.
Next Posting Date	Date	If Recurring	Date of the next posting.
Expiry Date	Date	If Recurring	Date of the last posting.
Origin Branch	Text, read-only	System	Branch of the user who created the batch.
Created By	Text, read-only	System	Filled in on Save.
Authorised/Rejected By, Authorised/Rejected Date	Read-only	System	Filled in by the workflow decision.
Posted/Processed By, Posted/Processed Date	Read-only	System	Filled in when the batch posts.
Status	Read-only	System	Inactive on save. The user cannot change it. See 5.7.
Save, Close	Buttons		Save creates the batch. Close leaves the screen.

5.3 Transaction Batch Input (after Save)

Figure 3. Transaction Batch Input screen after the batch is saved.



Change after Save	Detail
Code	Read-only code generated on Save (1002639 in the sample). Whether the Batch Number is also shown here is an open question.

Change after Save	Detail
Created Date	Read-only date of creation.
Created By	Filled in with the user.
Buttons	Save, Batch Items, Submit, Close. Batch Items opens the item list (Figure 4). Submit sends the batch to the workflow.

5.4 Batch Item (list)

Figure 4. Batch Item list before any item is added.






Figure 5. Batch Item list after one item is saved.



Element	Type	Behaviour
Batch Number, Code, Description	Read-only	Taken from the batch.
Grid columns	Read-only	Account Number, Account Title, Txn Code, Debit Amount, Credit Amount, Narrative, Reference, Created By, Created Date, Value Date, Status, Error.
Debit Amount, Credit Amount	Read-only	The amount appears in one of the two columns, following the Debit Credit Indicator.
Status	Read-only	Active, Suspended or Posted (see 5.7).
Error	Read-only	Message when an item fails to post.
Show entries, Search box	Dropdown, text	As on the Transaction Batch screen.
Buttons (empty list)	Buttons	Add, Import, Close.
Buttons (with items)	Buttons	Add, Modify, Remove, View, Summary, Repair, Import, Close. Repair is available only for a Suspended item. Import is described in UC-14.

5.5 Batch Item entry (Main Information)

Figure 6. Batch Item entry screen, Main Information tab, with a customer account example.




Field	Type	Req.	Behaviour

Field	Type	Req.	Behaviour
Account Type	Dropdown	Yes	Two choices only: GL Account and Customer Account.
Account	Text with search	Yes	GL Account: GL accounts. Customer Account: deposit and TD accounts only, never loans. The account name shows under the box once chosen.
Transaction Amount	Currency dropdown and amount	Yes	Currency defaults to the account currency. Amount greater than zero.
Exchange/Cross Rates	Read-only numbers and Rates button	No	Rate between the transaction currency and the account currency (1.000000 for UGX to UGX).
Account Currency Equivalent	Currency and amount	No	Amount converted into the account currency.
Transaction Type	Dropdown	Yes	Debit or Credit, for both account types. The system holds the full transaction code behind the choice
Debit Credit Indicator	Read-only	System	Debit or Credit, set from the Transaction Type.
Narrative	Multi-line text	Yes	Defaults to the batch description.
Reference	Text	Yes	Pre-filled by the system.
Value Date	Date	Yes	Defaults to the business date. For a recurring batch it becomes the run date on each run.
Status	Dropdown	Yes	Active when entered. Suspended and Posted are set by the system (see 5.7).
Save, Add Next, Close	Buttons		Save returns to the list. Add Next saves and opens a blank entry screen.

5.6 Transaction Batch Summary


Figure 7. Transaction Batch Summary screen.



Element	Type	Behaviour
Batch Number, Code, Description	Read-only	Taken from the batch.
Currency	Read-only	One row per currency and value date.
Number of Debits, Number of Credits	Read-only	Count of items on each side.
Total Debits, Total Credits	Read-only	Sum of amounts on each side.
Net Difference	Read-only	Total Debits minus Total Credits.
Balanced	Read-only	Yes when Net Difference is zero, otherwise No.
Close	Button	Returns to the previous screen.

5.7 Batch status flow

Figure 8. How a batch moves between statuses. Only the system changes a status.



A recurring batch stays Active after each run until the run on its Expiry Date.

A one-off batch posts on approval, so it moves from Active to Posted or Partially Posted straight away.

Batch status	Meaning	Set when
Inactive	Saved, not yet submitted.	The user saves the batch.
Submitted	Sent to the workflow, waiting for a decision.	The user selects Submit.
Active	Approved and waiting to be posted. A recurring batch stays Active between runs.	The workflow approves the batch.
Rejected	Rejected in the workflow. Final: it cannot be edited or submitted again.	The authoriser rejects the batch.
Posted	Posted. For a recurring batch, only after the last run.	The last posting finishes with no Suspended item, or the last Suspended item is repaired.
Partially Posted	Finished posting with at least one Suspended item.	The last posting finishes with a Suspended item.

Item status	Meaning	Set when
Active	Entered and waiting to be posted.	The user saves the item.
Suspended	Failed to post. The entry is held in the batch suspense GL and a message shows in the Error column.	The system fails to post the item.
Posted	Posted to the ledger.	The item posts, or Repair succeeds.

6. Processing logic

The posting service posts the items of a batch one at a time. A failed item never stops the others.

Aspect	One-off batch (Recurring unticked)	Recurring batch (Recurring ticked)
Approval	Approved once in the workflow.	Approved once. The approval covers the whole schedule.
When it posts	Straight away on approval, including when the Effective Date has passed.	On each Next Posting Date, from the first until the Expiry Date.
Items posted	All items, once.	All items, again on every run.
Item Value Date	As entered.	Set to the run date on each run.
Next Posting Date	Not used.	Moves forward by the Posting Frequency after each run.
Status between runs	Not applicable.	Stays Active.
Last run	The only run.	The run on the Expiry Date.
Status after the last run	Posted, or Partially Posted if any item is Suspended.	Posted, or Partially Posted if any item is Suspended.
Run history	Not kept.	Not kept.

Posting one item

1. The system validates the item and posts its entry to the account.
2. On success the item is Posted.
3. On failure the item becomes Suspended, the reason is stored in the Error column, and the entry is posted to the batch suspense GL. This keeps the trial balance in balance.
4. The system moves on to the next item.

Repairing a Suspended item

1. The user fixes the cause and selects Repair on the Batch Item list. Repair is available only for a Suspended item.
2. The system applies the normal validation. If it fails, an exception is thrown, the repair fails and the item stays Suspended.
3. If it passes, the system posts the entry against the batch suspense GL, which clears the suspense entry, and the item becomes Posted.
4. When the last Suspended item of a Partially Posted batch is repaired, the batch becomes Posted.

Suspended items and later runs. On a recurring batch, Suspended items wait for repair while the next run goes ahead as normal.

7. Business rules

ID	Rule
BR-01	Recurring is unticked by default. An unticked batch posts once.
BR-02	When Recurring is ticked, Posting Frequency (number and unit: days, weeks, months or years), Next Posting Date and Expiry Date are mandatory. Expiry Date must not be before Next Posting Date.
BR-03	Description is mandatory.
BR-04	Batch status is set only by the system: Inactive on save, Submitted on submit, Active on approval, Rejected on rejection, Posted or Partially Posted after posting. The user cannot change it.
BR-05	Items can be added only after the batch is saved. The Batch Items button appears after Save.
BR-06	Account Type has two values only: GL Account and Customer Account.
BR-07	A Customer Account search returns deposit accounts and term deposit (TD) accounts only. Loan accounts are excluded.
BR-08	Transaction Type is Debit or Credit for both account types.
BR-09	The Debit Credit Indicator is set from the Transaction Type and cannot be edited. The amount lands in the Debit Amount or Credit Amount column accordingly.
BR-10	Transaction Amount must be greater than zero. The currency defaults to UGX.
BR-11	Narrative defaults to the batch description. Value Date defaults to the business date. Reference is pre-filled by the system.
BR-12	A batch is balanced when Net Difference is zero for every currency and value date. The Summary shows Balanced as Yes or No.
BR-13	A batch can be submitted only when it has items and is balanced (assumed).
BR-14	Once Submitted, a batch and its items cannot be modified or removed (assumed). Modify and Remove are allowed only while the batch is Inactive (assumed).
BR-15	A Rejected batch cannot be edited or submitted again. It can be copied.
BR-16	Items are posted one at a time. An item that fails becomes Suspended, its message is stored in the Error column, and its entry is posted to the batch suspense GL so the trial balance stays in balance.
BR-17	Repair is available only for a Suspended item. Normal validation applies. If it fails an exception is thrown and the item stays Suspended. If it passes the entry posts against the suspense GL and the item becomes Posted.
BR-18	A batch with any Suspended item at the end of its last posting is Partially Posted. It becomes Posted when the last Suspended item is repaired.
BR-19	A one-off batch posts on approval in case it has less than 50 items. For performance, if

ID	Rule
	they are more than 50, a service may be used to post it. A recurring batch is approved once and posts on each Next Posting Date until the Expiry Date, staying Active between runs.
BR-20	On each run of a recurring batch all items post again with the Value Date set to the run date, and Next Posting Date moves forward by the Posting Frequency.
BR-21	Origin Branch, Created By, Authorised/Rejected By and Date, and Posted/Processed By and Date are filled in by the system.
BR-22	Service only posts Active batches
BR-23	Import is available only while the batch is Inactive, the same as Add. The imported lines are added to any items already on the batch.
BR-24	Every imported row passes the same validation as a manually entered item. If any row fails, no row is imported and the user sees the row number and reason for each failure (assumed).
BR-25	Imported items take the Active status, with Created By, Created Date and Reference set by the system. Narrative defaults to the batch description and Value Date to the business date when left blank in the file.

8. Exceptions, non-functional requirements and open questions

Non-functional requirements

- Security: role-based access to each button (Modify, Submit, Reject, Remove, Print, Import, Repair), and separation of the person who submits from the person who approves.
- Audit: every create, change, submit, decision, posting and repair is logged with user, date and time.
- Integrity: a posting run that is interrupted can be repeated without posting an item twice, and the suspense GL always holds the entries of Suspended items.
- Usability: Add Next supports fast entry of many items.
- A GL has to be defined for posting suspended items.
- A suspended item that is never repaired stays in that state and in the GL until repaired.
- If a one-off batch has an Effective Date in the future, does it still post on approval, the service would post it on the effective date
- Posting Frequency, Next Posting Date and Expiry Date disabled when Recurring is unticked.