

Engaging with MIDFIELD Data

Susan Lord, Matthew Ohland, Marisa Orr, Richard Layton, and Russell Long

2021-07-26

Contents

1	Introduction	5
1.1	Objectives	5
1.2	Description	5
1.3	Pre-workshop homework	6
1.4	Agenda	6
1.5	Facilitators	6
1.6	Licenses	7
1.7	Acknowledgement	7
2	Install everything	9
2.1	Already installed?	9
2.2	Install R and RStudio	10
2.3	Create a project	11
2.4	Add some folders	11
2.5	Install CRAN packages	12
2.6	Install MIDFIELD packages	13
3	Workshop materials	15
3.1	Stuff	15
3.2	More stuff	15
4	Exploring the data structure	17
4.1	Stuff	17
4.2	More stuff	17
5	Working with R	19
5.1	Prerequisites	19
5.2	New to R?	20
5.3	Familiar with R?	20
5.4	After the workshop	20
5.5	R basics	21
5.6	Graph basics	22
5.7	Data basics	22

6	Designing effective displays	23
6.1	Stuff	23
6.2	More stuff	23

Chapter 1

Introduction

1.1 Objectives

MIDFIELD contains individual Student Unit Record (SUR) data for 1.7M students at 33 US institutions (as of June 2021). MIDFIELD is large enough to permit grouping and summarizing by multiple characteristics, enabling researchers to examine student characteristics (race/ethnicity, sex, prior achievement) and curricular pathways (including coursework and major) by institution and over time.

The goal of this workshop is to engage ASEE members with MIDFIELD data, in part using two R packages: **midfieldr** to provide tools for working with SURs and **midfelddata** to provide practice data.

By the end of the workshop, participants should be able to:

- Describe key variables in MIDFIELD data tables
- Explore and tell a story from MIDFIELD data
- Begin using R, **midfieldr**, and **midfelddata**
- Explain key features of effective data displays

1.2 Description

The robustness of the MIDFIELD data allows us to emphasize an intersectional approach to the study of student records, permitting multiple categories of inequity such as race/ethnicity and sex to be considered simultaneously.

To introduce beginners to R, participants work through a self-paced tutorial covering basic elements of the R computing language and environment. To introduce **midfieldr** and using it to work with student record data, participants

work through software tutorials that explore the SUR data and develop a persistence metric case study.

For more experienced R users or anyone working at a faster pace, we offer a series of self-paced tutorials that introduce key features of `midfieldr` and how they are applied to compute persistence metrics and graph results.

We also discuss the merits of the multiway graph design that is recommended for displaying results of this type. The agenda includes an interactive session to demonstrate contemporary principles of effective data display.

1.3 Pre-workshop homework

To get the most out of the workshop, you should have the essential software installed and running several days before the workshop to give you time to contact us with questions if anything goes amiss.

Install everything describes the homework.

1.4 Agenda

Our three hours are organized approximately as shown.

Min	Topic
15	Introduction
35	Exploring the data structure
35	Working with R
15	Break
20	Designing effective displays
50	Working with R (continued)
10	Next steps & assessing the workshop

1.5 Facilitators

Susan Lord Director of the MIDFIELD Institute and Professor and Chair of Integrated Engineering at the University of San Diego. She is a Fellow of the IEEE and the ASEE. Dr. Lord has considerable experience facilitating workshops including the National Effective Teaching Institute (NETI) and special sessions at FIE. (slord@san-diego.edu)

Matthew Ohland MIDFIELD Director and Principal Investigator. He is Professor and Associate Head of Engineering Education at Purdue University and a Fellow of IEEE, ASEE, and AAAS. Dr. Ohland has considerable experience facilitating workshops including the NETI and CATME training. (ohland@purdue.edu)

Marisa Orr MIDFIELD Associate Director and Associate Professor in Engineering and Science Education with a joint appointment in Mechanical Engineering at Clemson University. She received the 2009 Helen Plants Award for the best nontraditional session at FIE, “Enhancing Student Learning Using SCALE-UP Format.” (marisak@clemson.edu)

Richard Layton MIDFIELD Data Visualization Specialist and Professor Emeritus of Mechanical Engineering at Rose-Hulman Institute of Technology. He is the lead developer of the R packages used in this workshop. Dr. Layton has considerable experience facilitating workshops, including FIE workshops on data visualization (2014) and midfieldr (2018). (graphdoctor@gmail.com)

Russell Long MIDFIELD Managing Director and Data Steward. He developed the stratified data sample for the R packages used in this workshop. Mr. Long is a SAS expert with over twenty years of experience in institutional research and assessment. (ralong@purdue.edu)

1.6 Licenses

The following licenses apply to the text, data, and code in these workshops. Our goal is to minimize legal encumbrances to the dissemination, sharing, use, and re-use of this work. However, the existing rights of authors whose work is cited (text, code, or data) are reserved to those authors.

- CC-BY 4.0 for all text
- GPL-3 for all code
- CC0 for all data

1.7 Acknowledgement

Funding provided by the National Science Foundation Grant 1545667 “Expanding Access to and Participation in the Multiple-Institution Database for Investigating Engineering Longitudinal Development.”

top of page

Chapter 2

Install everything

If you are trying R for the first time, it is vital that you attempt to set up your computer with the necessary software in advance or it will be difficult to keep up.

This chapter describes all of the pre-workshop homework:

- Already installed?
- Install R and RStudio
- Create a project

- Add some folders
- Install CRAN packages
- Install MIDFIELD packages

2.1 Already installed?

If you do not have R and RStudio installed, please skip this section and start with the next section. If you are already an R and RStudio user, this is a great time to check for updates.

Updating RStudio

- RStudio menu *Help > Check for Updates* will tell you if you are current or not.
- To update, close RStudio on your machine, download the new version from the RStudio website, and run the `RStudio-some-version-number.exe`. (Windows users *might* have to run the executable as an administrator.)

Update your packages

How to upgrade all out-of-date packages in *What They Forgot to Teach You About R* by Jennifer Bryan and Jim Hester.

Updating R

The easiest way to update R is to simply download the newest version. RStudio will automatically use the latest you've installed.

Alternatively, Windows users can use the `installr` package:

- Install the `installr` package
- If open, close R and RStudio
- Navigate to your most recent `Rgui.exe` file located in your Programs directory, e.g., `C:\Program Files\R\R-4.0.0\bin\x64\Rgui.exe`
- Right-click on `Rgui.exe` and run as administrator
- In the R GUI window that appears, run the commands

```
# Windows users only
library("installr")
updateR()
```

Updating your R library

How to transfer your library when updating R also by Bryan and Hester. Requires the `fs` package.

Once your updates are complete

Skip the next section and continue the homework with

- Create a project
- Add some folders
- Install CRAN packages
- Install MIDFIELD packages

2.2 Install R and RStudio

The first steps are to install R and RStudio. Windows users may have to login as an Administrator before installing the software.

- Install R for your operating system
- Install RStudio, a user interface for R

Once the installation is complete, you can take a 2-minute tour of the RStudio interface.

- Let's start (00:57–02:32) by R Ladies Sydney [Richmond, 2018]

The same video includes a longer (7 minute) tour of the four quadrants (panes) in RStudio if you are interested.

- The RStudio quadrants (07:21–14:40) by R Ladies Sydney [Richmond, 2018]

2.3 Create a project

To begin any project, we create an RStudio *Project* file and directory. You can recognize an R project file by its *.Rproj* suffix.

If you prefer your instructions with commentary,

- Start with a Project (02:34–04:50) by R Ladies Sydney [Richmond, 2018]

If you prefer basic written instructions,

- RStudio, *File > New Project... > New Directory > New Project*
- Or, click the *New Project* button in the Console ribbon,

In the dialog box that appears,

- Type the workshop name as the directory name, for example, **workshop**, or if you like more detail, **midfield-workshop-asee-2021**
- Use the browse button to select a location on your computer to create the project folder
- Click the *Create Project* button

Whenever you work with the workshop materials, launch the **workshop.Rproj** file (using the name you actually used) to start the session.

2.4 Add some folders

While file organization is a matter of personal preference, we ask that you use the directory structure shown here for your work in the workshop. Assuming we called our project **workshop**, the minimal directory structure has three folders in it plus the **.Rproj** file at the top level.

```
\workshop
  \data
  \results
  \scripts
  workshop.Rproj
```

We use the folders as follows:

- **data** data files
- **results** finished graphs and tabulated data formatted for display
- **scripts** R scripts that operate on data to produce results

To create folders:

- use your usual method of creating new folders on your machine
- or you can use the *New Folder* button in the Files pane

For a video guide,

- Make some folders (04:50–06:08) by R Ladies Sydney [Richmond, 2018]

2.5 Install CRAN packages

The fundamental unit of shareable code in R is the *package*. For the R novice, an R package is like an “app” for R—a collection of functions, data, and documentation for doing work in R that is easily shared with others [Wickham, 2014].

Most packages are obtained from the CRAN website [cra, 2018-04-22]. To install a CRAN package using RStudio:

- Launch RStudio

The RStudio interface has several panes. We want the *Files/Plots/Packages* pane.

- Select the *Packages* tab

Next,

- Click *Install* on the ribbon
- In the dialog box, type the name of the package. For our first package, type `data.table` to install the `data.table` package [Dowle and Srinivasan, 2021]
- Check the *Install dependencies* box
- Click the *Install* button

During the installation, Windows users might get a warning message about Rtools, something like:

```
WARNING: Rtools is required to build R packages but is
not currently installed. Please download and install the
appropriate version....
```

Rtools is needed for packages with C/C++/Fortran code from source—which does not apply to us. You may ignore the warning and carry on.

In the RStudio Console, you should see a message like this one,

```
package 'data.table' successfully unpacked and MD5 sums checked
```

If successful, the package will appear in the Packages pane, e.g.,

Repeat the process for the following packages

```
wrapr
Rdpack
checkmate
```

Alternatively, you can install them all at once by typing in the Console:

```
# midfielder depends on these packages
packages_we_need <- c("data.table", "wrpr", "Rdpack", "checkmate")
install.packages(packages_we_need)
```

2.6 Install MIDDLEFIELD packages

2.6.1 midfieldr

midfieldr is not yet available from CRAN. To install the development version of midfieldr from its **drat** repository, type in the Console:

```
# type in the RStudio Console
install.packages("midfieldr",
                 repos = "https://MIDFIELDR.github.io/drat/",
                 type = "source")
```

You can confirm a successful installation by running the following lines to bring up the package help page in the Help window.

```
# type in the RStudio Console
library("midfieldr")
? `midfieldr-package`

# or, equivalently
help("midfieldr-package")
```

If the installation is successful, the code chunk above should produce a view of the help page as shown here.

2.6.2 midfielddata

Because of its size, the data package is stored in a **drat** repository instead of CRAN. Installation takes time; please be patient and wait for the Console prompt “>” to reappear.

Type (or copy and paste) the following lines in the RStudio Console.

```
# type in the RStudio Console
install.packages("midfielddata",
                 repos = "https://MIDFIELDR.github.io/drat/",
                 type = "source")

# be patient
```

Once the Console prompt “>” reappears, you can confirm a successful installation by viewing the package help page. In the Console, run:

```
# type in the RStudio Console  
library("midfielddata")  
help("midfielddata-package")
```

If the installation is successful, the code chunk above should produce a view of the help page as shown here.

You finished your homework!

top of page

Chapter 3

Workshop materials

3.1 Stuff

3.2 More stuff

top of page

Chapter 4

Exploring the data structure

4.1 Stuff

4.2 More stuff

[top of page](#)

Chapter 5

Working with R

R is an open source language and environment for statistical computing and graphics [R Core Team, 2021], ranked by IEEE in 2020 as the 6th most popular programming language (Python, Java, and C are the top three) [Cass, 2020]. If you are new to R, some of its best features, paraphrasing Wickham [2014], are:

- R is free, open source, and available on every major platform.
- R packages provide effective tools for data analysis and visualization.
- More than 17,750 open-source R packages are available (Jul 2021). Many are cutting-edge tools.

RStudio, an integrated development environment (IDE) for R, includes a console, editor, and tools for plotting, history, debugging, and workspace management as well as access to GitHub for collaboration and version control [RStudio Team, 2016].

5.1 Prerequisites

Before proceeding, you should have completed

- Install everything
- Launched your workshop project—`workshop.Rproj` or other name that you selected—to start the R session
- We suggest you start a new R script for each tutorial and save it to the `scripts` directory. For example, at the end of the workshop, your scripts directory might contain the following files:

```
\scripts
  \R-basics.R
  \getting-started.R
```

```
\case-study-programs.R  
\case-study-students.R  
etc.
```

5.2 New to R?

Prerequisites should be completed before proceeding. By the end of the workshop, our R beginners will have made progress on two or possibly three tutorials:

- R basics An introduction to R, generally less than an hour.
- Getting started: An introduction to the MIDFIELD practice data tables.
- Case study programs Construct a data frame of program CIP codes and program names for four engineering programs (Civil, Electrical, Industrial, and Mechanical)

If you complete these tutorials and there is still time remaining, please consider moving on the to tutorials listed in the After the workshop section.

5.3 Familiar with R?

Prerequisites should be completed before proceeding. By the end of the workshop, our more experienced R users will have made substantive progress on two or possibly three tutorials:

- Getting started: An introduction to the MIDFIELD practice data tables
- Case study programs Construct a data frame of program CIP codes and program names for four engineering programs (Civil, Electrical, Industrial, and Mechanical)
- Case study students Develop a data frame of the case study students who pass the data sufficiency criterion.

If you complete these tutorials and there is still time remaining, please consider moving on the to tutorials listed in the After the workshop section.

5.4 After the workshop

At his point, the learning is self-directed. Choose the skills you want to continue working on. We have a set of tutorials for

- Developing R skills
- Continuing the case study
- Exploring midfieldr functions

5.4.1 Developing R skills

The basic skills tutorials take about 50 minutes each.

- R basics
- Graph basics
- Data basics

5.4.2 Continuing the case study

The case study is a quick tour of a typical workflow using student unit record data. This is a “big picture” development—functions are used without detailed explanations or development so that we can get to the results with as little distraction as possible. Anyone wanting more detail will find it in the detailed vignettes (links below in Exploring midfieldr functions).

- Case study programs
- Case study students
- Case study stickiness
- Case study graduation rate

5.4.3 Exploring midfieldr functions

Deep dive into the midfieldr functionality. The work flow follows the same general pattern as the quicker case study, but pauses to explore each function in more detail, exploring the arguments and strategies for use. In general, each tutorial is self-contained so you may enter at almost any point.

- Program codes and names Practice strategies of searching `cip` for programs we want to study.
- Subsetting MIDFIELD data Use programs codes to subset the MIDFIELD data tables.
- Data sufficiency What it is and how it is applied to student unit-record (SUR) data.
- Timely completion What it is and how it is applied to SUR data.
- FYE programs What they are and how they are accommodated with SUR data.
- Multiway graphs How to graph and interpret a common data structure encountered when working with SUR data.
- Tabulating data How to tabulate multiway data for publication.

5.5 R basics

This tutorial is an introduction to R adapted from [Healy, 2019] with extra material from [Matloff, 2019]. If you already have R experience, you might still want to browse this section in case you find something new.

Prerequisites should be completed before proceeding. After that, the tutorial should take no longer than 50 minutes.

5.5.1 Style guide

5.5.2 Everything in R has a name

5.5.3 Everything in R is an object

5.5.4 Use functions to do things

5.5.5 R functions come in packages

5.5.6 R objects have class

5.5.7 R objects have structure

5.5.8 R only does what you tell it

5.5.9 Keyboard shortcuts

5.5.10 What's next?

5.6 Graph basics

5.7 Data basics

[top of page](#)

Chapter 6

Designing effective displays

6.1 Stuff

6.2 More stuff

top of page

Bibliography

The Comprehensive R Archive Network, 2018-04-22. URL <https://cran.r-project.org/>.

Stephen Cass. Top programming languages. *IEEE Spectrum*, July 22 2020. URL <https://spectrum.ieee.org/at-work/tech-careers/top-programming-language-2020>.

Matt Dowle and Arun Srinivasan. *data.table: Extension of ‘data.frame’*, 2021. URL <https://CRAN.R-project.org/package=data.table>. R package version 1.14.0.

Kiernan Healy. *Get Started*, pages 32–53. Princeton University Press, Princeton, NJ, 2019. URL <https://kieranhealy.org/publications/dataviz/>.

Norm Matloff. *fasterR: Fast Lane to Learning R!*, 2019. URL <https://github.com/matloff/fasterR>.

R Core Team. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, 2021. URL <https://www.R-project.org/>.

Jenny Richmond. Basic Basics Lesson 1: An opinionated tour of RStudio, 2018. URL <https://youtu.be/kfcX5DEMAp4>.

RStudio Team. *RStudio: Integrated Development Environment for R*. RStudio, Inc., Boston, MA, 2016. URL <http://www.rstudio.com/>.

Hadley Wickham. *Advanced R*. Chapman & Hall/CRC The R Series. Taylor & Francis, 2014. ISBN 9781466586963.