

implementation of candidate algorithm

```
In [14]: import numpy as np  
import pandas as pd
```

```
In [16]: a=pd.read_csv('lab.csv')  
a
```

Out[16]:

	sky	airtemp	humidity	wind	water	forecast	enjoysport
0	sunny	warm	normal	strong	warm	same	yes
1	sunny	warm	high	strong	warm	same	yes
2	rainy	cold	high	strong	warm	change	no
3	sunny	warm	high	strong	cool	change	yes

```
In [18]: concepts = np.array(a.iloc[:,0:-1])  
print(concepts)
```

```
[['sunny' 'warm' 'normal' 'strong' 'warm' 'same']  
 ['sunny' 'warm' 'high' 'strong' 'warm' 'same']  
 ['rainy' 'cold' 'high' 'strong' 'warm' 'change']  
 ['sunny' 'warm' 'high' 'strong' 'cool' 'change']]
```

```
In [19]: target = np.array(a.iloc[:, -1])  
print(target)
```

```
['yes' 'yes' 'no' 'yes']
```

```

In [21]: def learn(concepts, target):
    specific_h = concepts[0].copy()
    print("\nInitialization of specific_h and general_h")
    print("\nSpecific Boundary: ", specific_h)
    general_h = [["?" for i in range(len(specific_h))] for i in range(len(specific_h))]
    print("\nGeneric Boundary: ", general_h)

    for i, h in enumerate(concepts):
        print("\nInstance", i+1, "is ", h)
        if target[i] == "yes":
            print("Instance is Positive ")
            for x in range(len(specific_h)):
                if h[x] != specific_h[x]:
                    specific_h[x] = '?'
                    general_h[x][x] = '?'

        if target[i] == "no":
            print("Instance is Negative ")
            for x in range(len(specific_h)):
                if h[x] != specific_h[x]:
                    general_h[x][x] = specific_h[x]
                else:
                    general_h[x][x] = '?'

        print("Specific Boundary after ", i+1, "Instance is ", specific_h)
        print("Generic Boundary after ", i+1, "Instance is ", general_h)
        print("\n")

    indices = [i for i, val in enumerate(general_h) if val == ['?', '?', '?', '?', '?', '?']]
    for i in indices:
        general_h.remove(['?', '?', '?', '?', '?', '?'])
    return specific_h, general_h

s_final, g_final = learn(concepts, target)

```

Initialization of specific_h and general_h

Specific Boundary: ['sunny' 'warm' 'normal' 'strong' 'warm' 'same']

Generic Boundary: [['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?']]

Instance 1 is ['sunny' 'warm' 'normal' 'strong' 'warm' 'same']

Instance is Positive

Specific Boundary after 1 Instance is ['sunny' 'warm' 'normal' 'strong' 'warm' 'same']

Generic Boundary after 1 Instance is [['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?']]

```

Instance 2 is ['sunny' 'warm' 'high' 'strong' 'warm' 'same']
Instance is Positive
Specific Boundary after 2 Instance is ['sunny' 'warm' '?' 'strong' 'warm'
'same']
Generic Boundary after 2 Instance is [['?', '?', '?', '?', '?', '?'], ['?',
'?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'],
['?', '?', '?', '?', '?', '?']]

```

```

Instance 3 is ['rainy' 'cold' 'high' 'strong' 'warm' 'change']
Instance is Negative
Specific Boundary after 3 Instance is ['sunny' 'warm' '?' 'strong' 'warm'
'same']
Generic Boundary after 3 Instance is [['sunny', '?', '?', '?', '?', '?'],
['?', 'warm', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?',
'?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?',
'?', 'same']]

```

```

Instance 4 is ['sunny' 'warm' 'high' 'strong' 'cool' 'change']
Instance is Positive
Specific Boundary after 4 Instance is ['sunny' 'warm' '?' 'strong' '?' '?']
Generic Boundary after 4 Instance is [['sunny', '?', '?', '?', '?', '?'],
['?', 'warm', '?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?',
'?', '?', '?', '?'], ['?', '?', '?', '?', '?', '?'], ['?', '?', '?', '?',
'?', '?']]

```

In [23]:

```
print("Final Specific_h: ", s_final, sep="\n")
```

```
Final Specific_h:
['sunny' 'warm' '?' 'strong' '?' '?']

```

In [24]:

```
print("Final General_h: ", g_final, sep="\n")
```

```
Final General_h:
[['sunny', '?', '?', '?', '?', '?'], ['?', 'warm', '?', '?', '?', '?']]

```

In []: