



Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical

x: 678, y: 535

2111
Router2

192.168.1.1

192.168.2.1

2411
Switch0

192.168.1.1

192.168.2.1

PC-PT
PC2

PC-PT
PC3

vlan-1

PC-PT
PC1

vlan-2

PC3

Physical Config Desktop Programming Attributes

Command Prompt

Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.2

Pinging 192.168.2.2 with 32 bytes of data:

Reply from 192.168.2.2: bytes=32 time<1ms TTL=127
Reply from 192.168.2.2: bytes=32 time<1ms TTL=127
Reply from 192.168.2.2: bytes=32 time<1ms TTL=127
Reply from 192.168.2.2: bytes=32 time<1ms TTL=127

Ping statistics for 192.168.2.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>

☐ Top

Time: 01:16:20

Scenario 0

New Delete

Toggle PDU List Window

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Realtime Simulation