

1. **Which HTTP request method is used to submit data to be processed to a server?**
 - a) Get
 - b) **POST**
 - c) PUT
 - d) DELETE
2. **What is XHTML?**
 - a) **A Stricker version of HTML**
 - b) An extension of HTML
 - c) A document type delimitation
 - d) An image formats
3. **Which of the following is not a feature of HTTP?**
 - a) **Connection oriented**
 - b) Stateless
 - c) Request response protocol
 - d) Connectionless
4. **The DOM is used to _____**
 - a) Structure HTML documents only
 - b) **Dynamically access and update the content and style of a document**
 - c) Replace XML tags
 - d) Encode URLs
5. **What does DHTML stand for?**
 - a) **Dynamic Hyper Text Markup Language**
 - b) Dynamic High Text Markup Language
 - c) Direct Hyper Text Markup Language
 - d) Document Hyper Text Markup Language
6. **Which protocol is primarily used for secure communications over the internet?**
 - a) HTTP
 - b) FTP
 - c) **HTTPS**
 - d) SMTP
7. **Which is the following XML naming rules**
 - a) Names can start with a number
 - b) Names can start with a punctuation character
 - c) **Names cannot contain space**
 - d) Names cannot use any alphabetic character
8. **In HTML which attribute is used to specify an image source?**
 - a) link
 - b) **src**
 - c) href
 - d) ref

9. Which of the HTML elements is used to create a checkbox in forms?
- a) <button type = 'checkbox'>
 - b) <input type = 'button'>
 - c) <input type = 'checkbox'>
 - d) <button type = 'check'>
10. What does the get HTTP request method do?
- a) Delete data from the server
 - b) Retrieves data from the server
 - c) Sends data to be processed to a server
 - d) Updates existing server data
11. Which organization is responsible for stabilizing web standards?
- a) IETF
 - b) W3C
 - c) HTML5 Consortium
 - d) ISO
12. Network of networks that consists of millions of private, public, academic, business, and government networks is called web.
- a) True
 - b) false
13. Which tag is used to create a hyperlink in HTML?
- a) <a>
 - b) <link>
 - c) <url>
 - d) <href>
14. Which element in HTML is used to create an unordered list?
- a)
 - b)
 - c)
 - d) <list>
15. In XHTML, all elements must be _____
- a) uppercase
 - b) lowercase
 - c) bold
 - d) italic
16. The Document Object Model (DOM) represents HTML and XML documents as what type of structure?
- a) Table
 - b) Matrix
 - c) Tree
 - d) List
17. What does XML stand for?
- a) Extensive Markup Language
 - b) Extra Markup Language
 - c) Extensible Markup Language
 - d) Extended Markup Language
18. What is the main purpose of the HTTP protocol?
- a) To transfer files between servers
 - b) To authenticate servers
 - c) To exchange hypertext information between client and server
 - d) To format HTML documents
19. Which HTML input type is used for a password field?
- a) <input>
 - b) <input type="number">
 - c) <input type="password">
 - d) <input type="hidden">

20. In a URL, what does the 'path' specify?
- a) The domain name
 - b) The protocol
 - c) The file location on the server
 - d) The fragment identifier
21. What feature makes DHTML different from HTML?
- a) Static content
 - b) Dynamic interactivity
 - c) Hypertext links
 - d) Structured formatting
22. Which HTML element is used to represent a numbered list?
- a) <list>
 - b)
 - c)
 - d) <nulls>
23. Which tag is used for inserting a line break in HTML?
- a) <lb>
 - b) <line>
 - c)

 - d) <newline>
24. What is the purpose of the <form> element in HTML?
- a) Display images
 - b) Define a form to collect user input
 - c) Structure the layout
 - d) Insert links
25. In a client-server model, who initiates the request?
- a) Server
 - b) Client
 - c) Peer
 - d) Router
26. URI stands for:
- a) Uniform Resource Identifier
 - b) Universal Resource Identifier
 - c) Uniform Resource Interlink
 - d) Unified Resource Integration
27. Which function checks the data type and value in PHP?
- a) print_r()
 - b) var_dump()
 - c) gettype()
 - d) checkType()
28. What data type does PHP support for decimal values?
- a) Integer
 - b) Double
 - c) Float
 - d) Boolean
29. What is the purpose of isset() in PHP?
- a) To declare
 - b) To check if a variable is defined
 - c) To compare two values
 - d) To print output
30. What keyword is used to create a function in PHP?
- a) def
 - b) function
 - c) new
 - d) declare

31. **How are associative arrays defined in PHP?**
- a) With indexes starting at 0
 - b) With key-value pairs**
 - c) With numeric keys
 - d) With string keys only
32. **What is the scope of a variable declared outside any function in PHP?**
- a) Local
 - b) Global**
 - c) Protected
 - d) Public
33. **Which superglobal in PHP can access global variables from anywhere?**
- a) `$_GET`
 - b) `$_SESSION`
 - c) `$GLOBALS`**
 - d) `$_ENV`
34. **What does the `is_numeric()` function check in PHP?**
- a) If a variable is numeric or a numeric string**
 - b) If a variable is a valid string
 - c) If a variable is an array
 - d) If a variable is NULL
35. **The HTTP protocol is designed to permit intermediate network elements to improve or enable communications between clients and servers and it is a stateless protocol.**
- a) True**
 - b) False
36. **What is the correct HTML for creating a hyperlink?**
- a) `<a name="http://www.aiub.edu">aiub.edu</a>`
 - b) `<a>http://www.aiub.edu</a>`
 - c) `<a href="http://www.aiub.edu">AIUB</a>`**
 - d) `<a url="http://www.aiub.edu">AIUB</a>`
37. **What is the difference between GET and POST in PHP?**
- a) GET displays data in the URL, POST does not**
 - b) POST is faster than GET
 - c) POST is limited to 100 characters
 - d) GET is more secure than POST
38. **What is the purpose of the `$_REQUEST` superglobal in PHP?**
- a) To check variable existence
 - b) To collect form data**
 - c) To print server info
 - d) To store cookies

39. Which HTTP request method is used to retrieve data from a server?
- a) GET
 - b) POST
 - c) PUT
 - d) DELETE
40. The <head> sections of an HTML document is used to _____
- a) Display content
 - b) Define metadata
 - c) Structure page layout
 - d) Define DOM
41. In HTML5, the <canvas> element is used for _____
- a) Creating table
 - b) Drawing graphics
 - c) Embedding videos
 - d) Defining forms
42. To check if a variable is an integer in PHP, you can use _____.
- a) is_int()
 - b) is_integer()
 - c) is_numeric()
 - d) is_number()
43. Which attribute is necessary for file upload in HTML forms?
- a) method="post"
 - b) enctype="multipart/form-data"
 - c) action="file_upload"
 - d) name="file"
44. Which one of the following methods is used to collect form data in PHP when using the POST method?
- a) \$_POST
 - b) \$_GET
 - c) \$_REQUEST
 - d) \$_NEXT
45. \$_SESSION & COOKIE both are super global variables used to store data in client machine.
- a) True
 - b) False
46. Which of these elements are all table elements?
- a) <table><head><tfoot>
 - b) <table><tr><td>
 - c) <table>
 - d) <table><head><body>
47. What does PHP stand for?
- a) Hypertext Markup Language
 - b) Personal Home Page
 - c) Both a & b
 - d) Hypertext Preprocessor

48. Which one of the following is the right way of defining a function in PHP?
- a) function functionName() function body {}
 - b) functionName(parameters) { function body }
 - c) function functionName(parameters) { function body }
 - d) function { function body }
49. What does the trim() function in PHP do?
- a) Removes whitespace from both sides of a string
 - b) Validates strings
 - c) Replaces characters in a string
 - d) None of the above
50. Which of the following is used to include the contents of one file into another?
- a) include()
 - b) header()
 - c) append()
 - d) load()
51. In the URL: "<https://www.example.com/page.html?id=123>", what does "id=123" represent?
- a) Anchor
 - b) File path
 - c) Query Parameter
 - d) Domain Name
52. Which one of the following statements is false about form handling?
- a) Any amount of data can be supplied from a form using the POST method
 - b) The HTTP GET method should never be used for sending passwords or other sensitive information
 - c) The HTTP POST requests are never cached, and we cannot bookmark them
 - d) The POST method is limited to 1024 bytes
53. Which of the following functions is used to return the length of an array?
- a) size()
 - b) count()
 - c) len()
 - d) length()
54. Which one of the following statements is false about PHP sessions?
- a) Session data in PHP is stored on the client side only
 - b) By default, session variables last until the user closes the browser
 - c) None of the above
 - d) Session variables hold information about one single user and are available to all pages in one application
55. Which of the following is true about the id attribute in HTML?
- a) An element can have multiple id values
 - b) The id attribute must be unique within a single HTML document
 - c) The id attribute is only used for form elements
 - d) The id attribute is optional and cannot be used for styling

56. In PHP, the `is_bool()` function checks if a variable is:
- a) 1 or 0
 - b) true or false
 - c) NULL
 - d) empty
57. What type of data does `$_FILES` in PHP handle?
- a) String data
 - b) Form data
 - c) Uploaded file data
 - d) Numeric values
58. PHP's `strtoupper()` function is used to:
- a) Find the length of an integer
 - b) Convert a string to uppercase
 - c) Validate numbers
 - d) Find the length of a string
59. In PHP, how do you check the file size of an uploaded file?
- a) `$_FILES["file"]["size"]`
 - b) `$_FILES["file"]["length"]`
 - c) `file_size($_FILES["file"])`
 - d) `filesize($_FILES["file"]["size"])`
60. How do you retrieve a session variable in PHP?
- a) `$_COOKIES['variable_name']`
 - b) `$_SESSION['variable_name']`
 - c) `$_SERVER['variable_name']`
 - d) `$_FILES['variable_name']`
61. In PHP, which function must appear before any HTML tags when starting a session?
- a) `setcookie()`
 - b) `session_start()`
 - c) `session_init()`
 - d) `session_set()`
62. Which of the following PHP statement/statements will store 111 in variable `num`?
- a) `int $num = 111;`
 - b) `111 = $num;`
 - c) `int num = 111;`
 - d) `$num = 111;`

1. **A router is configured to allow multiple devices in a home network to share a single public IP address. Which technology is being used here?**
 - a) HTTP
 - b) DNS (Domain Name System)
 - c) NAT (Network Address Translation)
 - d) TCP/IP
2. **What is the purpose of the <head> section in an HTML document?**
 - a) To define the visible content of the body
 - b) To store metadata and links to stylesheets or scripts
 - c) To contain user input forms
 - d) To display the page title on the body
3. **You are creating a webpage for a travel blog. On the blog, there are links to external websites like booking.com and tripadvisor.com. You want these external links to open in a new tab so that users don't lose their place on your blog. Which target attribute value should you use in the <a> tag to achieve this behavior?**
 - a) _blank
 - b) parent
 - c) self
 - d) top
4. **What is an attribute in HTML?**
 - a) A function inside an HTML tag
 - b) A property that provides additional information about an element
 - c) A type of CSS style
 - d) A separate HTML tag
5. **JavaScript was invented by**
 - a) Brendon Eich, 1995
 - b) Tim Berners-Lee, 1990
 - c) Yukihiro Matsumoto, 1990
 - d) Bjarne Stroustrup, 1979
6. **What is the primary role of a web HTTP server?**
 - a) To act as a database server
 - b) To serve static and dynamic web pages
 - c) To manage version control for the project
 - d) To provide a graphical user interface for the server
7. **<https://example.com:7000/products?id=123>. What is the port used in this URI?**
 - a) https
 - b) 8080
 - c) 7000
 - d) 80
8. **Which attribute is used to merge two or more columns in an HTML table?**
 - a) rowspan
 - b) colspan
 - c) merge
 - d) width

9. **You are styling a box, and you need the content to be spaced from the border by 15px on all sides. Which CSS property will you use?**
- a) margin
 - b) padding
 - c) border
 - d) width
10. **In a form, you want to target only the input fields that are of type "text". Which selector will be the best choice?**
- a) `input[type="text"] {}`
 - b) `input.text {}`
 - c) `input[type=text] {}`
 - d) `input:checkbox`
11. **You are designing a webpage and want to create space between two elements, so they don't appear too close to each other. However, you want to avoid changing the size or internal layout of either element. Which CSS property should you use to add space between the elements without affecting their internal layout or size?**
- a) padding
 - b) margin
 - c) border
 - d) width
12. **To parse a string and return the first integer, we use the `parseInt()` method in JavaScript. The output of `parseInt("20 min")` will be:**
- a) 20
 - b) NaN
 - c) Undefined
 - d) Type error
13. **Suppose you are required to create variables whose scope are defined within a block of code. JavaScript allows you to create block scopes using:**
- a) `let`
 - b) `const`
 - c) `var`
 - d) Both `let` and `const`
14. **A developer is building a social media application. Which HTTP method should be used to create a new post?**
- a) GET
 - b) POST
 - c) PUT
 - d) DELETE
15. **Which characteristic of HTTP makes possible to ensure that the server does not store any information about the client's previous requests. Which characteristic of HTTP makes this possible?**
- a) Connectionless
 - b) Stateless
 - c) Secure
 - d) Secureless

16. What is the output of `const arr = [1,2]; arr.push(3)`
- a) [1,2]
 - b) [3]
 - c) [1,2,3]
 - d) [0,1,2,3]
17. To store and hold more than one item of data at the same time, an array could be a perfect arrangement. JavaScript requires the following syntax to declare an array:
- a) `var arrayname = new Array();`
 - b) `var arrayname = new array();`
 - c) `var myArray = [size];`
 - d) `var myArray = new array[size];`
18. What is the output of the snippet below
- ```
var fruits = ["Apple", "Orange", "Apple", "Mango"];
console.log(typeof(fruits));
```
- a) Array
  - b) String
  - c) Number
  - d) Object
19. Which one is correct to convert the date to string using this standard, `var d = new Date();`
- a) `Date.now();`
  - b) `d.toISOString();`
  - c) `d.getTime();`
  - d) `d.parseString();`
20. How do you select all elements with class "item" as a static NodeList?
- a) `document.querySelectorAll(".item")`
  - b) `document.getElementsByClassName("item")`
  - c) `document.getItemsByClass("item")`
  - d) `document.find(".item")`
21. You're tasked with styling a webpage that should have a consistent look across multiple pages. Which CSS method would you choose to ensure styles are applied universally across the site?
- a) Inline CSS
  - b) Internal CSS
  - c) External CSS
  - d) Embedded CSS
22. What is the correct syntax to add a click event to a button with ID "myBtn"?
- a) `myBtn.addEventListener("click", myFunction);`
  - b) `document.getElementById("myBtn").onClick(myFunction);`
  - c) `document.querySelector("myBtn").addEvent("click", myFunction);`
  - d) `myBtn.click("myFunction");`
23. Which selector would you use to apply styles to an element with the id "main-header"?

- a) #main-header {}
- b) .main-header {}
- c) main-header {}
- d) \*main-header {}

**24. What is output of this code:**

```
let x = 5;
console.log(x);
```

- a) 5
- b) undefined
- c) ReferenceError
- d) null

**25. You want to ensure that an element takes up the entire width of its container and starts on a new line. What display property will you use?**

- a) inline-block
- b) inline
- c) block
- d) flex

**26. What is output of the following code:**

```
const arr = [1, 2];
arr[100] = 3;
console.log(arr.length);
```

- a) 2
- b) 3
- c) 100
- d) 101

**27. What is the correct way to display an image in HTML7?**

- a) 
- b) 
- c) <picture src="pic.jpg">
- d) <pic src="pic.jpg">

**28. What is the purpose of the id attribute in HTML?**

- a) To define a heading
- b) To style an element using CSS
- c) To uniquely identify an element
- d) To create a hyperlink

**29. Which of the following is true about XML?**

- a) It is used only for web design
- b) It is used to style an element

- c) It is a programming language
- d) It is used to structure data

30. **What does DHTML stand for?**

- a) Dynamic Hyper Text Markup Language
- b) Direct Hyper Text Markup Language
- c) Dynamic High Text Markup Language
- d) Document Hyper Text Markup Language

31. **Which type of HTML element is used to create a checkbox in forms?**

- a) `<input type="checkbox">`
- b) `<button type="check">`
- c) `<input type="button">`
- d) `<check>`

32. **URI stands for:**

- a) Universal Resource Identify
- b) Uniform Resource Identifier
- c) Unified Resource Identify
- d) Universe Resource Identifier

33. **The HTTP protocol is designed to permit intermediate network elements to improve or enable communications between clients and servers and it is a stateless protocol.**

- a) True
- b) False

34. **What does `Number("123abc")` return?**

- a) 123
- b) 0
- c) NaN
- d) null

35. **Which of these elements are all `<table>` elements?**

- a) `<table><tr><tt>`
- b) `<table><tr><td>`
- c) `<table><head><tfoot>`
- d) `<thead><body><tr>`

36. **How do you access an element by its ID in JavaScript?**

- a) `document.getElementById()`
- b) `document.getElementById()`
- c) `document.getElementById()`
- d) `document.ElementById()`

37. **Which function is used to validate numeric input values in JavaScript?**

- a) `isNaN()`
- b) `isNumber()`
- c) `validateNumber()`
- d) `checkNum()`

**38. Which event is most likely to trigger form validation just before the form is submitted, ensuring all fields are correct in JavaScript?**

- a) `onkeypress`
- b) `onaction`
- c) `onclick`
- d) `onsubmit`

**39. What is the default value of an undeclared variable?**

- a) `null`
- b) `undefined`
- c) `0`
- d) `false`

**40. What is the result of `(0.1 + 0.2 === 0.3)`?**

- a) `true`
- b) `false`
- c) `undefined`
- d) `NaN`